

- (1) பக்கங்களின் எண்ணிக்கை 4
 (2) புதுக்கித் திருப்பிய நாள் 21 3 90
 (3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் 6/4

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

P.W.D குறை

(35)

அரசாணை எண். <u>3128</u> மு. கோப்புத் தாள் எண்.	அச்சகம் பலவகை
நாள் : <u>4 - 11 - 1889</u>	198

மடிக்கவேர கண்டபடி கையாளவோ கூடாது

2 Shuts

வண கா-1-18,006-15-6-87.

9/9

No. 1800 G.O.

FROM,

Major D. McNeil Campbell R.E.

SUPERINTENDING ENGINEER

3/28

FIRST CIRCLE.

TO,

THE CHIEF ENGINEER

FOR IRRIGATION.

DOWLAISHWERAM, 17th October 1889

SIR,

I have the honor to acknowledge the receipt of your letter of 1st W. dated 24th Sept^r 89 and request instructions -

2. The material reductions proposed by your letter No. 766 G.D. dated 24th June 89 no mention has been made in your reference and I therefore do not know if they are to be carried out or not -

3. With my letter I submitted a list of surplus machinery & Tools & Plant which might be disposed of and by which an annual saving of Rs. 447-13-3 would be effected, but in your Note printed with the G.O. you only mention the plate bending machine, am I therefore to assume that the others are to be kept? I would beg to point out that

the machinery ~~are~~ mentioned in my list are never used and that it does not therefore seem advisable to keep them and pay yearly Rs 447-13-3 for depreciation -

4. I also with my letter submitted a list of buildings that might be transferred to Provincial or which could not be required and no orders have been passed thereon, except that the quarters for the Deputy Supt are to be transferred to Provincial and the dry dock to Irrigation tools & plant & therefore suppose that the rest of my proposals are not sanctioned -

5. I think it right to state that if only the reductions mentioned in your Note are carried out there will be a considerable yearly direct loss in addition to the indirect loss but perhaps this is recognized as inevitable -

6. In para 2 of the G.O. it is stated that Conductor Bennett is to be employed in this Circle but I am at a loss where to find suitable employment for him, & I would suggest that if there is any work in the Presidency ^{involving} ~~some~~ little travelling and some knowledge of Mechanical Engineering is required he might be sent there, if not, I will of course make

11-7-22 make the best arrangement I can.

I have the honor to be,

Sir,

Your most obedient

J. H. Cassell Major
Supt Engineer 1st Circle

No. 3128 ^{his} 4 Nov 1889
B

The note by the Chief
Engr for Irrigation will
be communicated to the
Supt Engr 1st Circle
for information and
guidance.

1. 11. 89

(2)

1. 11. 89

S. S. I Circle

24/11/89

W.C. 1024
No 33 of 28-10-89

Transferred to "W." I think it would be a pity to sell any of the machinery except the "Plate Bender"; some of it (e.g. the "Sawing Machine" I consider it very advisable to retain to prevent work people having it all their own way, and it would all now go for a mere song. When the railway works commence, it might fetch a fair price. As regards the surplus tools August 28-10-89

I don't see what orders the Supg Engineer wants. Para 1720 of the Code seems to me enough for him. As regards the buildings in the Workshop precincts, it seems to me out of all reason, to transfer them to Provincial, because the workshops have no use for them now. Mr Bennetts pay, it appears, is not debited to the workshops and the Supg Engineer has been told that he can employ him as he likes, in the Workshop Sub Division therefore if he thinks advisable.

FROM,

3/28
Major D. Nesbit Campbell M.E.
SUPERINTENDING ENGINEER

FIRST CIRCLE.

TO,

CHIEF ENGINEER
FOR IRRIGATION
2 OCT. 89
No. 66 FOR IRRIGATION.

DATED

DESPATCHED

RECEIVED

14th } October 1889
18th }

NO. 1800 G.D.

ENCLOSURES

SUBJECT.

Don Luis River and Workshops

Requesting further instructions about the reductions proposed in the -