

- (1) பக்கங்களின் எண்ணிக்கை 6
 (2) புதுக்கித் திருப்பிய நாள் 22/3/90
 (3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் 10/9

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

P. W. P துறை

45

அரசாணை எண். மு. கோப்புத் தாள் எண்.	3140	அச்சகம் பலவகை
நாள் :	5-11-1889	198

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

3 Shells

வண. கா-1-18,006-15-6-67.

39

5th CIRCLE D. P.W.

FROM

3140

S. A. Subramania Iyer
Asstt Engineer
The Officer in charge of
Chidambaram Sub-Division.

To The Chief Engineer P.W.D.
Through The Executive Engineer,
South Arcot Division.

Camp Shattatope

Dated 2
Despatched 2 } September 1889.
Received

No. 691

ENCLOSURES.

Reference.

SIR,

I have the honor to report
that I propose to buy a good
levelling instrument for my
exclusive use and at my own
cost if the Government would
be pleased to grant one half
the cost. My object in doing
this is to have at my disposal
a level kept in the best
possible order and to have
a memorial of my service
after I should retire. I will
make no claim on the Govern-
ment for repairs or renewals

1 if

if the instrument should be damaged
by accident beyond repair or under
any other circumstances.

As the cost I now propose to lay out
will at the end of my service, exceed
the full value of an equally good
new instrument, I hope that Govern-
ment will see fit to sanction the
grant.

I request therefore that
you will be good enough to obtain
the orders of Government in the matter.

I have &c

Sd/- S. A. Subramania Iyer

Asstt Engineer.

No 5-54

Copy forwarded to the Superin-
tending Engineer for favorable
consideration.

Amman
Major R.E.

Executive Engineer

Bound above
6- September 1889

7-89

9-89

3140
SUPERINTENDING ENGINEER'S OFFICE,
V Circle, Madras,
Chennai, 22 October 1889.

No. 4799

From

Col. W. H. Burton R.E.

SUPERINTENDING ENGINEER, V CIRCLE,

To

THE Chief Engineer
P.W. Department.

SIR,

Enclosures.

I have the honor to forward
an Application from Mr.
S. A. Subrahmanya Iyer As-
sistant Engineer South Arcot
Division to be allowed on
somewhat peculiar terms
the sole use of a level - Size
not stated.

His object is to have a level
which once in adjustment
will if in his own exclusive
personal care probably long
remain so - but he is mis-
taken in supposing as I
was informed recently
in the Division that the
P.W. Store's price greatly
exceeds

exceeds the price at which Si,
 similar levels can be purchased
 in India - for instance
 a 10" Dumpy level at the
 P.H. Stores costs only Rs 48-12-0
 but Messrs. Treacher & Co
 would charge more than
 Rs 200 - I think he
 might be allowed to pur-
 chase one at the Stores
 paying for it in 10 equal
 monthly instalments.

I have the honor to be
 Sir
 Your most Obedt Servt
W. Sturton Col. R.E.
 Supd Engineer
 5th Circle

W. No. 10077

No. 3140 W. of 5th Nov. 1889

No. 4799

From

The Sup^y Engineer
S. Circle

To

The Chief Engineer
P.W. Dept.



Dated 22nd }
Recd. 23rd } October 1889

Encl. 1.

Levelling Instrument

Forwards an Application
from Asst. Engineer Subrah-
manya Iyer of South
Arcot Dist. to be allowed
on somewhat peculiar terms
the sole use of

(3)

With order

B

Sub. to let

The proposal of the
Sup^y Engineer is approved,
but the level should be paid
for in three instalments.

W. No.

25.10.89

Recd. 28.10.89

S. S. I. circled D 5/11
G. M. W. 12/11

11/11

11/11