

- (1) பக்கங்களின் எண்ணிக்கை 12  
 (2) புதுக்கித் திருப்பிய நாள் Nov 89  
 (3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் low

தமிழ்நாடு ஆவணக் காப்பகம்.

(6)

தமிழ்நாடு அரசு

P. W. D. துறை

|                                       |                      |                  |
|---------------------------------------|----------------------|------------------|
| அரசாணை எண்.<br>மு. கோப்புத் தாள் எண். | <u>3187</u>          | அச்சகம்<br>பலவகை |
| நாள் :                                | <u>8 - 11 - 1889</u> | <u>198</u>       |

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

உரி.

6. 81005

ஆவண. கா-1-18,006-15-6-87.

3187  
16TH MARCH 1889, No. 810 W., PUBLIC WORKS.

GOVERNMENT OF MADRAS.  
PUBLIC WORKS DEPARTMENT.

General  
Establishment.

READ—the following papers:—

*Note by the Chief Engineer for Irrigation.*

No. 19 E.W.

The accompanying proposition statement of establishment required from 1st March 1889 to 28th February 1890, for the Tank Restoration Scheme, is submitted for the sanction of Government.

2. The first statement printed with G.O., No. 767 I., of 22nd December 1888, shows that the margin between investigation and execution was about 5 lakhs at the end of September 1888. This is considered sufficient, and since the six parties, as at present constituted, turn out estimates exceeding in amount the annual grant available for "works," it is proposed to further reduce the strength of each party to one overseer, three surveyors, and proportionate office and petty establishment. The office and petty establishment may be reduced at once, from 1st April, and reduced provision for these has accordingly been made in the accompanying statement; but as resignations are frequent in the Tank Restoration establishment, it is proposed to effect the reduction among overseers and surveyors gradually, as vacancies occur, and not by dispensing with the services of the extra men at once, since the latter course would only involve the loss of practised men, while the vacancies that are sure to occur in the next few months would have to be filled up by men unaccustomed to the work. It is anticipated that the proposed scale will be worked down to in six months or less; meanwhile the numbers at present actually employed are provided for in the statement.

3. As proposed in the note accompanying G.O., No. 3978 W., dated 19th December 1888, two sub-parties will be started in the Godavari district, from 1st April, one to be under the Executive Engineer, Eastern division, and one under the Executive Engineer, Western division; each sub-party to consist of one overseer, two surveyors, and office and petty establishment. These sub-parties will be furnished with overseers and surveyors by transfer from the existing parties.

4. It is also proposed to start a small party in Vizagapatam district, which will be under the orders of the Executive Engineer, Vizagapatam division, and will similarly be furnished with an overseer and two surveyors from the existing parties, whose proposed reduction will thus be almost wholly effected.

5. The amount of sanctioned estimates in Chingleput being about 4 lakhs in advance of the expenditure up to date in that division, it is considered inexpedient to add to the former by preparing more estimates, many of which would probably be rendered obsolete by breaches, weather, &c., before there can be any hope of their being worked out. It is therefore further proposed to transfer No. II Party on the completion of the Chembrambakam minor basin in May to Tinnevely, in which district it will begin work at the southern extremity, working northwards to meet

6. A statement of the upper subordinates required is submitted for the first time; it cannot, therefore, contain a comparison with the "present scale;" it is, however, in exact accordance with present actuals.

7. The estimate for surveyors and for petty establishment chargeable to "works" will be disposed of in the Irrigation Branch.

CHEPÂK,  
8th March 1889.

(Signed) G. T. WALCH,  
Ag. Chief Engineer for Irrigation,  
Tank Restoration Scheme.

To the Chief Engineer, Public Works Department.

ENCLOSURES.

ENCLOSURES.

PROPOSITION STATEMENT showing the special establishment required for the Tank Restoration Scheme for 1889-90.

(Signed) G. T. WALCH,  
A. g. Chief Engineer for Irrigation, Tank Restoration Scheme.

## STATEMENT of Upper Subordinates required for the Tank Restoration Scheme.

| No.  | Party. | Number<br>of Overseers. | Salary of each<br>Overseer. |
|------|--------|-------------------------|-----------------------------|
| I    | ...    | 1                       | 80                          |
| II   | ...    | 1                       | 60                          |
| III  | ...    | 1                       | 60                          |
| IV   | ...    | 1                       | 80                          |
| V    | ...    | 1                       | 60                          |
| VI   | ...    | 2                       | 60                          |
| VII  | ...    | 1                       | 100                         |
| VIII | ...    | 1                       | 60                          |
|      | ...    | 1                       | 60                          |

CHEPÁK,  
4th March 1889.

(Signed) G. T. WALCH,  
Ag. Chief Engineer for Irrigation,  
Tank Restoration Scheme.

From the Examiner, Public Works Accounts, dated 14th March 1889, No. 334.

ORDER—dated 16th March 1889, No. 810 W., Public Works.

The proposals of the Chief Engineer for Irrigation for continuing and extending the operations of the Tank Restoration Scheme during 1889-90 are approved, and the statement of special establishment required during the year is sanctioned.

2. Provision for the requisite upper subordinate establishment will be made separately.

3. This sanction has been registered as Provincial No. 74 W. of 1888-89, and classified as Establishment, Temporary.

(True Extract.)

(Signed) H. R. MEAD, Colonel, R.E.,  
Ag. Secretary to Govt., P.W.D.

To the Chief Engineer for Irrigation.  
To Superintending Engineers.  
To the Examiner, Public Works Accounts.  
„ Revenue Department.

Exd. J. Henricus.  
Spare Copies

3187

W

GENERAL.  
ESTABLISHMENT.

Govt. of {1889} Madras.

PUBLIC WORKS.

Dated March, 16th.

Recd.

Encl.

G.O., 16th Mar. 1889, No. 810 W.

MARCH.

**Tank Restoration Scheme**

Orders approving proposals of the Chief Engineer for Irrigation for continuing and extending the operations of the — during 1889-90.

No.

2134-T

3/87  
Office of Superintendent of Works,  
Restoration  
TANK MAINTENANCE SCHEME,

2<sup>d</sup> November 1889.

From

G. I. Walsh Esq  
Chief Engineer  
THE SUPERINTENDENT OF WORKS,  
Restoration  
TANK MAINTENANCE SCHEME,

To

THE

Chief Engineer  
P.W. Department

Enclosures.

SIR,

I have the honor to report that J. Kistnaswamy Pillay, a 3<sup>rd</sup> Class Draftsman has been appointed on a salary of Rs 30 per mensem in A-1 Party, Tank Restoration Scheme, against the sanctioned scale of Rs 40 provided in G.O. No 810 W dated 16<sup>th</sup> March 1889, and as the Examiners of P.W. Accounts will object to audit his pay under P.W. Code para 172 note, on the ground that the sanctioned rate of pay is being lowered to suit the draftsman's qualifications, I request that you will be good enough to obtain the sanction of Government promised

in G.O. No <sup>3622</sup>~~3688~~ dated 15<sup>th</sup> Nov/88  
authorising the Examiner to audit  
the pay on which the Draughtsman  
has been appointed.

2. No Draughtsman who has passed  
the necessary test for the higher  
scale of pay can be obtained although  
such men have been advertised for.

I have the honor to be

Sir

Your most obedt Servt

W. Miller

for Chief Engineer Fortnif  
M.S.

31/10/88  
3/10

3187

From

The blue of Kensington  
for Brighton;

To.

The Chief Engineer  
P.W. Dept

No: 2134-T

Dated 2<sup>d</sup> November 1889  
Wesley

Enclosure

*vil*

Subject

Request to obtain the  
Sanction of Government  
authorizing the Examiner  
P.W. & accounts to audit the  
pay of Draftsman T.  
K. Krishna Rao, P.W. & accounts  
over Rs 30 against the  
sanctioned scale of Rs 40.  
With order

870 743 3 d/28.11.89  
 " 1103 W d/22.10.89  
 " 1838 C d/7.5.88  
 " 2622 W d/15.11.88  
 " 890 W d/16.2.89

Sanctioned.

5.11.89

Ans. 5.11.89

C. E. for 2 ✓  
Exp. W. A. ✓ 28/11.

6

Nov 5-41 84  
R. J.  
13/11-