

- (1) பக்கங்களின் எண்ணிக்கை 12
 (2) புதுக்கித் திருப்பிய நாள் 12/88
 (3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் luna

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

P W 3 துறை

அரசாணை எண்.	490	அச்சகம்
மு. கோப்புத் தாள் எண்.		பலவகை
நாள் :	18 2 1889	198

Shiny

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

8 sheets

ஆவண. கா-1-18,006-15-8-87.

*6 Books
laminated*

No. 160896

Executive Engineer's Office,
No 1. PERIAR DIVISION.

From,

H S Taylor Esq

490
1

Executive Engineer, Periar Division

To,

The Superintending Engineer.
Perijar Project Works

Station Perijar dated 1 Nov 1888.

Sir,

ENCLOSURE.

I have the honor to bring to your notice the advisability of having a second apothecary, or a hospital assistant attached to this Division.

2. The necessity for this addition arises from sanitary grounds entirely.

3. Besides the two main Camps at Perijar and Thekkadi there are at present the subsidiary Camps at the Tunnel Ravine, at no 2 and no 3 Dams.

4. To keep all these lines clean
is

is more than one man can do,
as has been proved by experience.
The present apothecary is not lacking
in energy and contends I think
with justice that to see to the
proper sanitation of these camps
as well as to attend to a daily
average of over a hundred sick,
is more than one man can do effec-
tively.

5. A large proportion of those
attending hospital are as a matter
of fact suffering from diseases direct-
ly arising from dirt, and it can
be easily imagined that with a
little more encouragement a serious
epidemic might be expected to
break out.

6. Of course the number of
different camps, as well as the actual
number of laborers will decrease
as the machinery becomes established,
but I ask for the immediate increase
of

of the medical staff which can be
reduced when the necessity for it
disappears. 250/2

7. Another reason for a second
medical officer is that whenever, as
is the case at the present moment, the
one civil apothecary has to leave the
place, from sickness or other causes,
there is no one to attend to cases of
illness or accidents which may occur.
besides the absolute certainty of all
the camps falling into an Augean
state of filth in the absence of a Sanitary
officer.

8. I venture to commend this
suggestion to your earnest and imme-
diate consideration as the case is to
my mind most pressing. Ten per cent
of the laborers engaged on the works at the
hospital, and the majority, as stated
above, suffer from effects of insanitation,
which can I think only be remedied by
an additional medical, or rather especially,
sanitary officer. I have the honor to be, Sir
Your most obedient servant.

J.

J. Taylor
General Manager

P. W. D. G. C. No 1284 P.R.
12-11-88
PERIAR DIVISION.

From, *A. S. Taylor Esq*
Executive Engineer,
No. 1 Periar Division.

To, *The Supg Engineer*
Periyar Project Works

No. 1608 P.P.

ENCLOSURE:

Station *Periyar*
Dated *8th*
Despatched *10* } *November 1888*

Subject.

*A Second apothecary or
Hospital Assistant.*

*Recommends the
advisability of engaging
the services of - for the
Periyar Project.*

No 1124 P.R. *Supr Engr's office*
Periyar Project
Periyar 12 November 1888
0714 *11/14*

Letter from the Executive Engr.
near No I Periyar Division.
No 1608 P.P. dated 8 November 1888

Submitted to the Chief
Engineer P. W. D. with the re-
quest that a second medical
subordinate may be posted
for duty in connection with
the project.

2. I can fully endorse what
Mr Taylor says regarding
the necessity for further assist-
ance in enforcing sanitary
regulations; the difficulty of
of persuading the coolies to
attend to these is almost in-
credible, and it is impossible
for the apothecary to give the
matter that constant attention
which

which it requires.

3. The statement of establishment attached to my report of 1882 provides for two medical subordinates with an aggregate salary of Rs 200 per month. At present we have only one apothecary with a salary of Rs 50.

Col R.R.
Superintendent, Periyar Project

490


No 3393 C of 7.10.87
 " 2314 W of 29.8.87
 " 3456 C of 11.10.87
 " 3490 C of 13.10.87
 " 272 W of 18.10.87
 " 106 W of 31.4.88
 " 2858 W of 13.9.88
 " 1791 W of 16.5.88
 " 1694 W of 8.5.88
 " 575 W of 24.8.88
 " 2894 W of 14.9.88
 " 3067 W of 1.10.88

From,
 The Super Engineer
 Periyar Project

To,
 The Chief Engineer
 P. W. D

No. 1124 P.R

Dated 12: November 1888



Submits letter from
 the executive engineer
 No. I Periyar P.W.D.
 and requests that
 a second medical
 subordinate may be
 posted for duty in
 connection with the
 project—



PROCEEDINGS OF THE MADRAS GOVERNMENT.

Read the following paper

From the Public Works Department
 dated 27th November 1888 No 4717C.
 Read also the following

From the Surgeon General with Government
 dated 31st January 1889 No 45.

In returning papers received
 with Public Department's Requisition
 No 4133 current of the 9th January 1889,
 I have the honor to observe that I
 consider a hospital Assistant should
 be posted to the Periyar Project in addition
 to the present Apothecary, as there are
 two hospitals situated at a distance
 of 7 miles from one another and the
 number of sick treated daily is about
 100. In addition to this, the sanitary
 inspection of such a large encampment
 entails more work than one apothecary
 can efficiently perform.

Order

Order 14 February 1889 No 162

The recommendation made in the foregoing papers that a Hospital Assistant be posted to the Peninsular Project in addition to the Apothecary is sanctioned. The Surgeon General will arrange accordingly.

J. W. Eschscholtz

Admiral

Chief Secretary

To

The P. W. S. Papers
" Surgeon General with fort.

21st

490
6

717 c 727/10/80 taken for
2772 w 7 10/10/87
2558-9 w 7 13/9/80
3067 w 7 1/10/80

1509
Govt. of 1881 Madras.


To

The PW Dept

Communicated
to the Secy. Genl.
to the Secy. Genl.
Peru no Project
Peru no Project
with reference to
his letter no
1124 PR d/ 12th
1124 PR 17 12th
Nov 1888
Nov 1888

Proceedings, dated 14-2-1889
No. 162

Subject.



WMS
16.2.89

WMS
16/2/89

152490 w 7 18-2-89
Amby an Hospital
Assistant for the
Peru no Project in
addition to the
apothecary

189
S.E. Peru no Project
S.E. Peru no Project
C4 n. 10 n. 2
S.E. Peru no Project
18/2/89

(6)

with the