

(1) பக்கங்களின் எண்ணிக்கை

(2) புதுக்கித் திருப்பிய நாள்

(3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம்

தமிழ்நாடு ஆவணக் காப்பகம்.

126

தமிழ்நாடு அரசு

P.W.O. துறை

அரசாணை எண்.
மு. கோப்புத் தாள் எண்.

573

அச்சகம்
பலவகை

நாள் :

27-2-1889

1989

மடிக்கவோ கண்டபடி கையாளவோ கூடாது


2. sheets

ஆவண, கர-1-18,000-18-6-87.

2

573

Circular No. 19-G.A. of 1889.



FROM

THE OFFICIATING SECRETARY TO RESIDENT,

Hyderabad Public Works Department,

TO

THE *Secretary to Government*
Public Works Dept.
Madras

DATED BOLARUM, 17th January 1889.

SIR,

With reference to the Government of India Public Works Department Circular No. XI, dated the 20th December 1887, I am desirous to inform you that the marginally noted surplus stores are available in the Buildings and Roads branch of this Province for transfer, and to enquire whether any of the articles mentioned are required.

Description.	Quantity.	Rate.		Book Value.	
		No.	Each.	Rs.	P.
Pickaxes	500	1	0 4	510	6 8
Phowrahs	490	0	12 0	367	8 0

I have the honour to be,

Sir,

Your most obedient Servant,

Govindappa
 Offg. Secretary to Resident,
 Hyderabad P. W. Dept.

RCU

P.W.D. 20
1/527 Am 8th 89
PUBLIC WORKS DEPARTMENT,
HYDERABAD.

Circular No. 19-G.A. of 1889.

Dated 17th January 1889.

Recd. No. 1109 W
5.2.89
No. 523 C of 4th Feby 1889

Referred to the
Supdy. Engineer V circle
for report.

(By order)

W. B. Bowdler
Capt. R. E.
Under Secy. to Govt P.W.D.
Mh

Surplus Stores available for transfer.

SUPERINTENDING ENGINEER'S OFFICE,

V CIRCLE, MADRAS,

No. 5678.

Chepāk, 21 February 1889.

From

Colonel W. H. Burton R.E.

SUPERINTENDING ENGINEER,

V CIRCLE,

To

THE Chief Engineer 573
P.W. Department

Sir,

Enclosures.

With reference to your
endorsement No. 523 C dated 4th
February 1889 (herewith returned)
I have the honor to state that
the surplus tools available for
transfer from the Hyderabad P.W.
Department, are not required by the
Presidency Public Works Workshops.

I have the honor to be

Sir

Your most Obedt Servant

W. H. Burton. Secy

Superintending Engineer
V Circle

V

2187 N 7 187/00
1762 N 7 14/6/00

B No 573 N 7 27 Feb 1889


To The Secy. to the
Resident of Hyderabad
Resident at Hyderabad
P. W. Dept.
Public Works Dept

From
THE SUPERINTENDING ENGINEER,
V. CIRCLE,

To
THE Chief Engineer
P. W. Department.

Sir,
In reply to your
In reply to your
No. 19 G. A. of 17-1-89.
No. 19 G. A. of 17-1-89.
I am directed to say
I am directed to say
that none of the
that none of the
surplus stores
surplus stores
enumerated therein
enumerated therein
are required by
are required by
this Department
this Department

Dated 21st February 1889.
Recd. 22nd



ENCLOSURES. /

B. No. 573 N 7 27 Feb 1889

No. 5678.

Surplus tools available for transport
from the Hyderabad P. W. Dept.

States that the
are not required by the Presi-
dency P. W. Workshops.

227/2
W 25/2/89
W 25/2/89

(12)

P-4/3. 1/3

S. H. / DW / W