(1) பக்கங்களின் எண்ணிக்கை 6

(2) புதுக்கித் திருப்பிய நாள் 18-12-88

(3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம்

தமிழ்நாடு ஆவணக் காப்பகம்.

(112)

தமிழ்நாடு அரசு

PWD துறை

அரசாணை எண். 148 அச்சகம்
மு. கோப்புத் தாள் எண். பலவகை

நாள் : 18. 1.1989 19 .

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

3. Sheets

அரசு அ-1—10,000—15-6-87.

(3)

No. 2567/Gd.

FROM,

Lt Col R.R.E. Drake-Brockman R.E.

~~THE~~ SUPERINTENDING ENGINEER

FIRST CIRCLE.

148/1

TO,

THE CHIEF ENGINEER

P.W. Department

~~FOR IRRIGATION.~~

DOWLAISHWARAM, 18th December 1888

SIR,

I have the honor to request that Government may be solicited to renew their sanction to the temporary office Establishment in the Godavari Western Division for the year 1889-90, as the sanction conveyed in G.O. No. 1106 W. of the 13th April 1888 will expire on the 31st March next. The necessity for this Establishment remains the same as when it was first applied for.

I have the honor to be,
Sir,
Your most obedient Servt

S. Srinivasa
Asst Engr
For Supt Engr 1st Circle

JK

101

Ker

B

Sanction is accorded to the retention during ~~1888-89~~ 1889-90 of the Temprary Establishment sanctioned in G.O. No. 1106 W dated 13th April 1888 for employment in the Godavari Western Division.

2. This sanction has been registered as Provincial No. 53 W of 1888.89 and classified as Estab.t Temporary.

B. 11/10/1 8.1.89 8/1/89

SE I Cole

Ex. 8 W CO

Dy 97 W 13/3 D 11/1 Stamps 8.1.89 R 10.1.89

FROM,

Lieut.-Col. R.H. Dracke Brockman RE

THE SUPERINTENDING ENGINEER

FIRST CIRCLE.

TO,

THE CHIEF ENGINEER

FOR IRRIGATION.

P.W.D.

DATED 18th
DESPTCHED 19th } For Madras 188

RECEIVED

No. 2567 Gd.

ENCLOSURES.

SUBJECT.

Requests to solicit Govt. to renew their sanction for the temporary Estabt. required for Godavari Western Div.n for 1889-90.

With order

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

UNDER date the

148/3

~~Read the following~~

Erratum.

148/13 In G.O. No. 63 W dated 10th January 1889,

For "retention during 1888-89"

Read "retention during 1889-90."

MCB 18.1.89.

Note by B.

Nearly all the Errata are due to mistakes in the Printed Section - 16 months to have corrected in Press

To

The Supdg. Engr. I Circle

" Examiner of P.W. Accounts

21/1

W

R 18/1

Bk. 63 W.7 10/.189 4 folio

(3)