

- (1) பக்கங்களின் எண்ணிக்கை 10
 (2) புதுக்கித் திருப்பிய நாள் 7-89
 (3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் 10/8

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

பொதுப்பணித் துறை

அரசாணை எண். <u>1218.W.</u>	அச்சகம்
மு. கோப்புத் தாள் எண்.	பலவகை
நாள் : <u>24.4.1890.</u>	<u>10/8</u>

28

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

Inol. C. No. 930 12/8/

SUPERINTENDING ENGINEER'S OFFICE,

V Circle, Madras,

Chennai, 26 February 1890.

No. 7567

From

Colonel W. H. Burton R. G.

SUPERINTENDING ENGINEER, V CIRCLE,

To

THE Chief Engineer

P. W. Department.

SIR,

Enclosures.

I have the honor to solicit the sanction of Government to the demolition of the 4 Police Huts at Balchettu in Chingleput District under para 1033 of P. W. Code.

2. These are said to have been erected by the P. W. Department in 1877 at a cost of Rs 1130, but the Executive Engineer has no record concerning them in his office.

3. In July 1889 they were given over to Executive Engineer so as to be occupied for safe custody as being

no longer wanted by the Police
and they are not wanted by the
Revenue or other Department
and are otherwise useless.

I have the honor to be

Sir

Your most Obedt Servant

Wm Burton

Capt.

Superintending Engineer

fifth Circle

P.W. Cell 2016
 From The Supy Engineer
 5th Circle

In to Rem 394
 From THE SUPERINTENDING ENGINEER,
 V CIRCLE,
 To THE

To The Chief Engineer
 P.W. Department.

Dated 26th } February 1900
 Recd 27 }

Dated 18
 Recd.

Enclosures
 No.



No. 7567.

4 Police Huts at
Balehatty.

Salient Sanction of
 Govt. for the demer-
 .ition of -

No. 1189, C d/5 March 1900

Referred to the
 Judicial Department for
 for our information
 whether there is any objection
 to the demolition of the huts.

Quadrant. Kachanur

St. C.R. P.
 As. Joint Secy to Govt. Mad.

1.3.90

Return to P.W.D.

1218/9

Copy of letter from the Superintendent
 of Police, Chingleput District, of 23 March
 1890, No. 275, to the Asstt. Inspector General
 of Police, Madras.

Referring to your E. No. 136 of 14th
 March 1890 and the papers therewith received
 (herewith returned), I have the honor to report
 that in my letter No. 866 of 11th July 1889
 to the address of the Executive Engineer,
 Chingleput Division, I had stated that
 only one hut which is in excess of the
 requirement at Balehatty out post was
 to be taken charge of by the D.P.W., and
 I do not know how the D.P.W. propose to
 demolish 4 huts while the 3 are in the
 occupancy of the out post men. It is
 evidently a mistake of the D.P.W. officers
 proposing to demolish 4 huts instead
 of one.

Public Works Dept. with Encl.

To Chief Secy.

Judicial Department.

12/18/90



PROCEEDINGS OF THE MADRAS GOVERNMENT.

Read the following papers—

From the Public Works Department, dated 5th March 1890, N^o 1189 C.

And from the Inspector General of Police, dated 27th March 1890, N^o 1766.

With reference to your C N^o 930 dated 11th March 1890 J.D. (herein returned), I have the honor to state that 3 out of the 4 huts at Balchatty are in the occupancy of Constables of this Department, and that there is no objection to the other hut being demolished by the Public Works Department.

2. It will be seen from the accompanying letter from the Superintendent of Police, that the Executive Engineer was asked to take charge of only one hut at Balchatty.

Order: - 11 April 1890, N^o 670.

The letter from the Inspector General of Police and its enclosure will be communicated to the Public Works Department.

(True Extract)

Wm. Boulden Capt. R.E.

Under Secy P.W.D.
To Chief Secy.

To The Inspector Genl of Police
Public Works Dept with enclosure

P. W. C. No. 3700 ✓

Govt. of (18) Madras.

No 1218 W of 24 April 1900

To

The FWD

Ad 17-4-90

Inc 2

B

was with

Communicated to the
Suby Ingr V circle with
reference to his letter No
7567 da Ad 26th February
1890. The demolition of
the unoccupied hut
is sanctioned.

Proceedings, dated 11th April 1890.
No. 670.

Subject.

W. C. No.

17.4.90

Ad 19.4.90

Communicating Copy
of letter & enclosure from
the Ingr put of Police
to the FWD Dept

Suby Ingr V circle

Exar. B. W. Aceto ✓

29/4/90 10/5 10/5

02555. iv
17.4.90 M. W. W.