

8.2.90 / R4

- (1) பக்கங்களின் எண்ணிக்கை 4
(2) புதுக்கித் திருப்பிய நாள் மார்ச் 89
(3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் 102

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

பொதுப்பணித் துறை

அரசாணை எண். மு. கோப்புத் தாள் எண்.	<u>1670(W)</u>	அச்சகம் பலவகை
நாள் :	<u>16.6.1890</u>	198

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

No 151 N6

Asstg. Engineer's.

2nd Ld

2nd June 18,

From,

1670

To,

J. Hannan Esquire,

Superintending Engineer,
II Circle.

The Chief Engineer,

P. W. Department,

Sir,

Madras

I have the honor to bring to your notice that the old Taluq Cutcher at Devarayapalli in the Nellore Division which was used as a Police Station has been vacated by the Police from 1st April 1889 and handed over to this Department on account of the abolition of Police Station there.

2. The above was reported to me by the Executive Engineer in his No. 430 dated 16th October 1889, and I requested the President, Local Fund Board, Nellore, to state whether the Building in question is required by the Board, but I have not yet received reply from him.

3. The Executive Engineer reports now that the Building will be useful as a Rest house in inspecting the Ananta Sagarani Tank and proposed works under it.

I therefore request that you
will be good enough to accord sanc-
tion under para 980 of the P.W. Code,
to keep it in order as a Rest house
for use of Officers in this Department.

The Book value of the Building
is Rs. 650 and the cost of putting
it in repair Rs. 260.

I have the honor to be,
Sir,
Your Most Obedt. servt.

Hammell
Superintending Engineer
H. K. K. K.

31-5

1670

9

P.W. C No. 5327

101570 W of 16 June 1890
12 June

Sanctioned

from

The Supt. Engineer
2nd Circle

L 10 June 1890
S.V.B.
9.6.90
P.W. 9.6.90

To The Chief Engineer
P.W. Department,
Madras

Dated 2nd June 1890
P.W. 7-6-90
10151 N.B

B 10151 N.B

Devarayapalli.
Police Station at.
Requests to issue orders
to keep the in order
for use as a Dist House

We have the Chief Secy
for District
and the District
P.W. 10151 N.B

2 10151 N.B
S E II under
P.W. 10151 N.B
P.W. 10151 N.B
P.W. 10151 N.B