

- (1) பக்கங்களின் எண்ணிக்கை 6
 (2) புதுக்கித் திருப்பிய நாள் மார்ச் 89
 (3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் லா

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

உயரதுயனித் துறை

அரசாணை எண். மு. கோப்புத் தாள் எண்.	1673(ய)	அச்சகம் பலவகை
நாள் :	16.6.1890	198

3
மடிக்கவோ கண்டபடி கையாளவோ கூடாது

G.O. No. 819 W.D. 21-3-90 L.O. at 0.00

P.W. No. 5637

No. E.
GOVT. OF MADRAS. 1890 P. W. DEPT.

SECRETARY.

1673

Ootacamund, 4/6 1890

Recd. 6-6-90

16-6-90 OFFICE NOTE

From J.

To W.

(1) The time has come
I think when the
Officer who is to
take the Panna
Charg, when Col.
Pennycook leaves
it should be informed
of what is intended -
(2) It would also be
advisable in order
that he may arrange
about a house -
that he should be
told when his
quarters will be -
any one officer on
the subject is the
one that

Col. Pennington as
given in para 7 of his
"Note" with his letter
400 V/6 1/3/90 dealt
with in R. G. P. O.
919 W. 21/3/90

J. G. W.

1177
N

P. W. D.

Office note from "J" dated
21 June 1890.

For orders -

G. O. dated 21.3.90
no 919 W left the quarters
of the Super Engineer's Head
quarters for future de-
cision.

If it be decided
that Kodakkanel is to
be the head quarters of
the future Super Eng.,
it will be necessary
not only for the officer
to secure a house for
himself, but also
that arrangements should
be made to secure
a house for the office
of the Super Eng.

If Colonel Pennycook's
successor can be selected
at once, the officer nomi-
nated can be told to
make all preliminary
arrangements without
delay. It is proposed
to submit to His Excy
the name of Major D. H. W.
Campbell for future
Chief of the Project,
but the papers are
submitted in the first
instance to the Hon Member
for decision as to the
question of head quarters.

Puned

6.6.80

for 6/6/80
W

FOR ORDERS.

I don't see any reason why
Kodankanal should be the
head quarters of the Supt. Engineer.
I should have no objection to his
going there if he liked in the
off season for a couple of months,
but I consider that for some
time to come his head quarters
during the Periyar working season
should be at Periyar. Before
from the foundation of the main
dam being got in, these prelimi-
nary arrangements for some
time to say them have been
been complete. I consider that
until they are safely in position
the dam has made such
progress that no further business
has been left about it the
head quarters should continue
as at present.

WCO

7 June

No 1673 W of 16 June 1890

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

1673

again
Read the following

Proc. of Govt. P.W. Dept. No 919 W of 21-3-90

+105 D-8-5-90-

C
WCO
10 June
1890

In the Proc. above
recorded, the question of
the head quarters of
Colonel Pennycook's
successor was left for
future decision. His
Excy. the Governor in
Council now resolves
that during the Periyar
working season, the
head quarters of the
Supt. Engineer shall
continue to be at
Periyar until further
orders.

Ch. E. P. Project

Ch. Engr. for the

Puned
9/6/90 9.6.90

