

- (1) பக்கங்களின் எண்ணிக்கை 4
 (2) புதுக்கித் திருப்பிய நாள் செப்டம்பர் 89
 (3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் 102

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

பொதுவணித் துறை

அரசாணை எண். மு. கோப்புத் தாள் எண்.	1681 (ம)	அச்சகம் பலவகை
நாள் :	17-6-1890	198 .

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

Letter from A. B. Todd Esq., Executive
Engineer, Gudivada Division, to the Suptg.
Engineer, Circle, dated 5th May 1890
No. 322.

3331
28 MAY 1890

With reference to your Endorsement
No. 1188 N.S. of 21-8-89 on G.O. No. 2254/1
of the 26th Idem, I have the honor to
inform you that the discrepancies
in material at site account have
all been adjusted and to give the
following explanation in respect
of the tools therein referred to.

2. Of the total number of crowbars
viz: 308 shown in the Divisional Return,
there were 91 in the Bowdham Sub-
Division and 218 in the Head
Quarter Sub-Division; thus leaving
one more to be accounted for in
the Divisional Return and which
has since been brought on the
Divisional Return for the half
year ended 31-3-89 as found
surplus.

The large discrepancy noticed
by the Examiner in his Office note
herein under reply is due to the
No. of crowbars borne on the Return
of the Head Quarter Sub-Division,
having been inadvertently entered
as

as 128 in his Inspection notes instead of 218 as shewn above.

3. Of the total number of stone breaking hammers viz. 248 shewn in the Divisional Return, there were 140 in the Cowtaram Sub-Division and 112 in the Head Quarter Sub-Division, thus leaving 4 more to be accounted for in the Div^l Return and these have since been brought on the Div^l Return for the half year ended 31-3-89 as found surplus.

4. There was no discrepancy in the number of mamooties, as there were 3 mamooties Europe borne on the Return of the Head Quarter Sub-Division, which having been shewn therein separately as such, appear to have been omitted in taking count when checking the number of mamooties (country) shewn in the Divisional Return, which included these 3 also, there being no separate item of mamooties Europe, in the Divisional Return.

No.

No. 461. KJ

19.5.90

Submitted to the Chief Engineer, P.W. Department, with reference to G.O. No. 2254 W. dated 16th August 1889.

2. No Head Quarter Sub-Division was sanctioned for the Gudivada Division - What is referred to as such by the Executive Engineer is the portion of the Division that should be under his charge, excluding Cowtaram Sub-Division.

41/2

J. H. Ann. etc.

Superintending Engineer,
H. Circle.

2.

19.5.90.

From

Subpts Engineer
I Circle

To

Subchief Engineer
P.W. Dept
Madras

Dated 19th May 1890

Recd 22-5-90
11-6-90

No 461 K

Dy Examiners Inspection
Notes on the Gudwada
Drain Office - in Feb/89 -
Certain discrepancies
noted in the - Reports
that - have been admitted

No. 2377.C d/23 May 190

To C

For favour of
perusal and
return.

MM
22.5.90

J.H

No. 4004 d/10.6.90.

To

W

Noted and returned.

Pr. Bus 1326W d/10.5.90

Mensur 6547 d/27.11.89

Pr. Bus 2254W d/16.8.89

" " 17521W d/3.7.89

" " 1130W d/26.4.89

" A. 1307W d/3.5.89

d/10/6/90

for C

No. 1681W d/17 June 1890

Recorded.

Ames OUTB

13.6.90 d/2.6.90

W.

0
12/0
1900/16/1
AL 58.11.
with