

- (1) பக்கங்களின் எண்ணிக்கை 10
 (2) புதுக்கித் திருப்பிய நாள் 5-8-89
 (3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் 10-2

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

P. W. 2 துறை

அரசாணை எண். மு. கோப்புத் தாள் எண்.	1994-W	அச்சகம் பலவகை
நாள் :	22-7-1890	198

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

[C. No. 8.]

1994

GOVT.
OF MADRAS.

1890

P. W.
DEPT.

EXAMINER, P. W. ACCOUNTS.

Madras, 30 April 1890.

OFFICE NOTE No. 2439.

To

W.

With reference to para I of my office note No. 2004 dated 9th. April 1890 remarking in regard to item 2 of the summary of inspection report of Negapatam Division dated 19th. December 1889, that the item will be specially dealt with on receipt of the Inspecting Officer's explanation, I beg to inform you that it appears from the accounts, that there are two or three contractors (actually so called) in the division; but the Inspecting Officer's remarks practically referred both to contractors and to so-called piece workers, who probably were really contractors, the distinction between the two having hitherto been little more than nominal.

2. Under this circumstance, it seems unnecessary to say anything more about the matter at present; but it will be looked to again at next inspection.

KEEP-WITH

Genl. No.

dated

189

for Bond 1145 w of 18. 11. 90
sums no 127207 8. 3. 90
for Bond 425 w of 8. 2. 90

OWC No 4112

2
1994

81.5.90

for 1145 w of 18. 11. 90

Recorded

WMB
2.5.90

Quoted
11. 11. 90

Exch. P.W. Bonds 8/5

OK 539. 11. 11. 90
ms. 11. 11. 90

No 2157 C of 7-5-1890

1145 W of 18-4-1890

425 W of 8-2-1890

1272 C of 8-3-1890

1890.

P. W. DEPARTMENT.

Current No. 11518

From The Deputy Engineer
VI Circle

Enclos.—

No. 289 J. J.

Dated 10-5-1890

Received 14 - - -

SUBJECT.

Submitting letter from the
Executive Engineer, Naga-
patnam Division giving further
explanation with reference
to the Examiner's summary
on the inspection notes of
the Nagapatnam Division
office.

DISPOSAL.

No. 2301 C dated 19th May 1890

To

C

For perusal and
favour of remarks if
necessary.

P. J. / Sup W.D.C.B

Dr.

16/5/90

3/1890

Letter from the Executive Engineer, Naga-
patnam Division, to the Superintending
Engineer, VI Circle, No 1145 W dated 6th May/90.

With reference to your endorsement
No 139 J. J. dated 22-4-90, on G.O. No 1145 W
dated 18.4.90, calling for further report on
the Examiner's summary of the inspection
notes of this Division, I have the honor
to state as follows:—

1. Item 17. All the estimates of last
Official Year have now been filed
into the guard books, but the estimates
of the current year will be kept in bundles
till the close of the Official Year,
to facilitate reference for the Executive
Engineer in Camp.
2. Item 18. All the Service books have
been completely reattested.
3. Item 23. Sanction to write off the
value of the missing agreements has
been applied for.
4. Item 24. The Examiner has been
addressed on the subject by a separate
letter.
5. Item 27. Four copies of G.O. are
required for use in this Division.

Jws.

Two for two Sub Divisions, one to be kept in the subject bundle, and the remaining one to be filed in the file Board.

No. 28978 d/ 10th May 1890 Camp Madaitooncel
D-12

Copy submitted to the Chief Engineer,
D. A. W. with reference G. O. No. 1145 W
of 18th April 1890.

2. As regards spare copies of G. O. referred to in para 5 of the foregoing letter, 21 spare copies are being received in this office of G. O. on general subjects, and 4 copies on matters connected with Divisions in the circle. An order that each Division may be supplied with sufficient number of spare copies, on the data proposed in the foregoing letter, and to meet the requirements of the Circle Office, it is requested that 25 copies of the forms may be supplied in future.

3. When a G. O. concerns all or more than one Division, in the circle, about 12 or 6 copies may be supplied.

4. The matter of missing forms of agreement alluded to in para 3 of the above letter has been referred to the Examines. P. W. accounts.

M. Smith Lieut. Col.
Superintendent

PWC No. 4578
June 6/25/90

No 2301 C d/19. May 1900

To

30 MAY 1900

The Supply Engineer
in Circle

For perusal and
favour of remarks

if necessary.

The Chief Engineer
P. W. D.

W. C. P.
16.5.90

8/4

No 28972

dated 10 } May 1900
Sept 12 }

R/ 14.5.90

Negapatnam Division
Office

Submits copy of letter
from the Negapatnam D.
giving further explanation
with reference to the Examiner's
Summary on the inspection
notes of the —

(G. No. 1201
8-1

5
1900

GOVT.
OF MADRAS.

1890.

(P. W.
DEPT.

EXAMINER, P. W. ACCOUNTS.

KEEP WITH

CURRENT No.

Madras, 2nd July 1890.

189

OFFICE NOTE No. 3883.

To

W.

Your office note No. 2301 C. dated 19th.
May 1890.

Returned with the following re-
marks:-

2. Item 2 of the summary. This matter
has been separately disposed of by memo
No. 2157 C. dated 7th. May 1890. From the
Chief Engineer P. W. Department.

3. Item 17. The Executive Engineer
does not say why guard book cannot be
carried about in camp. Apparently, no
difficulty is experienced in other di-
visions.

4. Item 23. The Superintending En-
gineer has been informed that the value
of the 3 missing agreement forms may be
charged to office contingencies. Nothing
further is required.

5. Item 24. A report was received
from the Executive Engineer & the Post
Master General was addressed, & promised
to make a searching enquiry. The result
will be communicated to the Executive

10/25/90
10/26/90
10/27/90
10/28/90
10/29/90
10/30/90
10/31/90

PW Code 628.5

Engineer. Nothing further is required now.

6. Item 26. No orders have been passed by Government. Orders are requested as to whether proposals for modifying Code para 897 may be submitted.

7. Item 27. This is for the Chief Engineer to dispose.

8. Items 8, 15 and 18. Call for no remarks.

Ad 3-7-90
Encl.

1994 May 22
Read Cues
45184625
24-1617/24

W.C.
P. 4/7
(Enc over)

The Swiss note will be communicated to the I.C. VI circle for attention.

2. With reference to the remarks on item 26, the Swiss will submit proposals for modifying para 897 P.W. Code.

3. The subject of item 27 is left to the Swiss' discretion.

Quion
11.7.80

Reminds
Sub 24.9.90

S.S. VI circle with
10/21/90 10/27-5-90

Gen. P. W. Code
10/21/90 10/27-5-90

10/25/90
10/26/90

10/27/90