

- (1) பக்கங்களின் எண்ணிக்கை 10.
 (2) புதுக்கித் திருப்பிய நாள் 12/89
 (3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் 10/9

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

P. 100 துறை

அரசாணை எண். மு. கோப்புத் தாள் எண். 9170	அச்சகம் பலவகை
நாள் : 01. 8. 1890	198.

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

[Signature]

ஆவண, கா-1-18,006-15-6-87.

1162216

VIZAGAPATAM Collectors Office,

Dated 12th July 1890.

From

W. A. WILLOCK Esq^r.

Ag. Collector.

Vizagapatam District.



To

The Superintending Engineer;

1st Circle

Dowlashwaram.

SIR,

Referring to your letter No. 110 V. 21 dated 25th ultimo, I have the honor to inform you that the station house building at Sitamagram therein referred to is not required by this Department.

I have the honor to be

Sir,

Your Most Obedient Servant,

W. A. Willock

Ag. Collector.

From
The Collector
Visagapatam

Dated 12th July 1890

No 1216

Informing that the Action
house built at Pitarapuram
is not required.

It will be disposed of
as soon as a reply is received
from the District Judge
Visagapatam.



No. 548

From
H.R. Farmer Esquire

To
The District Judge
Visagapatam
The Superintending Engineer
First Circle
Dowlasivaram

Sir

In reply to your letter No. 11192
dated 25th June I have the honor to
inform you that the building mentioned
in the above letter is not required for
any purpose by the Civil Courts in the
District.

I have the honor to be
Sir

Your most obedt. Servt.

W.H.
19/7/90
21/7/90

H.R. Farmer
District Judge
16/7

Compd

2170
3

DEPARTMENT.

No.

2174

and also
OFFICE OF THE ASST. COMME. OF SALT & REVENUE,
CHICAGO DIVISION,



Dated

5th July 1890

H. G. Marshall,
W. C. F. LEGGATT ESQUIRE,

ASSISTANT COMMISSIONER OF
SALT & REVENUE,
CHICAGO DIVISION,

The Superintendent Engineer,
1st Circle.

SIR,

With reference to your letter,
no. ~~1115~~ 2174/90 I have the honor to
inform you that the building refer-
red to is of no use to this department.

I have the honor to be,
Sir,

your most obedient servant

H. G. Marshall,

Asst. Commissioner

No. 2174
7/4/90

1115
2174/90

From

The Assistant Commr. of
Salt and alkali Revenue
Chicacole sub div.

To The Superintending
Engineer
1st Circle.

Dated 5th } July 1890
Despd }

2214 subj.

Informing that the
building referred to
is of no use to salt
Department.

No. 1590.2.

21/70
9

FROM,

J. W. Martin Esquire

SUPERINTENDING ENGINEER

FIRST CIRCLE.

TO,

THE CHIEF ENGINEER

PUBLIC WORKS DEPARTMENT.

DOWLAISHWERAM, 21st July 1890

septs 23

Enclos 3

Letter No 2216
54892174 dals
12,1695 gms
respectively

SIR,

I have the honor to state that the
station house at Pitnanagaram in the
Vizagapatam District was vacated by
the Police Department and transferred
to this Department vide G. O. No. 794 W.
dated 1st 12th June/77. The building appears
to have been used by this Department as
a tools shed for some time, i.e., till the
transfer of Local Fund roads to the
District Board and has since then been
left vacant. The heads of the various Depart-
ments viz, the Collector, the District
Judge &c. &c., with whom I have put myself
in communication, say that the building
is not required by their Departments. As

it

it is of no use to this Department, I
recommend that it may be dismantled
and its materials sold by public auction.

2. The letters received from the
Collector &c. are herewith submitted as
required by para 980 of the P. W. Code.

I have the honor to be

Sir,

your most obedient servant.

W. M. V. C.

Superintending Engineer

I Circle.

2170
5

FROM

J. W. Martin Esq
SUPERINTENDING ENGINEER

FIRST CIRCLE.

TO,

THE CHIEF ENGINEER

PUBLIC WORKS DEPARTMENT.

DATED

DESPATCHED
RECEIVED

21 July

1890

No. 159 V.B.

ENCLOSURES 3

SUBJECT.

Station house at
Sutanagaram. Reporting
that the — is not required
by any department, recom-
mends its dismantlement
and sale of the materials
by public auction.

No. 2170 W of 9 Aug 1890

L.H. 6/5/90
The building may be
dismantled and the materials
sold by public auction

2 Aug 1890

5073
30.7.90

The Station House at Sutanagaram is not required by any department, recommends its dismantlement and sale of the materials by public auction.

0/21/7. 025139-VIII
CSI-VIII
11/4
To The Supg Engr II Circle
Examiner J.W. Auctor