(1) பக்கங்களின் எண்ணிக்கை 64

(2) புதுக்கித் திருப்பிய நாள் 1-90.

(3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் [illegible]

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

P.W. துறை

அரசாணை எண். மு. கோப்புத் தாள் எண்.	2544 ம. அச்சகம் பலவகை
நாள் :	25-9.1890 ~~198~~.

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

ஆவண, கா-1—18,006—15-6-87.

[illegible]

OFFICE OF THE SUPERINTENDING ENGINEER,
6TH CIRCLE.

Trichinopoly 31st August 1890

1/2544

No. 495 M.D.

From Lt Colll A. C. Smith, R.E.
The Superintending Engineer,
6th Circle.

To
The Chief Engineer, P.W.D.
thro' the Examiner, P.W. Accounts.

Sir,

ENCLOSURES.

In 1888 the tools, noted in the margin, were issued to one Kandasamy Moodely, Maistry by Overseer Lua: ia Samikandam: Pillai for work on the Kuvana: mutty Bridge on the Cumbum Gudalur Road in the Periya Kulam Sub Division of Madura Dist: In September of the same year, the Maistry's services were dispensed with, both as there was

Bookvalue

4 Hammers at 2½ = 10-0 each = 20-12 "
6 Crowbars at 2 " " = 12 " "
16 Pick axes at 1 " 6 = 16-8 "
8 Wood Hammers at 1-12 " = 6-8 "
1 Felling axes " 14 "
7 Sledge Hammers at 1-7 = 7-11-1
Rs 64-5-1

me officially on getting wash the tools the then Sub Dn Officer, Sub Engineer Mr Mahony, refused to give the pay of the Maistry (Rs 30) for that month until they were returned.

2- The present Sub Dn Officer, Mr Gopala Aiyar, Asst Engineer, who assumed charge of the Sub Dn at the end of December 1888, reported in January last that the tools were irrecoverable, & that the receipts obtained for them was not available. This was probably mislaid in the Overseers or Sub Dn Officers Office; but there was a great delay & neglect on the part of the Sub Dn Officer in reporting the facts.

3- The above matter was reported to this Office in February last by the Executive Engineer, with an intimation that the tools might be taken as worth half their book value, & that it was ascertained that the Maistry was employed as a contractor on the Periyar Project works. Then that Officer was asked to make a reference to the Maistry through the Project Executive Engineer on the subject

4- Mr Hughes now reports that he has recovered from the Maistry through above Officer Rs 2-2-, but that there was still no chance of recovering the Tools.

5- The above sum of Rs 2-2-, together with the Maistry's pay of Rs 30 for September 1888, makes up half the book value of the Tools due by him.

6- Under para 1750 of the P.W. Code the pay of the Maistry should be debited to the work & credited to Provincial Revenue; but under the circumstances stated above I have the honor to suggest that the sum of Rs 30 be treated as recovery against the loss of the Tools. There appears to be no other way of dealing with the loss.

× Kumbum Gudalur Road Cess Rs 905/0

7- Pending receipt of orders on the above proposal, the closing of Accounts of the work, which has been completed, is deferred.

I have the honor to be
Sir
Your Most Obt Servt

A Smith Lt Col RE
Supdg Supr Cir

as

P. W. D. 6TH CIRCLE.

No 5209 dt 10-9-90

To E.W.

Forwarded with the following remarks:-

2. The pay of the maistry should be debited to the work & credited to "Provincial Revenue" sub head "sales of tools and plant". Code para 1750 does not apply in this case.

10-9-90

Offg.C.

No 2544 dt 25-9-90

SE 10/9

Hyd 29/9/90

B/ The pay of the maistry will be debited to the work and credited to "Provincial Revenue" — Sub-head "sales of tools and plant". The balance of the value of the lost tools may be written off.

12.9.90

S.E. Vizag

From

The Superintending Engineer,

6th Circle.

To

The Chief Engineer, and Secretary to Government P.W.D.

No. 495 M.V.

Dated 31st ult. Augt. / Sept. 1890

Received

No 2544 dt 25 Septr 1890

Enclosure.

Tools lost in Peddapuram Sub division.

Reports as regards the -