(1) பக்கங்களின் எண்ணிக்கை 10

(2) புதுக்கித் திருப்பிய நாள் March 90

(3) ஆதாரங்குறிப்பவர் கருக்கொப்பம் Lours

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

பொதுப்பணித் துறை

அரசாணை எண்.
மு. கோப்புத் தாள் எண். 2748

அச்சகம்
பலவகை

நாள் : 17-10-1890 198

5

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

ஆவண. எ-1—18,000—15-6-87.

P. W. Department.

2748

Read the following:—

Office note from the Joint Secretary to Govt: P.W.D.
Irrigation Branch / No. 201 dated 30th Sept: 1890.

FOR ORDERS.

The undersigned concurs in the opinion of the Chief Engineer for Irrigation as to the incompetence and want of both energy and judgment displayed by Mr. Rathnam Subhapathy Pillay, but considers that instead of reducing him a definite number of steps, which would probably turn out to be practically no penalty at all, as it must in any case be some years before he could rise to Executive Engineer 3rd grade, he should

revert

2748
2

recent to his permanent
rank of Assistant Engineer
1st grade, leaving his future
promotion to be dealt
with according to his
future conduct.

At present he is in
the opinion of the under-
signed entirely unfit
for the position of an
Executive Engineer.

approved
H.S.
15/10/69

C

FOR ORDERS.

Rule
Discharged

No. 2748 4/7-x-90

Entd 7-x-90

4/20
Rec'd 9-x-90

For orders -

The undermt
concurs in the opinion
of the C.E. Jud. as to
the incompetency 2748
and
want of 4th 3 requis
and judgmt dismissed
3 Ex Rate and petn
Petty, but considers
that instead of
ordering him a
definite number of
days which would
probably turn out to
be practically no
penalty at all, as it
must in any case be
some years before the
contr. can be E.E.
said route, he should
be remit to his pres=
ent rate 1½
Assistant Gineer 4th
route, being his pres=
ent status he should
with according to his

yesterdays conduct -

As farmers he is in the opinion of the undersigned utterly unfit for the position of Overseer Grade

S. Ofc

circ. 7-x-90

PUBLIC WORKS DEPARTMENT,

IRRIGATION BRANCH.

2748/F

30/9/90

READ the following :—

No 204 Encl: two letters from Karaikal Govt.

Office note

FOR ORDERS.

From "J"

To "W"

"In the absence leave of the Executive E. Kurnool received with Endorsement 1172 24/8/90 of Sub E. - Sub Engineer Tirumoorthy - to instal Overseer Gangcast in the place of Mr Pathmanabha-pati Pillai - Asst E. - in connection with issuing to the Cudiramaverpalle Anicut - Pura Revenue Kurnool Cuddapah Canal.

2/ On the 7th Inst the Overseer reported to that Officer a most alarming crack in the work, the Assistant E. did not report this to the Executive E., who was sorry, but could not come in person, and did nothing about the matter till 23rd Inst when

See paras 6-7-8-9 of Letter 1472 24/8/90 from Sub E. 3rd Cudapah (Kurnool with enclosures).

+ Korawth -

which time the injury which might have been arrested by timely measures and considerably alleviated, what he then did was simply fatuous.

3. Mr. Rathnasabapathi Pillai's explanation (Letter 283-7/8/90) is not worthy of the name and I recommend that he be put down five places in the Seniority list

For
C. J.

No. 2748 C/17-X-90

P.W.C. No. 9420

FOR ORDERS.

Ord 6-10-90
Encl 17 (+ 1 Survey)

No. 2748 dated 17 Oct 1890

PUBLIC WORKS DEPARTMENT.

2748

PROCEEDINGS OF THE MADRAS GOVERNMENT.

READ the following

Note by the Chief Engineer for Irrigation No 201. dt 30th Septh 1890.

Note by the Chief Engineer, P.W.D. dt 6th Oct 1890.

H.E. the Governor in Council approves the recommendation of the Chief Engineer P.W. Department and directs that Mr. V. Ratnasabhapati Pillai reverted to his permanent rank of Assistant Engineer 1st Grade, leaving his further promotion to be dealt with according

to his future conduct.

hers
15. 10. 70

2. The Chief Engineer for Irrigation
with orig[l] papers.
" S.E. III Circle

No 2748 W4/17 Oct 1870
Public Works Dept

Ex

Ch

Fr 24/10.