(1) பக்கங்களின் எண்ணிக்கை 10

(2) புதுக்கித் திருப்பிய நாள் 10-10-90

(3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம்

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

பொதுப்பணித் துறை

அரசாணை எண். 2826 அச்சகம்
மு. கோப்புத் தாள் எண். பலவகை

நாள் : 24-10-1890. 19 .

5

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

ஆவண. ஆ-1—18,000—15-6-87.

OFFICE OF THE SUPERINTENDING ENGINEER,
6TH CIRCLE.

Trichinopoly, 16th August 1889.

2826/1

No. 545/7C

From Lieut-Col. A.C. Cunliffe R.E.
The Superintending Engineer,
6th Circle.

To
The Chief Engineer
& Sec. to Govt.

Sir,

With reference G.O. No. 1651 dated of the 24th June 1889, and this Office remarks against Serial No. 44 under Trichinopoly Division in the Report on Monuments selected for Conservation in this Circle for 1888-89, I have the honor to submit for the orders of Government an Estimate of Rs. 330 for repairing the Cholakings bathing tank in the village of Kadaradanapuram, Kulitalai Taluq. This tank was reported as out of order and an Estimate for its repair was promised in the above Report. This Estimate

ENCLOSURES.
1 Estimate

2826
2

Estimate has now been received
from the Executive Engineer, and it
is submitted herewith.

I have the honor to be
Sir
Your most obt servant

A Lincoln

Supy Engineer & Circle

15/7/89 Wo 607 Inc Public
To Arch 1665 W & 24.6.89

Pattukottai 2493

P.W.D.

No 691 D. Kolacamund 26.viii.90

Referred to the Govt
Public Dept for the Opinion of the
Archaeological Department.

Sd/ [illegible]
Colonel RE
Sup. Gen. PW Dept

Rec'd 27-8-90.

97 13 Sept 1890
Refered to the
Archaeological Surveyor
for remarks.

Sd/ [illegible]
Chief Secy

0/23/8
10/9

P.W.D. 6th Circle 1752

P. W. D. 6TH CIRCLE.

From

The Superintending Engineer,
6th Circle.

To

The Chief Engineer
P.W.D.

No. 545 TC

Dated 16th August 1890
Received 18

Enclosure. 25 Estimate

Breeding of Architectural
& Archaeological interest

Forwards estimate & plan
for repairs & of No 14
(Serial) in the Pachimpet
division, Selected for
conservation.

Referred

ARCHÆOLOGICAL SURVEY DEPARTMENT.

Camp Kumbakonam 23rd Sept 1890.

No. 477 2826/3

From A. Rea, Esquire, M.R.A.S.
Archæological Surveyor to Government
Madras
FIRST ASSISTANT.

To

The Chief Secretary to the
Government of Madras.

SIR,

Adverting to Reference in the Public Department No 2693 of the 10th September 1890 I have the honour to state that I have carefully examined the estimate for repairs to the bathing tank in the village of Kadambanpurkovil. I consider it a reasonable one, that should be carried out.

I have the honour to be,
Sir,
Your most obedient servant
A. Rea
Archæological Surveyor
to Government for Southern

2826

4

CURRENT No.

[9]

Public Department.

Repair of Cholera bathing shed at Pallavaram

9/15 October 1890

From

The Archæological Surveyor

Transferred aiid the referred papers returned to the Public Works dept.

Chief Secretary

No. 1372 dt 16.5.90
" 1651 dt 9.6.89.

J.D.B. 13/10/90.

No. 149

Dated 23 }
Received 27 } September 1890

Enclosures

SUBJECT.

Stating that the estimate for repairing the Cholerapa bathing shed should be sanctioned.

Transferred

No. 2826 dt 24-9-90

B

PUBLIC WORKS DEPARTMENT.

2826/5

PROCEEDINGS OF THE MADRAS GOVERNMENT.

READ the following

From the S. E. VI Circle No. 5745 dt 16 Aug 90
Endorsement Public dept dated 15 Oct 1890.

The estimate is approved and returned to the Supdg Engineer VI Circle for sanction.

2. A sum of Rs 330 is appropriated for the work from the reserve with the Government for the Conservation of Archaeological works &c.

S. E. VI Circle
Ex: P. W. Regts
Public dept

PWD 24.8.90

Supdg Engr 16.10.90