

(1) பக்கங்களின் எண்ணிக்கை 8

(2) புதுக்கித் திருப்பிய நாள் 3/90

(3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் 10/90

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

P. 100 துறை

அரசாணை எண்.
மு. கோப்புத் தாள் எண்.

3275

அச்சகம்
பலவகை

நாள் : 9.12.1980

1980

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

No. 21124 W of 9-9-90

3470 C of 21-8-90

2104 C of 30-4-89

961 W of 25-3-90

732 W of 6-3-90

393 W of 6-2-90

2051 W of 30-7-89

1962 W of 20-7-89

890.

P. W. DEPARTMENT.

Current No. 9827

From The Examiner P.W.D.

ENCLOS.—

No. 6144

Dated 15-10-90

Received 16-11-90

SUBJECT.

Inspection Report on the
office of the West Coast
Div. ^{2/15-2-90} Enquiring whether
the Ex. Eng. & further
report on the — have
been received.

DISPOSAL.

No. 4226C dated 17 October 1890

S.C.

Not received

A reminder will be
sent to the S.C.

27/10/90
17/10/90

No. 478.

Executive Engineer's Office,
Calicut 10th November 1890.

From

The Executive Engineer,
West Coast Division,
Calicut.

To

The Superintending Engineer,
Fourth Circle.

Sir,

With reference to your No. 448 of
11th September 1890, I have the honor to reply
as follows:—

Examiners Office Note
Item No.

Remarks.

2.

Yes. So understood by all
the Officers having Drawing
Accounts in the Division.

3.

It is now posted by
Rule Heads as required by
Code Para 1866 II.

4.

It was explained already
that Col. Fraser had passed
the

6.

7.

10.

Have & ca. $\frac{3278}{3}$

Signed / A. Joyce.

Executive Engineer.

364. of 14-11-90.

E. W.

2.

Improvements
to the Collector's
Office at Mangalore.

President - Buchanan,

Supp. Engineer, IV Circle

From
The Suptg. Engr.
4 Circle

42262 - 17-10-90.
34702 - 21-8-90.
10394 - 2-4-90.
9874 - 28-3-90.
7824 - 6-3-90.

Dated 14th Nov 1890
Despd 15th

2 p. 364
E.W.

Encls. = "

Inspection Report of the
West Coast Dn. by the Ex.
Submitting copy of
letter from the Executive
Engineer, West Coast Dn.
forwarding further re-
port on the —

gnd

To E.W.

Forwarded with the following re-
marks:-

(1) Item 10 of the summary (Para I
of the Superintending Engineer's en-
dorsement herewith). It is explained
that Colonel Fraser passed the excess
payment as some difficult dressing
had been done to cut-stone at Malapu-
ram where stone-cutters are scarce.
Under the circumstances, nothing fur-
ther seems necessary.

(2) Item 13 does not require any
further remark or explanation. Execu-
tive Engineer's explanation "10 yes,
it is being done in the divisional of-
fice" refers to item 13 which relates
to the military papers of Conductor J.
Kelly on which the Executive Engineer
was asked to report separately. This
report might be awaited.

(3) Other items do not call for
any further remarks.

364
C.

all 2
12/12
10/3/90

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Read the following

Endorsement of the Suptg. Engineer, IV circle No: 364 E. W. d/

14th November 1890.

Office note from the Examiner, P. W. accts. No: 7161 d/

3rd December 1890.

The Examiner's office
note read above is communi-
- cated to the Suptg. Engineer
IV circle for information and
guidance.

To
The Suptg. Engineer IV circle.
Examiner, P. W. accts.

10/12

10/12
5.12.90

L 8

327564/9 B-318

890 11/12 1/11/12

2