

- (1) பக்கங்களின் எண்ணிக்கை 4
 (2) புதுக்கித் திருப்பிய நாள் 12-1-89
 (3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் 10/3

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

P. M. D. துறை

அரசாணை எண்.	704	அச்சகம்
மு. கோப்புத் தாள் எண்.		பலவகை
நாள் :	5-3-1890	198

மடிக்கவோ கண்டபடி கையாளவோ கூடாது



Proceedings of the Court of Wards.

Dated 18th February

1890

No. 432

READ

The following letter from the Collector of Salem dated 29th January 1890, No 173:—

I have the honor to request the Court of Wards' sanction for an allotment from the general savings, of the Erumai-patti estate, of Rs. 255 being the estimated cost of the following works rendered necessary by the rains in September last.

- | | |
|--|-----------|
| 1. Repairing the supply channel to the Kavakaraumpatti tank— | } Rs. 95. |
| 2. Constructing a surplus weir to the head of the channel. | } 160. |
| | <hr/> 255 |

2. The estimates have been returned

returned to the executive Engineer
counter-signed.

Resolution

The additional allotment
asked for, viz Rs. 255 is sanctioned.

2. It should be stated
whether it includes the usual
percentage for supervision.

(True copy & Extract)

M. M.
Secretary.

To The Colr of Salem
The Asstt General
P. W. D. Mss' R.D.

WJ
Sru

204
2

P.W. Case 2072 ✓

(1890 .)

REVENUE DEPARTMENT.

No. 14,28.

ABSTRACT.

Endorsement no 1397

Recd 1-3-90

Forwarded.

From

The Court of Wards

Fort St. George }
26 Feb 1890 }

Secretary to Govt.

Dated 18 Feb

Received to

Enclosures

No. 432

The C. Works Deptt

SUBJECT.

Sanctioning an additional allot-
ment from general savings of Rs 255
being the estimated cost of certain work
rendered necessary by the rains of September
last in the Tirumalpatti estate, Salem
District.

1st 70th and 80th branch
Ak

B
Comm. to the Supy.
Cupr to Circle & the Ex-
Engineer the Circle and the Gen-
l. M. A. Secy.
2. Attention of the Supy. Cupr.
2. Attention of the Supy. Cupr.
is drawn to para 2 of the re-
is drawn to para 2 of the resolution
of the Court of Wards.

T

With Order O. G. O.

W. J. S. Chellam
3.3.90
3.3.90
3.3.90