

(1) பக்கங்களின் எண்ணிக்கை 6

(2) புதுக்கித் திருப்பிய நாள் 9-89

(3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் 6/2

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

பாதுவப்பணித் துறை

அரசாணை எண்.

மு. கோப்புத் தாள் எண்.

1107. W.

அச்சகம்

கலைவகை

நாள் :

14. 4. 1890.

1987.

28

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

Presidency P. W. Workshop
Madras, 18th March 1890

No. 35197.

From

Lieut. Col. L. C. Clarke R.E.

General Superintendent

Public Works Workshop,

To

The Secy. to the Surgeon General

With the Government of Madras

Fort St. George

Sir,

With reference to the Surgeon General's
No. 1487 of the 2nd instant, forwarding for report,
the Senior Medical Officer's letter No. 114, of the
20th February, last, I have the honor to report
that this office has done every thing in its
power, to make ready the "Ewing's Patent
Pneumatic pump," within the prescribed time,
but owing to its having been found impossible
to make the Diving Wheel, constructed as per
Plan sent from Calcutta, do its work
satisfactorily, I have been forced to leave the
matter in abeyance, and have reported the fact
to the Superintending Engineer.

2. I may here state that I have written—
several

Report to

[Redacted]

u

action

ing also

2000

... to test persons in the matter of

done every thing

action was Patent at the

conclude Judging

from ... of the machine that

it will and must prove a failure, with

attempt made to attack as the only

Apparatus.

magnifying glass for the

Fort St George Barracks, where many

employed.

5. The Punks of one Ward a
General Hospital are evidently too long
and

and too heavy, for the small
Wheel to propel them, for as I found
when experimenting with the patent he
that two men could not manage to swing
more than 4 Punks, led, even
then, to keep 8 Punks
oscillating beyond 3 or 4 feet, without
stopping to recover their breath.

& have

12

General

(x true color)

urgency

at Madras.

(Ll.)

Office of the Surgeon General
With the Government of Madras
Fort St George 26 March 1890

No 283

From

G. Bidie Esq. M.B., C.S.E.
Surgeon General with Govt of Madras
Fort St George

To

The Chief Secy. to Government
Public Department

Sir,

With reference to Public Depart-
ment G.O. No 463 dated the 29 May 1889,
I have the honor to forward for the
information of the Government copy of a letter
received from the General Superintendent
Public Works Workshop Madras, from which
it will be seen that the machine for
pulling punkins cannot be tested at
present

I have the honor to be
Sir

Your most obedient servant

Sd/- M.B., C.S.E.
Surgeon General
With Govt of Madras.

Public (1890.) DEPARTMENT.

19/5/89 210463
P.W. 33035

From G. Bidie Esq. M.C.S.E.
THE SURGEON-GENERAL WITH THE
GOVERNMENT OF MADRAS,
Fort St. George.

19/5/89 210463
8/3/89 March 1890.
Transferred to the
Public Works Dept.
with ref. to G.O. No. 1362. W. 825/8
Applied for secret

No. 283

Dated 26 March 1890.
Recd.

No.

CHIEF SECRETARY
27 MAR 90

SUBJECT.

11/4/90
Recorded.

11/4/90
3.4.90
Placed 9.6.90

Inform that the machine
for pulling punkahs cannot
be tested at present.

No 25784 of 18-7-89
2441 W of 11-9-89
2128 W of 8-8-89
2054 W of 30-7-89
3349 C of 22-7-89
3258 C of 17-7-89
1362 W of 21-5-89

Transferred

MS. 48. IV
11/4/90

note. Apparently the
matter must remain
in abeyance for the
present.