(1) பக்கங்களின் எண்ணிக்கை 46

(2) புதுக்கித் திருப்பிய நாள் ~~ஆகஸ்ட்~~ டிசம்பர் 1967

(3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம்

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

பொதுப்பணித் துறை

அரசாணை எண். மு. கோப்புத் தாள் எண்.	1121 W	அச்சகம் பலவகை
நாள் :	16-4-1890	

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

ஆவண. கா-1—18,006—15-6-87.

Eccl Jr 312

1121

ECCLESIASTICAL DEPARTMENT,

Madras 8th November 1883.

No. 192

FROM

THE VENERABLE J. F. BROWNE, B.D.,

ARCHDEACON OF MADRAS,

To

The Honorable
The Chief Secretary to Government
Fort St. George

Sir,

I have the honor to forward a Plan and Estimate amounting to Rs. 3650 for the erection of a small Church at Gunter, and would request the favorable consideration of Government to the execution of a work which is calculated to accommodate about 60 people.

2. The circumstances of the case are as follows:— In December 1882 a Public Meeting was held at Gunter at which it was resolved that on account of the warm desire of the European population of that place to have a building in which the services of the Church of England could be held, and owing to the increasing importance of the place by reason of its becoming a principal station of the Bellary Kistna State Railway, a Subscription List was started for the purpose of obtaining funds for the erection of a Church.

3. The result of this Meeting was that a sum of Rs 2400-2-0 was raised. Of this, however, Rs 874-2-4 was Expended

Ecclesiastical
Grants & Loans
European Churches
No. 2510-W. 7-9-83.
" 2628-W. 18-9-83.
" 3116-W. 3.11.83.

in a temporary building, and Rs 693_1_2 on Lamps & Furniture, leaving a Cash balance of only Rs 832_14_6. The Furniture etc will be available for the New Building when erected.

4. As however this sum was not sufficient to warrant my applying for Government for a Grant-in-aid I have a Guarantee from Mrs R. P. Gill, the Honorary Secretary & Treasurer of the Gunter Church Building Fund, that he would himself be responsible for a further sum of Rs 1000.

5. Government have already given a Grant of one acre of land on which we proposed to build the Church and considering the extreme liberality of the residents in Gunter belonging to the Church of England and their desire to have a Church at the Station, I would respectfully ask that the application for a Grant may be favorably received.

6. The above has the approval of the Lord Bishop.

I have the honor to be,
Sir,
Your Most Obed Servant,
J. F. Browne
ARCHDEACON OF MADRAS

Revenue Order (838 15/2/89 & 270 & 10/4/89

[redacted]

Jud[L] 9-5-89: 488 Rs.
Ecc[L] 17-7-88: 44 Rs.
" 12-11-83: 220 Rs.
" 20-9-82: 693 Rs.
" 12-12-77: 277 Rs.

9/28 Nov 89

Transferred to the Public Works Dept for disposal with reference to Appendix D. Section 4 of the P.W. Code.

Rodriguez
Chief Secretary.

ECCLES. (1889) DEPARTMENT.

No. 312

From

THE VENERABLE J. F. BROWNE, B.D.,

ARCHDEACON OF MADRAS,

To

The Hon:
The Chief Secy. to Govt.

Dated 8th
Received 11th } Nov 89

1889.

3 Encls.

No. 192

ENCLOSURES Two

Forwards Plan & Estimate for building a Small Church at Gumtor at a cost of Rs 3650

Transferred

P.W. Department
11th December/89

No. 5810-C

Memorandum

Endorsement in the Ecclesiastical Department No. 312 dt 28th Nov: 1889 on a letter from the Venerable J. F. Browne, Archdeacon of Madras No. 192 dt 8th Nov: 1889

Forwarded to the Supdg. Engineer II Circle with request that the plan and estimate may be put in order.

2. Attention is drawn to the following points:-

(1) The drawings are deficient in scale and dimensions, the plan is incomplete, and the sections are not all correctly drawn, nor are the lines on which they are taken, marked on the plan.

(4) The trusses shewn for the roof of the nave are imperfectly braced and should be provided with king rods; the design of the roof for the entire building requires examination. The buttresses of the porch should be designed of uniform width, but with increased thickness at the base, either by batter or by stepping the masonry.

3. Retention of these papers is requested.

[illegible]
Under Secretary

Copy RA
by Chief Engr PWD

To the Supdg Engr:
II Circle

SUPERINTENDENTS OFFICE
17 DEC 89
P.W.D.
SECOND CIRCLE

From

The Chief Engineer
P.W.D.

The Supdg. Engineer
Central

P.W. Dept.
To be returned with reply.

Dated 8th December 89

No. 5510 E.

Encl.

Gunter - Church at,
Forwarding for putting in
Order a plan & Est of Rs 3,650
for constructing a small —
Received from Venerable Archdeacon -

Specification Report to accompany plan and Estimate for constructing a Church at Gunter amounting to Rs. 3,650

Foundations

After the centre lines of the walls have been pegged out, the trenches of the foundations both apertures, excavate the earth to the full depth -

Concrete

After the foundations have been sunk, proceed to lay 2 feet of Concrete. The concrete will be laid in four layers 6" thick well rammed with heavy beaters and the second layer will not be added to the first until the latter is thoroughly consolidated and so on with the 3rd and 4th layer. The Concrete to be in proportion of 3 parts of broken stone to one of mortar consisting of 1 part of lime and 2 of sand

Rubble in mortar

On completion of the Concrete, the centre lines will be carefully laid out and the walling will be carried up to the different heights marked on the plans.

Arch work

All arches to doors, windows &c to be of cut stone with the exception of arch to Altar, which will be built of brick in mortar -

Cut stone in mortar

The caps of buttresses will be built of cut stone as shown on plans and as per dimensions in the estimate. The steps also will be of cut stone.

Wood work

The wood used for the whole building to be of well seasoned teak, free from flaws, cracks or any other defects, all joints, tenons, scarfs &c to be made and fitted in an accurate manner and the timber resting on or imbedded in mortar to be tarred

before hands.

Doors and windows

The entrance and vestry doors will be battened the latter will have a glazed top and the windows to be mullioned ups to springing of arch & glazed tops with the exception of three at east end will be all glazed

Roofing

The roof will be covered with well burnt pan and flat tiles, laid in the usual manner, and edges and hips, in tiles especially made for the purpose. The porch will be turreted as specified in the Abstract Estimate

Flooring

The nave filling to be levelled, watered and well rammed before the Concrete is put in. The concrete substratum to be laid 6" thick when thoroughly rammed. The stone to be dressed on the surface and the courses to be of uniform width, so the joints may run through and parallel from side to side, the stones to be laid with joints not exceeding $\frac{1}{8}$" in thickness and to be evenly and firmly bedded, flush in mortar on the Concrete, and no hollows to be left, vertical joints to be dressed true and square for at least 1½" from face.

Plastering and Pointing

The interior of the walls will be pointed with Chunnel and the interior plastered with 3 coats of Chunnel

Painting

The doors and windows, rafter ends, barge boards, purlin ends and Crosses, will be painted with 2 coats of Carons Paint

and

and the wood work of roof with two Coats of work ib.

Fittings

Finishing

Pinkahs and other fittings are provided for in the estimate.

On Completion of the building all stones and other rubbish to be removed and the whole surroundings of the building kept Clean and neat before the accounts are closed.

J. Hannan
Superintending Engineer
Second Circle

Supt. Engr. Office
Second Circle
26th Feb. 1900
RA.

Furnace [redacted] rial

1/1191

Head -

Dep[redacted] Head - Original Works

Main Head - Ecclesiastical

Sub Head - Ch[redacted]

Project of which the work forms part -

Ge[redacted]

No[redacted] ch at Gunt

Church [redacted]

Accompany [redacted]

Contract

Cop
of Circulars

Class I

Estimate Work

VII - Paras 965

[redacted]

[redacted] Construction [redacted] Branch

at Gya

[redacted]

Detailed estimate No of 108

* New [redacted] tion of work in hand

data not to accompany Est [redacted] construction
[redacted] ch at Gyantse.

Particulars

Rate [redacted] 100 C ft 72

tage from - road 5 miles [redacted] @ 9 annas 4 9 9
ha cost & carriage &c. A limi [redacted]
[redacted] @ [redacted] @ [redacted] sand [redacted]
Sundries 23

Total estimated rate Rs 28-

Schedule [redacted]

tage 5 mi [redacted]

[redacted]

[redacted]

Sundries [redacted]

Total estimated [redacted]

Schedule Rate [redacted] 100 C ft 28

Labour & cost &c. mi & sand [redacted]

tage 5 miles [redacted]

Total for 10

[redacted]

Charges for lifting stones &c [redacted]

Total estimated

Schedule rate ——— 100 C.ft. . . . 21 8 0
Extra cost &c of lime ——— 7.4 . . . . 1 -
—— &c —— of sand ——— 4.3 . . . . 9 -
Sundries ——— . . . . 6 -
. . . . 2 -
Total estimated rate Rs ——— 23 -

Tiled roofing

Schedule rate ——— 100 s.ft. . . . 15 - -
Deduct for 2 c.ft. of teak wood Rafters for 100 s.ft. of roofing 2 c.ft. 3 . . c.ft. 6 - -
Add S.R. for roofing ——— 9 - -
Add for extra cost &c for lime &c & for sundries . . . . 1 - -
Total estimated rate Rs ——— 10 -

Terrace roofing

Schedule rate & estimated rate Rs 100 s.ft. . . . 30 - 30 -

Brick work in

Schedule rate ——— 100 c.ft. . . . 134 -
Cartage for 50 c.ft. for 5 miles ——— 50 c.ft. 7½ mile 25 -
Extra cost &c for lime ——— . . . . 4 -
—— &c —— sand ——— . . . . 2 -
Sundries ——— . . . . 1 - 1
Pointing (as for Schedule) ——— 100 s.ft. . . . 2 - -
Total estimated rate Rs ——— 18 -

Plastering 3 coat

Schedule rate ——— 100 s.ft. . . . 44 -
Extra cost &c of lime ——— . . . . 2 -
—— &c —— of sand ——— . . . . 1 -
Sundries ——— . . . . 1 -
Total estimated rate Rs ——— 48 -

Pointing work

Schedule rate ——— 100 s.ft. . . . 22 -
c.ft. ——— 22 -

Brought fd ——— . . . . 22 -
Extra cost &c of lime ——— . . . . 1 -
—— &c —— sand ——— 9/11/21 6
Brick dust ——— . . . . 2 -
Sundries ——— 3 6
Total estimated rate ———

A. Ex. Engr's Office
21st January 1922

Executive Engineer
Western Division

P. W. D.
No. M 201

ESTIMATE FORM.—Detail Measurements.

MEASUREMENTS

Detail of Work.	Number	Length	Breadth	Area	Cube	each description of Work
[redacted]						
Rob Wall at floor	2	11.25	4.0			
Cross walls			5.60			
Buttresses	2					
Foundation	2	21.75	4.0			
Inner area			6.0			
do			4.0			
Steps			1.0			
do in part						12.5
Total Cube Area						
[redacted]						
Half the contents of excavation						

Foundations

Rob

do do

Cross wall

Porch walls at

do

Buttress

Inner

Inner area

Detail of Work.

392·99

Detail of Work

[P.W.D. Code, Edition of 1886.—Forms 931, 931.]

P. W. D. Form No. M 204.

ESTIMATE FORM.—Detail Measurements.

Detail of Work.	Number.	Measurements in Feet. Length.	Breadth.	Depth.	Area or Contents.	Total Quantity of each description of Work.
Brought forward					236·94	
Chancel windows arches	2	1·0	1·5	0·75	2·25	
do steps	1	24·0	1·25	0·5	15·0	
do	3	2·5	1·0	0·5	3·75	
Total C. ft. of stonework					257·94	= 2·58 Units
Chancel arch	1	20·0	2·0	1·5	60	
C. ft. of brick arch work					60	= 0·60 Units
Nave	1	16·0	18·5	1·0	296·0	
Transepts	1	26·0	9·75	1·0	253·5	
Chancel	1	18·5	7·75	2·0	193·75	
Total C. ft. of sand filling					743·25	= 7·43 Units
Tie beams to the 16-6 span trusses	2	19-6	0-4	0-6	16-6-0	
Principal rafters	4	10-9	0-4	0-5	6-0-0	
Struts	4	5-3	0-4	0-4	2-4-0	
Cir: bases at foot of struts 9" Dia^{r}	4	0-9	0-9	0-2	0-0-4	
Lap at head of principal rafters	2	0-9	0-9	0-6	0-6-9	
Struts below tie beams	4	3-6	0-3	0-3	0-10-6	
Cleats	4	0-9	0-3	0-2½	0-1-10	
do	4	1-0	0-3	0-9	0-9-0	
Planks (triangular)	4	2-6	2-6	0-1½	3-4-6	
Purlins	2	10-8	0-5	0-7	5-2-2	
do	2	9-10½	0-5	0-7	5-1-3	
do	2	13-9	0-5	0-7	6-8-2	
do	2	18-0	0-5	0-7	9-3-6	
Purlins for chancel	2	11-9	0-4	0-7	4-6-10	
Wall purlins	2	10-8	0-4	0-4	2-4-5	
					51-6-3	

c. ft. 6/2

12/1121

ESTIMATE FORM.—Detail Measurements.

Detail of Work.	Number.	Measurements in Feet. Length.	Breadth.	Depth.	Area or Contents.	Total Quantity of each description of Work.
Brought forward					51-6-3	
Wall purlins	2	9-10½	0-4	0-4	2-4-5	
Wall plates	2	15·0	0-3	0-3	1-10-6	
do	2	11-9	0-3	0-3	1-8-7	
Ridge	1	10-8	0-9	0-9	2-0-0	
do	1	9-10½	0-3	0-9	1-10-2	
do	1	13-9	0-3	0-9	2-6-11	
do	1	11-9	0-3	0-9	2-2-2	
Rafters for nave	28	13·0	0-2½	0-4	25-3-4	
do for transepts	20	19-6	0-2½	0-4	27-1-0	
do for chancel	18	11-6	0-2½	0-4	14-4-6	
Barge boards	2	13-6	0-1¼	0-10	1-6-9	
do	2	8-0	0-1¼	0-10	1-4-8	
do	2	19-6	0-1¼	0-10	3-4-8	
do	2	11-6	0-1¼	0-10	2-0-0	
Battens	1	33450	0-2	0-3¼	34-10-1	
Short joists	10	12-6	0-3	0-6	18-7-6	
do small	8	2-6	0-3	0-6	2-4-6	

[P.W.D. Code, Edition of 1886—Paras. 921, 931.]

P. W. D. Form No. M 204.

ESTIMATE FORM.—Detail Measurements.

12/1121

Detail of Work.	Number.	Measurements in Feet. Length.	Breadth.	Depth.	Area or Contents.	Total Quantity of each description of Work.
Brought fd.					51-6-3	
Wall purlins	2	9-10½	0-4	0-4	12-4-5	
Wall plates	2	15-0	0-3	0-3	1-10-6	
do	2	11-9	0-3	0-3	1-8-7	
Ridge	1	10-8	0-9	0-9	2-0-0	
do	1	9-10½	0-3	0-9	1-10-2	
do	1	13-9	0-3	0-9	2-6-4	
do	1	11-9	0-3	0-9	2-2-2	
Rafters for nave	28	13-0	0-2½	0-4	25-3-4	
do for transepts	20	19-6	0-2½	0-4	27-1-0	
do for chancel	18	11-6	0-2½	0-4	14-4-6	
Barge boards	2	13-6	0-1¼	0-10	1-6-9	
do	2	8-0	0-1¼	0-10	1-4-8	
do	2	19-6	0-1¼	0-10	3-4-8	
do	2	11-6	0-1¼	0-10	2-0-0	
Purlins	2	33-4½	0-2	0-3¼	34-10-1	
Porch joists	10	12-6	0-3	0-6	15-7-6	
do small	8	2-6	0-3	0-6	2-4-6	
do cross board	2	16-6	0-1½	0-6	2-0-9	
do do	1	12-6	0-1½	0-6	0-6-3	
Total C. ft. of Teak wood work					196-4-0	or 19½ Cubic
Entrance Door	1	5·00	"	8·00	40·00	
Chancel Door	1	2·50	"	6·50	16·25	
Total Sft. of Batten Doors including frames						56·25
Nave Windows	4	3·50	"	5·00	70·00	
Chancel do	4	2·00	"	4·25	34·00	
Altar do	2	2·00	"	3·25	13·00	
Total Sft. of Venetian Windows including frames						117·00
Tops of Nave Windows	4	3·50	"	3·50	49·00	
do Chancel do	4	2·00	"	1·75	14·00	
do Altar do	2	2·00	"	1·75	7·00	
Altar Window large	1	1·75	"	6·00	10·50	
do do Small	2	1·75	"	4·50	15·75	
Circular Window in front at top	1	5·00	"	5·00	25·00	
Top of chancel Door	1	2·50	"	2·00	5·00	
Total Sft. of Glazed Windows &c including frames					126·25	126·25

20,000—14-10-87.

ESTIMATE FORM.—Detail Measurements.

Detail of Work	Measurements				Area or	Total
	No.	Length	Breadth	Depth		
Brick						
[illegible]					299.50	
[illegible]						
[illegible]						
Jamb	1				27.	
[illegible]						
[illegible]						
Total for						
[illegible]						
Frame	1	18.5				
Frame sill	1	2				
[illegible]	1	10			104.0	
[illegible]	1	9.0			18.0	
Door piece	1	8.0				
[illegible]					3.70	
Total						
[illegible]						
Frame	1	63.5		16.0	851	
Gables					5	
[illegible]	2	5.0				
[illegible]	1	20.5		13.38	333.25	
[illegible]	2	10.0				
[illegible]					1171	

ESTIMATE FORM.—Detail Measurements.

Detail of Work	Measurements				Area or	Total
	No.	Length	Breadth	Depth		
[illegible]						
[illegible]						
[illegible]						
[illegible]						
[illegible]						
[illegible]						
[illegible]						
[illegible]						
[illegible]						
[illegible]						
Total						
Doors						
[illegible]						
[illegible]						
[illegible]						
Sills						
Frame heads						
[illegible]						
[illegible]						
[illegible]						
[illegible]						
[illegible]						
[illegible]						
[illegible]						
[illegible]						
[illegible]

ESTIMATE FORM.

Detail of Work.	Measurements in Feet.				Area or Contents.
	Number.	Length.	Breadth.	Depth.	
...ne Cricket					
...Ben					
...or					
...or chancel sides	2	9.5			
Porch entrance	1	4			
...or exterior sill Tower					
...or belt					
...or quoin					
...or arch					
...ornaments					
...ning					
...low	2	6-0			
...post					
...or					
circular window					dia
...rame ...or					
	4				
...hancel ...or					2.25
...or					
					diagonals
...or					
...ning					
...ing					
Sash					
...or ...ticks x heads					
3" x 3" ...ames for ...or					
					1.82

No. M 20

ESTIMATE FORM.—Detail Measurements.

Detail of Work.	Measurements in Feet.				Area or Contents.	Total Quantity of
	Number.	Length.	Breadth.	Depth.		
					7.02	

ESTIMATE FORM.—Detail Measurements.

Detail of Work.	Number.	Measurements in Feet. Length.	Breadth.	Depth.	Area or Contents.	Total Quantity of each description of Work.

ESTIMATE FORM.—Abstract.

15/1121

Quantity.	Description of Work.	Rate.	Per	Amount	Total.
		Rs.		Rs.	Rs.
3·315 Cents	Excavating foundations	3-0-0	100 sft	10	
16·57 "	Concrete Broken stone in chunam	12-8-0	100 sft	207	
47·50 "	Coursed rubble in chunam	15-0-0	Do	713	
258·00 "	Cutstone work in chunam	0-8-0	1 sft	129	
60 "	Brick arch work in chunam	2-8-0	100 sft	14	
7·14 "	Filling basement with sand	2-3-0	Do	17	
197·00 "	Godd country teakwood wrought & put up	3-0-0	1 sft	591	
56·25 "	Door batten with frames complete	1-2-0	1 sft	64	
117·00 "	Window & ventilators with frames complete	1-6-0	Do	161	
136·25 "	Glazed windows and window tops with frames &c complete	2-8-0	Do	316	
13·63 "	Roofing with flat and pan tiles including chunam borders	10-0-0	100 sft	136	
2·22 "	Terrace roofing for Porch with brick on edge 3" of well beaten concrete two courses of flat tiles and three coats of Plaster	30-0-0	Do	67	
7·04 "	Cutstone flooring on bed of concrete 6" thick and pointed	24-4-0	Do	171	
23·92 "	Plastering with 3 coats of chunam	4-8-0	Do	105	
33·73 "	Painting exterior with chunam	2-1-0	Do	70	
78·00 "	Wrought iron work in trusses	0-3-0	lb	15	
11·00 "	Painting Doors and windows with 2 coats of Carson's paint	5-8-0	100 sft	61	
	Carried over				2,352

Grand Total of Estimate

STATION

Dated

20,000—26-9-53.

Executive Engineer.

Reference to Madras P. W. D. Code,
Edition of 1886.
Paras. 921, 932, *et. seq.*, 949, 952—955, 962—964.

P. W. D. Form.
No. M 207.

Circle—

Division—

ESTIMATE FORM.—Abstract.

(To accompany the Detailed Estimate No.
of 188 -8 for *

* Here enter the name and description of work in full.

ESTIMATE FORM.—Abstract.

16
1121

Quantity.	Description of Work.	Rate.	Per	Amount	Total.
		Rs.		Rs.	Rs.
	Brought over			2,852	
30·00	Sq.ft. Wood oiling roof timbers 2 coats	2-0-0	100 sq.ft	68	
192·00	" Dressing sides of Plinth	0-4-0	Sq.ft	48	
2	Doors	10-0-0	Each	20	
1	Wooden Screen	-	-	100	
	Attar pachings	-	-	12	
	Punka and other fittings	-	-	250	
	Gravel for Slopes	-	-	20	
	Clearing site	-	-	15	
				3385	
	Petty Supervision			85	
	Contingencies			180	
					3650

Grand Total of Estimate Rs 3650

Station

Dated

20,000—26-2-93.

J Hunter
Executive Engineer.
26.2.90 Superintending Engineer
2nd Circle

Reference to Madras P. W. D. Code,
Edition of 1886.
Paras. 921, 932, *et. seq.*, 949, 952—955, 962—964.

P. W. D. Form.
No. M. 207.

Circle— Second

Division— Kistna Western.

ESTIMATE FORM.—Abstract.

(To accompany the Detailed Estimate No.
of 188 -8 for*— Constructing a
Church at Guntur.

* Here enter the name and description of work in full.

Estimate No. _____ of 188 -8.

17
112

Head
~~Financial Head~~— Provincial
Service
~~Budget~~ Head— Civil Buildings

Departmental Head— Original Works

Main Head—

Sub-Head— 9 Ecclesiastical

Project of which the work forms part—

Section—

Name of Work— Church at Guntur. Constructing

Amount of Estimate— Rs 3650-0-0

To be carried out by—

REFERENCES.

REFERENCE TO MADRAS

PARAS. 1074 TO 1076

DE

TALUK—

ESTIMATE FORM—Wrapper or Outer-sheet.

Amount of E

Detailed Est

ESTIMATE FORM.—Abstract.

18/121

Description of W

			1000 sft	10
10				
147.00	"			
60				64
117.0				
126.25				
				136
2.2				
23.92	"			
11.00				

Grand Total of Estimate

Dated

30,000—26-9-58.

Executive Engineer.

REFERENCE TO MADRAS P. W. D. CODE,
EDITION OF 1886.
PARAS. 921, 932, *et. seq.*, 949, 952—955, 962—964.

P. W. D. FORM.
No. M 207.

CIRCLE— Second

DIVISION— Kistna Western

ESTIMATE FORM.—Abstract.

(To accompany the Detailed Estimate No.
of 188 -8 for* — Constructing a Church at Guntoor.

* Here enter the name and description of work in full.

ESTIMATE FORM.—Abstract. 19/1121

Quantity.	Description of Work.	Rate.	Per	Amount	Total.
		Rs.		Rs.	Rs.
	Brought over			2452	
3000	Units Wood oiling roof timbers coats	2-0-0	100 sft	60	
19200	" Dressing oiling of Plinth	0-4-0	C ft	48	
2	Finials	10-0-0	Each	20	
1	Wooden screen	"	"	100	
	Altar railings	"	"	12	
	Punka and other fittings	"	"	250	
	Gravel for slopes &c	"	"	20	
	Cleaning site	"	"	15	
				3386	
	Petty Supervision	"	"	85	
	Contingencies	"	"	180	
				3650	

Grand Total of Estimate Rs 3,650

STATION
Dated

Dimensions entered in the estimate are correct 26,000—26-2-90. as per Abstract
J. Narayanamurthy
Draughtsman

Superintending Engineer

Executive Engineer.
2nd Circle
26-2-90

[redacted]

[redacted]

[redacted]

Reference to Madras P. W. D. Code of 1886,

Paras. 921, 922.

SUPG. ENGINEER'S OFFICE
No. 520
2 JAN 91
SECOND CIRCLE

P. W. D. Form
No. M 203.

Circle. Second

Division— Kistna Western

Taluk— Guntur

ESTIMATE FORM—Wrapper or Outer-sheet.

Estimate for* Constructing a Church at Guntur.

Amount of Estimate, Rs. 3650-0-0

Detailed Estimate, No. of 1889-90.

* Here enter name and description of work in f

Superintending Engineer's Office,

No. 2546 Y 21/1121

II Circle, Bezwada

Dated 26th February 1890.

From,

J Hannan Esquire,

Superintending Engineer,

II Circle

To,

The Chief Engineer

Public works Department

Sir,

With reference to your Memo No 5586 of the 11th December 1889, I have the honor to return herewith duly checked and put in order the plan and Estimate amounting to Rs 3650 for constructing a Church at Guntur in the Kistna District.

2 The enclosures to the above Memo are herewith returned.

I have the honor to be
Sir
Your most obedient Servant

J Hannan

Supg Engineer 2nd Circle

X 25.2.90.

No. 5810C 4/11

- 3116 w

628

1.0 w

3650

CS. 13

ORKS D

/112

VERNMENT

Fro

Archdeac

N.S.W.

Ecclesiastical dept No. 1889

26 K.S. 4/263

From

The Gove

Arrangements

Circular x

Secretary of P.W.

Circulated