

- (1) பக்கங்களின் எண்ணிக்கை 40
 (2) புதுக்கித் திருப்பிய நாள் 26 1989
 (3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் அதர்வா 1989

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

பொதுப் பணித் துறை

அரசாணை எண். மு. கோப்புத் தாள் எண்.	1132 w	அச்சகம் பலவகை
நாள் :	17-4-1890	1989

அதர்வா

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

1
1132

17TH APRIL 1890, No. 1132 W., PUBLIC WORKS.

GOVERNMENT OF MADRAS.
PUBLIC WORKS DEPARTMENT.

Buildings and Roads.
Civil Works.

READ—the following papers:—

From C. F. MACCARTIE, Esq., Chairman, Ootacamund Municipal Council, to the Chief Secretary to Government (through the Collector of Nilgiris), dated Ootacamund, 10th October 1889, No. 992.

I have the honor to submit the marginally-noted correspondence for the information of Government and to request that the proposal made by the Ootacamund Municipal Council, and approved by the Executive Engineer, Nilgiris, regarding the existing wire fencing round the Marlimund reservoir, will meet with the sanction of Government.

1. Copy of letter of Chairman, Ootacamund Municipal Council, to the Executive Engineer, dated 11th September 1889, No. 885.
2. Copy of letter of Executive Engineer, to Chairman, Ootacamund Municipal Council, dated 17th September 1889, No. 2071.
3. Copy of Resolution No. IV, dated 3rd October 1889, of Municipal Council thereon.

ENCLOSURES.

From C. F. MACCARTIE, Esq., Chairman, Ootacamund Municipal Council, to the Executive Engineer, Nilgiris, dated Ootacamund, 11th September 1889, No. 885.

In continuation of this office letter, No. 841, dated 31st August 1889, regarding the fencing of the Marlimund reservoir, I have the honor to suggest, for your consideration, whether in the event of the existing fencing being removed from round the catchment area of the lake, it might not with great advantage be utilized for fencing the Hobart Park and public markets of Ootacamund. The present wooden fencing is continually being stolen and never looks smart, whereas wire fencing could not be stolen for firewood and would add much to the appearance of the park and market.

From Colonel ROSS THOMPSON, R.E., Executive Engineer, Nilgiri Division, to the Chairman, Ootacamund Municipal Council, dated Ootacamund, 17th September 1889, No. 2071.

In reply to your No. 885 of 11th September 1889, I have the honor to state that in my opinion the existing fencing round the catchment area of the Marlimund reservoir is practically useless and that it might be utilized to much greater advantage as you suggest.

2. A close and continuous cordon of fencing should, however, be drawn round the margin of the reservoir to prevent cattle drinking or being washed in it.

PROCEEDINGS of a Meeting of the Ootacamund Municipal Council, held on Thursday the 3rd October 1889.

PRESENT:

Colonel Ross Thompson, R.E.
G. Barclay, Esq.
Aboo Mahomed Sait, Khan Bahadur.
A. Drew, Esq.
J. Browne, Esq.
Gool Mahomed Sait, Khan Bahadur.

Proposed by Mr. Browne and seconded by Mr. Gool Mahomed that Mr. Barclay take the chair. Carried *nem. con*.

IV. Read letter from the Executive Engineer, No. 2671, dated 17th September the wire fencing round the catchment area of Marimund reservoir.

The Municipal Council agree with the views of the Executive Engineer. Resolved that Government should be requested to allow the Municipality to first round the entire catchment area of the reservoir which should be placed round the A.B.C. ground and bandy stand.

No. 79.

Forwarded.

Ootacamund,
10th October 1889.

(Signed) H. COBB,
Collector.

No. 858.

Transferred to the Public Works Department.

Fort St. George,
21st October 1889.

Assistant Secretary.

Public Works.

Referred to the Superintending Engineer, Public Works Department, for his opinion why the existing fencing round the catchment area is practically useless.

(Signed) W. D. BROCKMAN, Lt. Col.,
28th October 1889. Ag. Chief Engineer

From Colonel ROSS THOMPSON, R.E., Executive Engineer, Division, to the Superintending Engineer, Public Works Department, dated 18th October 1889, No. 3785.

With reference to your endorsement No. 614 N.I. of 3rd October 1889, and your inspection of the Marimund reservoir catchment basin on the 26th January 1890, I have the honor to state that the existing fencing is practically useless, as there are ten rights of way across this catchment area, besides several houses and a considerable number of cattle within the fencing. I also consider that it would be useless, if it were possible, to fence the reservoir through the peat bogs.

2. I think that a barbed wire fence is practically required. This fencing should be set up along the line of demarcation between the high water level.

3. To prevent all pollution of the water, the present fence should be bought up, cleared off, and the land planted with trees which would prevent water from the reservoir being analysed by the Municipality for drinking and cooking purposes.

Submitted to the Chief Engineer, Public Works Department, with reference to his endorsement No. 4892 C. of 28th October 1889.

2. The undersigned endorses the reference to his notes of inspection for subject are recorded.

COIMBATORE,
5th February 1890.

(Signed) D. McN. CAMPBELL, M.E.,
Superintending Engineer, IV Circle.

From Colonel ROSS THOMPSON, R.E., Executive Engineer, to the Superintending Engineer, IV Circle, dated 1890, No. 4.

With reference to your endorsement No. 143 N.I. of 5th instant, I have the honor to state that the length of the present fencing round the catchment area of the Marimund reservoir is 14,301 running feet, of which 8,000 running feet would be utilized to form the close and continuous cordon of fencing round the margin of the lake.

20 E.W.

Copy

Department, with reference

1890.

COIMBATORE,
March 1890.

(Signed) D.

1132 W., Public Works.

His Excellency the Governor's Council approves the proposal to remove the existing fencing round the catchment of the Marimund reservoir, and in lieu a strong fence along the line of demarcation between the high water level. As much of the existing fencing as may be required for the purpose will be utilized and the remainder to be sold to the best advantage.

The Government of Madras, through the Superintending Engineer will see that the work now authorised is carried out on a proper basis.

(True Extract.)

(Signed) W. D. BROCKMAN, Lt. Col., R.E.,
Ag. to Govt. P.W.D.

A. Aubert,
Clerk.

BUILDINGS AND ROADS.
CIVIL WORKS.

Govt. of {1890} Madras.
PUBLIC WORKS.

Dated April, 17th.

Recd.

Encl.

G.O., 17th Apr. 1890, No. 1132 W.

APRIL.

Marlimund Reservoir

The proposal to remove the existing fencing round the catchment of the — and to construct in lieu a strong fence along the line of demarcation stones above high water level, approved with remarks.

1132 W 950
1253
1132
1032

I think the first
step to be taken now,
^{again} is to have an analysis
made of several
samples of water
from the Marlimund
reservoir & its offshoots.
The last analysis was
made in Feb/90 &
the result was indefinite.
If it is now proved
that the water is
still "suspicious" the
only remedy appears
to be in the purchase
& proper conservation of
the catchment. It does
not seem advisable to
remove the fencing
until this point has
been settled. If the
catchment is not be
properly conserved, it

4/28
1283

Dr.

Good

Please see the
note attached to
no 4892 C 7/28.10.89.

The original estimate
for the stream and
supply for the
for the river the
private lands within
the gathering
of the Marlborough
Reservoir, & for fencing
the whole of the gathering
ground - vide G.O. no
286 W 7/12.82 & 1279 W
of 2.6.83.

The land the
for
proposed
the

for
it
no heavy
manuring was carried
out then - vide

the

within the

rows of way

to

is this

which remains

the fencing useless in

the opinion of the

Sup. of the Supply

If the gathering

ground is to be properly

conserved the present

lands within it must

be long before the

question might per-

haps be submitted

to the Hon. Sec.

In any case it

is not clear how the

use of the fencing

can be made over

to the Municipality

If it be removed

from its present position,

a large portion of it

will be required for

the 'Close Cordon' which

the Hon. Sec. suggests.

C

14-2-80

Read the following

From the Chairman, Municipal Council.

Botanical, No. 992 of 10 Oct 1889

Endorsement in the local and mun. depto
No. 858 of 25th Oct 1889

from the Suptg. Engrs. to Circle No. 45 End of 5th
February 1890.

For Orders.

The City Municipal Council asks that the wire fencing round the gathering ground of the Moslem burial reservoir may be transferred to it to be utilised in fencing the Hobart Parks and market.

2. The wire fencing in its present position is reported by the Executive Engineer and the Supt. Engineer to be practically useless because there are private lands with in it, and numerous rights of way have in consequence to be provided.

3. The En. Engineer thinks that it would be better to have a closer & continuous

as being washed it

the whole of the

for

lower

part

the

the whole of the

ground. in

211. Feb. 1892

put up with spread

to purchase the garden

to as dropped on

account of the case

also because

noted that in any

case of the

case

to No

August 1890

of the

part

highly

water land

it appears

the

the

the

the

the

the as

the as

gathered

the as

any it

the as

the as

the as

the as

the as

the as

the as

the as

the as

the as

ward

capital

P.W. Current

For and
then the

the bill
Dept. being requested
by separate memo
to claim, with reference

250740
not 1888.

books & papers

the

Ch

Am 20

No. 992

Ootacamund Municipal Office,
10th October 1889.

2/11/32

From

C. F. Mac Carthy Esq.
The Chairman,

Ootacamund Municipal Council

To

The Chief Secretary to Government
Local Municipal Department
Fort St. George
And the Collector - Nilgiris

Sir,

I have the honor to submit
the marginally noted correspondence
for the information of Government
and to request that the proposal
made by the Ootacamund Municipal
Council, and approved by the Executive
Engineer, Nilgiris regarding the erecting
wire fencing round the Inachinnam
reservoir, will meet with the sanction
of Government.

I have the honor to be
Your most obedient servant
H. C. S.
Chairman

1. Copy of letter of Chairman Ootacamund to the Exec. Engineer - No. 888 dated 11th Sept. '89
2. Copy of letter of Exec. Engineer to Chairman Ootacamund No. 112041 dated 17th Sept. '89
3. Copy of Resolution No. IV dated 3rd Oct. '89 of Municipal Council thereon.

30 OCT 89

Amund Muir

11 September 1889

Amund Muir

The Executive

Sir,

In continuation of this Office letter dated 31st August 1889 regarding the fence of the ^{Imperial} ~~Amund~~ Reserve I have the honor to report for your consideration whether the event of the existing fence being removed from around the Calcutta area of the Estate it may be an advantage to ^{use} ~~use~~ for fencing the whole of the present wooden fence is continually being stolen and never looks smart whereas wire fencing could not be stolen for firewood and would

(Enc. Copy) (Signed)

Amund

2071

Wm. Birney
86
17th September

Mr.

Sir,
I have the honor to acknowledge the receipt of your letter of the 11th inst. in relation to the capture of the vessel "The Fish Hawk" and to inform you that the same has been forwarded to the proper authorities for their consideration.

I also and in accordance with the provisions of the Act of Congress of the 10th March 1845, have caused a search to be made of the records of the Custom House for the purpose of ascertaining the value of the goods on board the vessel.

I am, Sir, very respectfully,
Your obedient servant,
Wm. Birney
for Collector

30 OCT. 89

Proceedings of a Meeting of the Macanese
Municipal Council held on the 4th 1889

Present
G. ...
et ...
A. ...
Brown

Proposed by Mr. Brown and Seconded
by Mr. G. ... that Mr. Barclay take
the Chair etc.

+ + + + +
...
-071


...
...
...

...
...
...

are the Reservoir which is
useless. Resolved ...
Requested to Sanction the

of the fencing and its erection, first
round the ... market pre

including both upper and lower
terraces, the remainder to be placed
round the A. B. C. ground and Bandy-
stand




True Extract

Macanudo
Municipal Office
October 1889

H. C. 86

to Chairman etc

3/23/89



700

No. 4892 of 28 October 1889

Referenced to
the Superintending Engineer
to enquire for full
explanations as to why
the existing fencing
round the catchment
area is practically
useless.

Quadrant - Bushman
Lt. Col. R.
Aq. Ch. Engr. Bnd.

W. 10.59

1889.

4664 17-1-88

W. H. 975



FROM *2334*
THE CHAIRMAN,
MUNICIPAL COUNCIL,
OOTACAMUND.

To
THE CHIEF SECRETARY
To GOVERNMENT, L. & M.,
FORT ST. GEORGE,
MADRAS.
THROUGH THE COLLECTOR,
NILGIRIS.

No. *972*

Dated *October* 1889
Despatched
Received - *13 OCT 9*
ENCLOSURE *3*

SUBJECT.

Submitting Correspondence
Regarding the wire fencing
Round the Marlinum
Reservoir for the information
of Government.

18/10/89
Fort St George
21 October 1889

The Public Works Departt.

No 79 - 5-10

Forwarded.

10. x. 4 H. C. 206
On account for ag. collectn

Recd. in 17. 6-10-89

858
Transferred to the Public works
department.

Assistant Secretary

No *3785*

14
1132

N.B.—The number and date of
this letter should be quoted in
any future communications on
this subject.

P. W. D.

NILGIRI DIVISION OFFICE,
STATION, *Ootacamund* *Feb 1890*

From *Colonel Ross Thompson*
EXECUTIVE ENGINEER,

NILGIRI DIVISION,

THE SUPERINTENDING ENGINEER,
FOURTH CIRCLE,
COIMBATORE.

ENCLOSURES.
1 file of papers
3 statements
of analysis
by the chemi-
cal Ser
To be
obliging
returned

With reference to your endorse-
ment no. *544* of 31st October 1889 &
your inspection of the Marlinum
Reservoir Catchment basin fencing
on the 26 January 1890, I have the honor
to state that in my opinion the
present fencing is practically use-
less, as there are ten rights of way
across this catchment area, be-
sides several houses and a consi-
derable number of cattle within
the fencing. I also consider that
it would be useless if not quite
impracticable to run a catch
drain round the reservoir through
the peat bogs.

I think that a barbed wire
fence

fence, to prevent cattle from drinking in, or being washed in the reservoir, is all that is practically required. This fencing should be set up along the line of demarcation stones above high water level.

To prevent all pollution, the ground within the present wire fence should be bought up, cleared of houses and cattle sheds, and the land laid out in grass, or planted with trees which would not require to be maintained, but I may mention, that water from the reservoir, and from the peat swamps which discharge into it, has been analysed by the Government Chemical Examiner, and found quite practically pure enough for drinking and cooking purposes.

I have the honor to be,

Yours most obediently

2 FEB 90

W. Thompson Col. R. E.

Executive Engineer

45 15 80
B. W. 1132


Submitted to the Chief Engineer B. W. D. with reference to his endorsement No. 4892 C. of 28th October 1889.

Enc 5

2 The undersigned endorses the Executive Engineer's opinion and begs a reference to his notes of inspection for January 1890 in which his views on the subject are recorded.

J. H. Campbell Major R. E.
Subj. Eng. Circle.

Coimbatore }
5th Febry 1890.



18
1132

From

The Executive Engineer,
Nilgiri Division

From
THE EXECUTIVE ENGINEER,
NILGIRI DIVISION.
To
THE SUPERINTENDING ENGINEER,
4TH CIRCLE.

To

The Suptg. Engineer
S. Circle

Dated
Despatched
Received

188

Dated 3rd February/90.
Despd 3rd

No.

Enclosures.

No. 3785
Enc. 4

Subject.

Fencing round
the Marlumund
Reservoir.

Gives his explanation
regarding the

Within

P.W. C. 1283 ✓
From
The Supg. Engr^r
4 Circle

No. 678 C of 7-2-90
" 2507 W. 16-8-88
" 1279 W. 2-6-85
" 286 W. 1-2-82
" 105 W. 8-1-78

No. 1032 C of 26 July 19

Memo

Dated 5th
Recd 6th } Feb 1890
Recd 8

No. 45
E.W.

Encls: 5

Wire fencing round the
Marlimund Reservoir
Submitting letter
in original from the Ex-
ecutive Engineer, Nilgiri
reporting on the —

With reference to his
letter No. 45 D. of 5th Feb
1890, the Supg. Engr. IV
Circle is requested to report
the length of the present
fencing round the catch-
ment of the Marlimund
reservoir, and whether
a portion of it could not
be utilized to form the
close & continuous cordons
of fencing round the
margin of the lake
advised by the D. Engr.
If so, it should be
reported how much of
the fencing will be
required for the purpose.

Memo

24.2.90

S.S. IV Circle
D. Engr. 28

24.2.90

17/11/92 90
No. 4385. Nilgiri Division Office,
Coimbatore 19th March 1890.

From

Colonel Ross Thompson, R.E.,
Executive Engineer,
Nilgiri Division.

To

The Superintending Engineer,
Fourth Circle,
Coimbatore.

Sir,

With reference to your endorsement
No. 143 of 5th Instant, I have the honor
to state that the length of the present
fencing round the Catchment of the Marlimund
Reservoir is 14,301 Gz ft., of which 8000 Gz feet
could be utilized to form the close and
continuous cordons of fencing round the
margin of the lake.

I have the honor to be
Signed/ Ross Thompson Col. R.E.,
Executive Engineer.

No. 120
E.W. Copy Submitted to the Chief
Engineer

Mr. Russell

day

27nd March 1890

From
The Supg. Engrs.
4th Circle

Dated 22nd } March/90
Desd 22nd }

A. 120
E. W.

Fencing round the catch-
ment of the Marlumund
Reservoir

Submitting copy of
letter from the Execu-
tive Engineer, Nilgiris
reporting on the total
length of—

No. 1032 C 4 26.2.90
678 C. 7.2.90
2507 W. 16.8.88
1279 W. 2.6.85
286 W. 1.2.82
105 W. 8.1.78
Ann. 10. 6. 12. 8. 9. 10. 10. 11.

9/4. R. 17. 4. 90

C. 26.3.90. 1

Ann. 28/3/90. 10.3.90

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Read the followi

From Chairman Ootacamund
Municipal Council. (H.E. No. 992 of 10.10.88)

Endorsement by the Collector of
the Nilgiris. (H.E. No. 99 of 10.10.88)

Endorsement in the Lt. M. Dept. (H.E. No. 858 of 21.10.88)
and in the P.W. Dept. (H.E. No. 4892 C 9 28.10.88)

From the S.E. IV Circle (H.E. No. 45 W. of 5.2.89)

— do — (H.E. No. 120 E. W. of 12.3.89)

Circ.
After having an analysis
made in view of further
fence is removed. (H.E. No. 28/10.89)

(H.E. No. 28/10.89)
I have no objection - but the
position of the reservoir by cattle
drinking or being washed in it
is not so small as might be
the moving of the fence will
affect any other source of
water for if this is not
7/4/90

His Excellency the
Governor in Council
approves the proposal
to remove the exist-
ing fencing round the
catchment of the
Marlumund Reser-
voir and to construct a
new a strong fence

Recd
70/15

Empwa ✓

(The Star: the Chief Secretary
for favour of printer's initials)

85.

DL-53

25 3 9/10

Ans
126-2-90

02.534 g/m H₂O in H₂O. 1.0000. 1.0000

3072

Govt. of Madras.

PUBLIC WORKS.

17/1/90

Date

Ref.

Encl.

G.O. 17th April 1890 No. 1132/90

Madras Reservoir

The proposal to remove the existing fence round the catchment of the Reservoir and to have a strong fence along the line of demarcation & lower than high water level opposite to the Reservoir.

1890