

- (1) பக்கங்களின் எண்ணிக்கை 24
 (2) புதுக்கித் திருப்பிய நாள் February 90
 (3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் 10/2

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

சென்னை துறை

அரசாணை எண். மு. கேள்வித் தாள் எண்.	2981 W	அச்சகம் புலவகை
நாள் :	11. 11. 1890.	108.

மடிக்கலோ கண்டபடி கையாளலோ கூடாது

C 227

ECCLESIASTICAL DEPARTMENT,

Madras, 27th October 1890.

No. 466

2981

From

THE VENERABLE J. F. BROWNE, B.D.,

ARCHDEACON OF MADRAS,

To

The Honorable
The Chief Secretary to Government
Fort St. George

Sir,

I have the honor to apply on behalf of C. Kough Esq. Lay Imster, Kurnool for a new Bell for the Church at that Station. The Executive Engineer's Certificate herewith enclosed states that the bell is cracked and unrepairable.


2. The Bell in question seems to have been supplied in 1878 as per G.O. No. 3052W, dated 31st July, 1878. The plan and Estimate of Rs. 600 for a Portico and a new bell for the Church at Kurnool are sanctioned.

I have the honor to be,
Sir,

Your Most Obedt. Servant,
J. F. Browne
ARCHDEACON OF MADRAS.

C.N. 247

Each



From,

The Venerable
the Archdeacon
of Madras
No 466.

Dated 27th } Oct 190.
Recd 28 }

Encls. 4

P.W.C. No. 571

Mm. 27th November 1890 1/11

approved and trans-
ferred to the Public
Works Department.



Redmiller
Chief Secretary.

By 11. 9. 90

No 2731 of 11 Nov 1890

Commanded
to the Supply Committee
Circle who will submit
an estimate for
supplying a new
bell to the Church.

Very
7.11.90

S. J.

S. S. III

Applying for
a for use at Christ
Church, Kumbakonam.