

(1) பக்கங்களின் எண்ணிக்கை 14

(2) புதுக்கித் திருப்பிய நாள் 11/12/90

(3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் 60/2

தமிழ்நாடு ஆவணக் காப்பகம்.

(92)

தமிழ்நாடு அரசு

P. W. D. துறை

அரசாணை எண். மு. கோப்புத் தாள் எண்.	1592	அச்சகம் பலவகை
நாள் :	11-6-1891	198

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

7. sheets

37

No. 116 G.D.

1512
1

FROM,

G. D. Wybrow Esq.

SUPERINTENDING ENGINEER

FIRST CIRCLE.

TO,

THE CHIEF ENGINEER

PUBLIC WORKS DEPARTMENT.

DOWLAISHWERAM, 14th April

1891.

Desf 216

SIR,

With reference to your memorandum No 1500 C dated the 17th March 1891, and its enclosure, I have the honor to report that the present age of the Dummagudem Lock Superintendent of Subbarayudu is 30 years and 3 months, and that he has not passed any examination.

2 This man was appointed as messenger on the Permanent Establishment of the Godavari Eastern Division, on the 10th October 1877, when he was 23 years old, and he held that appointment till the 12th July 1883, when he was nominated to the Dummagudem Lock Supt's place without a break on his permanent post. The salary of the Lock Superintendent is met from the annual grant given for the maintenance of Dummagudem Works. If article 405 of the Civil Service Regulations is held to apply to this man's case there

seems to be no objection to the man
holding the post. If it does not
apply, I request that you will be
good enough to accord your sanction
under G.O. No 10841 of 12th January 1891,
taking into consideration his long
service extending ^{over} a period of 14
years.

3. The Executive Engineer
Godavari Eastern Division recommends,
and I agree with his recommendation,
that the Lock Superintendent be
exempted from passing the required
test, so long as he is employed at
Dumagudam, which is in the Agency
tracts of the Godavari District, where
it is scarcely possible to get duly
qualified men to take up posts on
small pay. I therefore trust that
you will see fit to obtain the
required sanction of Government.

I have the honor to be
Sir

Yours most obt. Servt.

J. S. D. S. D.

Superintending Engineer
I Circle

P.W.C. No 4309
4888

FROM,

G.D. Wybrno lege
SUPERINTENDING ENGINEER

FIRST CIRCLE.

TO,

THE CHIEF ENGINEER

PUBLIC WORKS DEPARTMENT.

DATED 14th April 1891.
DESPATCHED
RECEIVED

No. 116 G.D.

ENCLOSURES

SUBJECT.

G. Subbarayudu. Dummagudem
Lock Supt. Reporting the
age of — requesting to obtain
sanction of Government for
his exemption from examination
rules.

8. Bus 324 PW 9 6.12.90
" A 108 W 12-1-91
Memo No 622 C 18-2-91
" 1500 C 17.3.91
" 2180 C 21.4.91

No 2180.C d/ 21 April/91

To C

For favour of
remarks with reference
to para 2 of the Supty.
Eng's letter.

0013
21.4.91

No. 2569 d/ 2-5-91
To W.

Sanction of the Chief Engineer
P.W.D. exempting the lock Superintend-
ent from the age bar is necessary with
reference to G.O.No.108 W.dated 12th.
January 1891. Civil Service Regulations
article 405 quoted by the Superintend-
ing Engineer Ist.Circle does not apply
to the case, as on the date of appoint-
ment as lock Superintendent on the
work establishment, he was over 25 years
of age.

2/5
C.
2/5

Educational Department.



1592
3

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Read the following paper:—

Memorandum from the Public Works
Department dated 9th May 1891 No. 180 B.

Order of 22nd May 1891 No. 389.

Lock Superintendent, G. Subbarayudu,
will be exempted from the examination rules
so far as regards his present appointment
at Dummagudem.

[True Extract]

Major R.E.,
Under Secretary to Govt. P.W.D.,
for Chief Secretary.

The Public Works Department,

(with Enclosures to Memorandum returned)

1592
4

W. C. C. C. C.

289

W. C. C. C. C.
W. C. C. C. C.
W. C. C. C. C.
W. C. C. C. C.
W. C. C. C. C.

Current 588 ✓

Gobt. of 18 Madras

P. Br. 3248W 6.12.91
Memo no 1500 C 2 17.3.91
no 180 D 9-5-91
2180 C 21-4-91
S.O. 108W 12-1-91

To

The Public Works Dept

No 1-6-91

Enc 1-P.W.D. nyl. file

Proceedings, dated 22nd May 1891.
No. 389.

Subject.

Exempting Lock Lape.
-rudent. G. Sattaraya.
-du from examination
rules as regards his
present appointment
at Durmagudem.

O.L. 34/6

0/16 12.10.6.91

CN-5886

Chaw

1592/5

1592/6

I beg to ~~state~~
to inform whether
with reference to Co' office
note No 2569 of 2.5.91
it is necessary to
obtain Ew's signature
to this note, as C
generally objects to
Chief Engineer's
sanctions being
agreed by order.
In the present
case however, the
Ew's note is embodied
in the Co. in which
it will be read in
full and no
further precaution
I think is necessary

the entertainment of
Superintendent G.
Baragadu on the
manent Establishment
who above 25 years
age is sanctioned
effect from the 6th
month 1890, subject
usual conditions
regards service
pension.

Old
Ew.

R.S.

Current 5-88

Gobt. of 18 Madras

To

The Public Works Dept.

Re 1-6-91

Enc 1-P.W.D. mfg. file -

Proceedings, dated 22nd May 18
No. 389.

Subject.

Exempting Lock &
Superintendent - G. Subba
du from examination
rules as regards
present appointment
at Qumagudem

O.L. 34/6

1/6-12 10.0

P.W.D.

1592
b

Memo.

The entertainment of
Lock Superintendent G.
Subbarayadu on the
permanent Establishment,
though above 25 years
of age, is sanctioned
with effect from the 6th
December 1890, subject
to the usual conditions
as regards service
for pension.

sd/
E.M.

R.S.

No. 1592 W of 11 June 1891

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

1592/2
Read the following

Letter from the S.E. I Circle S.E. No. 1990 G.O. of 19 Jan'y '91.
Office note from the Enr. P.W. Accts S.E. No. 1445 of 9th March '91.
Letter from the S.E. I Circle - S.E. No. 116 G.O. of 14th April '91.
Office note from the Enr. P.W. Accts S.E. No. 2569 of 2nd May '91.
Proceedings of Govt. Engrs. Dept S.E. No. 389 of 22nd May '91.
Memo by the Chief Engineer P.W.D. S.E. No. of 5th June '91.

The proposition statement submitted by the Supty. Engineer I Circle with his letter No. 1990 G.O. dated 19 January 1891 quoted above providing for a Lock Supt. on Rs. 17 per annum for the Dumagudiem Lock, is sanctioned with effect from the 6th December 1890 - the date of the order approving the proposal - Vide G.O. 3248 W dated 6th December 1890.

A.D.

To the S.E. I Circle
C. & for Inspⁿ
Enr. P.W. Accts. N.S.

No. 1592 W of 11-6-91.

a.s.s. 34/6
H.M. 8/6/91
on 2-6-91

~~Handwritten scribble~~

No. 1592 May 11 June 1891

B. H. H.

(7)

0.25 34/6
Hm. 6/6/91
m. 8/6/91

h2c 15/6