

- (1) பக்கங்களின் எண்ணிக்கை 6
 (2) புதுக்கித் திருப்பிய நாள் செப்டம்பர் - 1890
 (3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் 10/10

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

(139)

P. W. D. துறை

அரசாணை எண். மு. கோப்புத் தாள் எண்.	1644-5	அச்சகம் பலவகை
நாள் :	17 - 6 - 1891	198

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

5. sheets

ஆவண. கர-2-18,006-15-6-87.

It is requested that in any further communication
on this subject the under-mentioned letters and
number may be quoted, and the reply addressed to
The Director General of Stores,
India Office,
Whitehall,
S.W.

S 6329.

1644-5

India Office,

Whitehall, S.W.,

1st May, 1891.

Sir,

With reference to the following
demands for copper tape for lightning conductors
contained in the indent for Public Works stores
forwarded with your letter no. 865 W. dated 24th
March 1891, viz:-

Copper tape 1" x $\frac{1}{8}$ " yards 880

" " 1 $\frac{1}{2}$ " x $\frac{1}{8}$ " " 880

I have the honour to point out that 5000 feet
of copper tape of each of the above sizes, are also
included in the Public Works indent (items
137 and 138) forwarded with your letter no. 744 W.
of 14th March 1891. The indent for these larger
quantities is dated 23rd February 1891, and the indent
for the 880 yards of each size, now under con-
sideration, is dated 10th February

The Secretary to the Government of Madras,
Public Works Department,
Madras.

1891.

1891, It would therefore appear that the quantities demanded in the indent of 10th February should have been shown "as due on previous indents" in the later indent dated 23rd February 1891. ^{16/11/91}

As it is thought that possibly one of the demands may have been overlooked when the other was being put forward, it is proposed to defer the provision of the smaller quantities asked for in the indent of 10th February 1891, until the receipt of an explanation as to whether the supplies demanded in both indents are actually required. In the meanwhile, the quantities demanded in the Indent of 23rd February 1891, will be ordered.

I have the honour to be,

Sir,

Your obedient servant,

J. Turner

for Director General of Stores.

Spec. Oct.

P.W. Circle 5404

1/18/91 6189/1
8-6-91

No 19-5-91

B. No: 418/91
25-5-91

No 2590. Cd/21 May/91

Referred to the
Supl. Engr. V Circle for
early report with
advice to S. No.
743 W 7864 W dated 14
924 March 1891 -

(By order)

J. B. S. S. S.

Major R. S.
Under Secy to Govt.
P.W.D.

1694-5
3
SUPERINTENDING ENGINEER'S OFFICE,

V Circle, Madras,

Chennai, 7 June 1891.

No. 2728

From

Major D. McKel Campbell, V.C.,

SUPERINTENDING ENGINEER, V CIRCLE,

To

The Chief Engineer
P.W. Department.

SIR,

Enclosures.

With reference to your
endorsement of No. 2,590 P
dated 21 May 1891. Returned.
I have the honor to state
that the Copper tapes indent-
ed for in both the
Indents alluded to are
absolutely required - as
reported by the General
Superintendent P.W. Stores.
The Indent placed 10
February 1891 was a
Special

Special Incident. The
Incident dated 23 February
1891, is the Annual Incident
for 1891-92.

I have the honor to be
Sir
Your most obedient servant

Mr. Campbell Major V.C.
Supt of Engineers
5th Circle

1644-5
4

P.V.

W. Present 16189

From
The Supt Engineer
S. Circle

To
The Chief Engineer
P.W. Dept.

Dated 7 June 1891
Recd 6.9

Encls. 1

17. 11. 10. 703-4-515 14. 2. 91
... 864. 5. 64 17 24-3-91
mms 2570 c 21. 5. 91

No. 1644-5 Waf 17-6-91

No 272 W.
Copper tapes.

States that the
in demand for in both the
instances are absolutely
necessary.

12. 7. 579

12. 17. 6. 91

No. 1644 Waf 17 June 1891

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

1644-5

Read the following

from the Dir. Genl of Works, India Office, No. 63297
1-5-91
S.E. I Circle, No. 272 W 77-6-91.

The Director Genl
of Works, India Office,
will be informed
accordingly.

2. As pointed out
by the Dir. Genl, the
quantity of copper tape
demanded in the
indent of 10 Feb 1891
should have been shown
"as due on previous
indents" in the later
indent of 23 Feb

11/13/91

S.E. I Circle

H.E. No. 1645 W 5/17 June
Ald 7

To the Dir. Genl of Stores
India Office

Sir,

In reply to your
letter no 5.6329 dated
1st May, 1891, I am directed
to state that the quantities
of copper tape demanded
in both the indent
alluded to are required,
and to request that they
may be supplied -

2. It has been pointed
out to the Stores Dept.
here that the quantity
demanded in the indent
of 10th Feb 1891 should
have been shown as
due on previous indent
in the later indent of
23 February.

Yours &c

9/6/91 Ald.

CR
H.S. 7576
H.M. 12/6/91
M 15/6/91

(5)

73/6
J.M. 6

No. 1644-542/17 June 1891
Note - After issue
the quantity
of 10th Feb 1891
should have been shown as
due on previous indent
in the later indent of
23 February.

27420