Bundle no 17.
P.W.D. 1891

(1) பக்கங்களின் எண்ணிக்கை 312
(2) புதுக்கித் திருப்பிய நாள் 16.10.90
(3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம்

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

P.W.D. துறை

அரசாணை எண்.
மு. கோப்புத் தாள் எண். 3111

அச்சகம்
பலவகை

நாள் : 19.11.1891

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

ஆவண. கா-1—18,006—15-6-87.

Enclosure to Director General of Railways' Circular No. 14 of 1891.

311/1

RATE LIST.

CLASS G.

TOOLS AND STORES.

FOR 1889.

செப்பனிடுபவர் பெயர் A. கேசவன்

செப்பனிடுவதற்காக எடுத்துக் கொள்ளப்பட்ட நாள். 18.9.96

செப்பனிட்டு முடித்த நாள் 16.10.96

சரிபார்க்கும் மு.பா.ளி. கையொப்பம்.

ஆராய்ச்சி உதவியாளர் கையொப்பம்.

311/2

INDEX.

	Page.
CLASS G.—(*a*) Tools	1 to 76
„ „ (*b*) Stores—	
(1) Hardware, Copper, Tin, Zinc and Zincware	77 to 132
(2) Lamps and Lamp fittings	133—140
(3) Leather and India-rubber goods	141—149
(4) Metals	150—222
(5) Painters' Stores	223—232
(6) Timber	233
(7) Fuel	234
(8) Furniture for Stations, Offices and Refreshment-rooms ...	235—242
(9) Cloth, Clothing and Equipment	243—247
(10) Miscellaneous	248—264
(11) Stationery	265
(12) Drawing, Mathematical and Surveying Instruments ...	266
(13) Printing Press and Materials	267—269

3111/3

CLASS G.

TOOLS AND STORES.

a.—Tools.

FOR 1889.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1781	4-1-89	Adzes ...	Carpenters	0	1	9	Each.	
2814	3-10-89	Apparatus ...	Gas screwing, range of dies, *viz.*, ¼", $\frac{5}{16}$", ⅜", ½", ¾", 1", 1¼", 1½", 1¾", 1½", 1¾", 1¾", 2"	28	18	0	Set.	
		Augers.	Carpenters, screw eyed :—					
1802	5-1-89		⅜"	0	7	4	Doz.	
2875	25-10-89		½"	0	9	6	,,	
2875	25-10-89		$\frac{5}{16}$"	0	9	6	,,	
1802	5-1-89		½"	0	7	4	,,	
2875	5-1-89		½"	0	9	6	,,	
2062	26-2-89		½"	1	8	0	,,	
3098	5-12-89		½"	0	8	5	,,	
1802	5-1-89		$\frac{5}{16}$"	0	7	6	,,	
2062	26-2-89		⅝"	1	11	0	,,	
1802	5-1-89		⅝"	0	7	10	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Carpenters, screw eyed—*contd.*—					
1861	24-1-89	Augers—*contd.*	⅜"	0	8	9	Doz.	
2041	25-2-89		⅜"	0	8	9	,,	With handles.
2117	14-3-89		⅜"	0	8	9	,,	
2153	21-3-89		⅜"	0	8	9	,,	
2229	3-5-89		⅜"	0	8	5	,,	
2605	12-7-89		⅜"	0	8	9	,,	
2714	6-9-89		⅜"	0	8	3	,,	
2875	25-10-89		⅜"	0	11	6	,,	
2900	2-11-89		⅜"	0	8	8	,,	
1802	5-1-89		11/16"	0	8	1	,,	
1802	5-1-89		½"	0	8	8	,,	
1861	24-1-89		½"	0	10	6	,,	
2714	6-9-89		½"	0	10	3	,,	
2062	26-2-89		½"	1	13	6	,,	
1802	5-1-89		⅝"	0	9	3	,,	
2153	21-3-89		⅝"	0	12	6	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount £	s.	d.	Unit.	Remarks.
			Carpenters, screw eyed—*concld.*—					
2275	17-5-89	Augers—*concld.*	⅝"	0	17	6	Doz.	
2714	6-9-89		⅝"	0	11	3	,,	
2875	25-10-89		⅝"	0	14	6	,,	
1861	24-1-89		1"	0	13	3	,,	
3098	5-12-89		1"	0	13	11	,,	
2062	20-2-89		1"	1	19	0	,,	
1802	5-1-89		1⅛"	0	11	9	,,	
3098	5-12-89		1½"	1	1	6	,,	
2117	14-3-89		Screw eyed ⅜", extra strong, for Platelayers	0	8	9	,,	
2960	2-11-89		,, ⅝" ,, ,, ...	0	8	8	,,	
2275	17-5-89	Awls ...	Brad, handled, assorted	0	1	9	Doz.	
2006	18-2-89	Axes ...	Long, felling, 4 lbs. with handle	1	14	0	Doz.	
3098	5-12-89		,, ,, ...	1	16	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2589	12-7-89	Axes—*contd.*	Long, felling, 4½ lbs. head, with handle	2	0	0	Doz.	
2183	5-4-89		Pick, Hardy's patent, No. 3; 3 lbs. each, without handle	0	10	0	,,	
3088	5-12-89		Pick, solideye's, 7 lbs. each	0	17	0	,,	
2926	31-10-89		Pick, 6½ lbs.	1	0	6	,,	
1816	11-1-89		Wedge, American, with ash handles, 6 lbs. each, exclusive of handles ...	2	18	0	,,	
1879	26-1-89	Bars, Crow.	5′-6″ long × 1½″ with claw to fit dog spike	0	3	9	Each.	
3148	24-12-89		Iron, clawed, 6 ft. × 1½″ claws, suited to draw dog spikes	0	7	3	,,	
			Iron, plain, 6 ft. × 1½″ with chisel points	0	4	9	,,	
1811	11-1-89	Beetles—Platelayers.	8 lbs. steel ends	1	1	0	Doz.	
1866	25-1-89		,, ,, ...	0	19	6	,,	
2889	26-10-89		7 lbs. solid steel with solid eyes	0	19	9	,,	
			,, ,, for India Store Depôt	0	1	8	Each.	
2543	4-7-89		8 lbs. solid steel with solid eyes	0	1	6	,,	
1803	5-1-89	Bevils, Sliding ...	Carpenters	0	1	6	Each.	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Steel, for ratchet braces :—					
2199	27-4-89		½″ long over all ¾″ 1″ 5″	0	9	6	Doz.	
			For wood boring machine :—					
2329	28-5-89	Bits.	½″	3	0	0	,,	
			¾″ ... ... 1″	3	12	0	,,	
2550	5-7-89		Spare, for ratchet braces 1″ ¾″ } To be 5½″ long and fitted to the braces. ½″ ...	0	9	6	,,	
2550	5-7-89		¼″ to 1¼″ fitted to ratchet braces 15″, per set of 11	0	8	9	Set.	
1782	4-1-89		Ploughing, for plough planes, in sets of 8	0	2	8	,,	
1784	4-1-89	Braces.	Carpenters, with 24 Bits	6	3	0	Doz.	
2319	23-5-89		Carpenters, hand, with 24 Bits	0	10	0	Set.	
2550	5-7-89		Ratchet, 15″, with bits fitted	7	4	0	Doz.	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2319	23-5-89	Braces—*contd.*	Ratchet, 16", Lancashire make	7	4	0	Doz.	
1821	11-1-89		Ratchet, with bits 16"*	1	0	0	Set.	* Each of the braces to be fitted with bits as follows:—
			18"	1	1	0	"	16" with 9 × ¼" to 1½" }
2716	6-9-89		20"	1	2	6	"	18" " 11 × ¼" to 1½" } Increasing by ¼".
			Ratchet, without bits 10"	0	8	0	Each.	20" " 11 × ¼" to 1½" }
			14"	0	9	4	"	
			16"	0	10	8	"	
2001	16-2-89	Brushes.						
2628	23-7-89							
2968	2-11-89		Banister, No. 3	1	3	0	Doz.	
3019	22-11-89							
2693	30-8-89		" single	1	5	0	"	
2853	17-10-89		" single length, with handle 16"	1	1	0	"	
2693	30-8-89		" double	2	10	2	"	
2853	17-10-89		Banister, double length, with handle 16"	2	18	0	"	
2969	2-11-89		Camel hair, for lettering, large, goose, width cedar sticks	0	1	2	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2969	2-11-89	Brushes—*contd.*	Camel hair, for lettering, small duck, with cedar sticks	0	0	8	Doz.	
2427	14-6-89		" " Crow } With cedar sticks and red silk and gold tie.	0	0	5	"	
			" " Duck }	0	0	7	"	
			" " Goose }	0	1	2	"	
1996	16-2-89		" " Crow }	0	0	5	"	
			" " Duck } With cedar stick.	0	0	7	"	
			" " Goose }	0	1	1	"	
2620	18-7-89		" " large Goose } With cedar sticks.	0	1	2	"	
"	"		" " small Duck }	0	0	9	"	
3036	25-11-89		" " Goose, with cedar stick	0	1	6	"	
3036	25-11-89		" " for lining, Goose, with cedar stick	0	1	6	"	
2162	25-3-89		" " round $\frac{5}{16}$" with cedar sticks	0	1	0	"	
2628	23-7-89							
2968	2-11-89		Carriage, washing 9"	2	4	0	"	
2693	30-8-89		Clockmakers, hard	0	3	6	"	
2001	16-2-89		Duster, 14", size $\frac{4}{8}$	1	1	0	"	
2424	14-4-89		Dusting, 1' 6", for carriages	1	3	0	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1788	4-1-89	Brushes—*contd.*	Ground $\frac{1}{2}$	0	16	3	Doz.	
			$\frac{1}{1}$	1	1	0	„	
			$\frac{2}{0}$	1	3	6	„	
			$\frac{3}{0}$	1	8	6	„	
2693	30-8-89		Ground, copper bound, No. 0	0	16	6	„	
			„ $\frac{2}{0}$	0	19	0	„	
			„ $\frac{3}{0}$	1	2	0	„	
2271	17-5-89		Ground, wire bound, trade size No. 1	0	14	0	„	
			„ 2	0	12	0	„	
			„ 3	0	10	0	„	
2424	14-6-89		Ground, paint, large, cord bound $\frac{1}{0}$	1	0	9	„	
3019	22-11-89		Ground, paint, oval, wire bound, No. $\frac{1}{0}$	0	19	0	„	
			„ $\frac{2}{0}$	1	0	0	„	
			„ 4	0	9	0	„	
2427	14-6-89		Lining, brown, sable, hair:— Crow / Duck / Goose } With cedar sticks and red silk and gold	0	3	6	„	
				0	5	0	„	
				0	8	6	„	

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2628	23-7-89	Brushes—*contd.*	Mexican fibre 10"	0	8	0	Doz.	
2968	2-11-89							
2003	18-2-89		One knot lily, copper bound, trades sizes $\frac{1}{0}$	1	4	0	„	
			$\frac{2}{0}$	1	8	0	„	
			$\frac{3}{0}$	1	14	0	„	
			$\frac{4}{0}$	1	17	0	„	
2271	17-5-89		Paint, twine bound, trade size, No. 1	0	14	0	„	
			„ 2	0	12	0	„	
			„ 3	0	10	0	„	
1788	4-5-89		Painter, dusting $\frac{1}{0}$	0	16	9	„	
			$\frac{1}{1}$	1	0	9	„	
			$\frac{2}{0}$	1	4	0	„	
			$\frac{3}{0}$	1	8	6	„	
1788	4-1-89		Painters, liners, brown sable hair, Goose	0	6	9	„	
			Duck	0	3	6	„	
			Crow	0	2	0	„	
			2" Goose, large	0	7	0	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contractd for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2162	25-3-89	Brushes—*contd.*	Red, sable hair, round ¼″ with cedar sticks	1	2	0	Doz.	
,,	,,		,, ,, ,, ,, ½″ ,, ,, ,, ...	0	5	0	,,	
1788	4-1-89							
2001	16-2-89							
2424	14-6-89							
2628	23-7-89		Scrubbing, hand 10″	1	0	6	,,	
2968	2-11-19							
3019	22-11-89							
2003	18-2-89		Scrubbing	0	16	0	,,	
2693	30-8-89		Scrubbing, 10″ stock	0	18	9	,,	
2424	14-6-89		Spoke handled, large, 15″, length of stock with handle 19″	1	8	0	,,	
2424	14-6-89		Tar, long handled, 4 feet	0	15	0	,,	
2968	2-11-89		Tar, with 3 feet handles; hair turned in	0	15	0	,,	
,,	,,		Tar, short handled; hair turned in	0	13	0	,,	
2165	27-3-89		Tool, marking, ⅜″ diameter...	0	1	3	,,	
,,	,,		,, ½″	0	2	0	,,	
1788	4-1-89		Tool, sash, No. 1	0	3	3	,,	

10

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2029	23-2-89	Brushes—*contd.*	Tool, sash, No. 1 Metallic bound	0	0	7	Doz.	
2620	18-7-89		1	0	0	9	,,	
2427	14-6-89		1	0	0	9	,,	
1788	4-1-89		2	0	1	6	,,	
2427	14-6-89		3	0	1	6	,,	
1788	4-1-89		4	0	2	6	,,	
2427	14-6-89		5	0	2	6	,,	
1788	4-1-89		6	0	4	0	,,	
1788	4-1-89		8	0	6	6	,,	
2427	14-6-89		9	0	9	6	,,	
1788	4-1-89		10	0	10	0	,,	
1788	4-1-89		12	0	12	6	,,	
2968	2-11-89		12	0	6	0	,,	
2620	18-7-89		12	0	6	0	,,	
3051	28-11-89		12	0	6	0	,,	
2693	30-8-89		14	0	7	0	,,	
2200	27-4-89		15	0	7	9	,,	

11

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2620	18-7-89	Brushes—*contd.*	Tool, sash, No. 15 Metallic bound	0	8	0	Doz.	
2968	2-11-89		15	0	8	0	„	
3051	28-11-89		15	0	8	0	„	
2693	30-8-89		16	0	9	6	„	
2029	23-2-89		17	0	12	0	„	
2200	27-4-89		17	0	10	6	„	
2029	23-2-89		18	0	13	0	„	
2200	27-4-89		18	0	12	6	„	
2620	18-7-89		18	0	11	6	„	
2693	30-8-89		18	0	13	0	„	
2968	2-11-89		18	0	13	6	„	
3051	28-11-89		18	0	13	6	„	
2029	23-2-89		20	0	18	0	„	
2200	27-4-89		20	0	18	6	„	
2620	18-7-89		20	0	16	0	„	
2693	30-8-89		20	0	18	0	„	
2968	2-11-89		20	0	16	0	„	

12

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2693	30-8-89	Brushes—*contd.*	Tool, sash No. 24	1	8	0	Doz.	
3019	22-11-89		„ „ paint, No. 13	0	14	0	„	
			14	0	16	0	„	
			15	0	18	0	„	
2968	2-11-89		Tooth	0	4	0	„	
2853	17-10-89		Varnish, flat 2½" wide	0	18	6	„	
2165	27-3-89		„ „ 3" × ½"	1	5	0	„	
			„ round, 2" diameter	2	0	0	„	
			1½" „	1	1	3	„	
			1' „	0	6	0	„	
3019	22-11-89		Varnish, flat, fine haired, large, 2"	0	16	0	„	
„	„		„ Oval, rivetted, superior quality, No. 8	1	8	0	„	
1788	4-1-89		Varnish No. 4	0	2	6	„	
			8	0	6	0	„	
			10	0	10	0	„	
			12	0	11	6	„	
2424	14-6-89		Varnishing, oval, superior quality, No. 8	1	0	0	„	

13

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2690	20-8-89	Brushes—*contd.*	Wire, steel, card, for cleaning files	0	10	0	Doz.	
2875	25-10-89		,, without handles, 7½″ for foundry, 6 rows, 3″ wire	0	17	0	,,	
1788	4-1-89		Writers, red sable hair, Goose	0	8	9	,,	
			Duck	0	4	3	,,	
			Crow	0	2	6	,,	
			Long hair, goose	0	9	3	,,	
			Swan, large	1	5	0	,,	
			Goose, ,, ...	0	10	6	,,	
2693	30-8-89		Writers, red sable hair, duck, with cedar sticks	0	3	6	,,	
1785	4-1-89	Callipers.	Inside and outside 3″	0	1	9	Each.	
			5″	0	2	4	,,	
			6″	0	2	8	,,	
2713	6-9-89		6″	0	2	3	,,	
			10″	0	5	6	,,	
			12″	0	7	6	,,	
2713	6-9-89		Plain 9″	0	2	6	,,	
,,	,,		12″	0	5	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2180	4-4-89	Callipers—*concld.*	Vernier, 10″ long, divided into one-sixteenths of an inch, and millimetres ...	0	18	6	Each.	
1787	4-1-89	Chisels.	Carriage and Wagon builders, ferruled—					
			¼″	0	0	7	Each.	
			⅜″	0	0	7½	,,	
			½″	0	0	7½	,,	
			⅝″	0	0	8	,,	
			¾″	0	0	8½	,,	
			⅞″	0	0	9½	,,	
			1″	0	0	10	,,	
			1¼″	0	0	11½	,,	
			1⅛″	0	1	2	,,	
			1½″	0	1	8	,,	
			2″	0	1	8½	,,	
2303	31-5-89		Carpenters, mortice, ⅛″	0	11	0	Doz.	
			7/16″	0	11	0	,,	
			¼″	0	11	0	,,	
			⅜″	0	13	6	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3098	5-12-89	Chisels—*contd.*	Cold sets, for cutting rails 1½", with iron rods complete	0	1	10½	Each.	
1787	4-1-89		Firmer, mortice, ¼"	0	0	8½	,,	
			⅜"	0	0	9	,,	
			½"	0	0	10½	,,	
			⅝"	0	1	0½	,,	
			¾"	0	1	2½	,,	
			⅞"	0	1	6½	,,	
			1"	0	1	10½	,,	
2365	31-5-89		Firmer, flat, single ferrule $\frac{7}{16}$"	0	4	9	Doz.	
287	25-10-89		Firmer, flat, 1½" with handles, double ferrules	0	0	11	Each.	
2959	2-11-89		Firmer, flat, with handles, double ferruled :—					
			1"	0	10	0	Doz.	
			1½"	0	13	0	,,	
			2"	0	18	0	,,	
2365	31-5-89		Gauge, flat, 1"	0	5	0	,,	
,,	,,		,, ,, ½"	0	5	6	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1787	4-1-89	Chisels—*contd.*	Socket, mortice, ¼"	0	0	7	Each.	
			⅜"	0	0	7	,,	
			½"	0	0	7½	,,	
			⅝"	0	0	7½	,,	
			¾"	0	0	8	,,	
			⅞"	0	0	8½	,,	
			1"	0	0	9	,,	
			1½"	0	0	10	,,	
			1¼"	0	0	11	,,	
			1⅜"	0	0	11½	,,	
			1½"	0	1	0	,,	
2365	31-5-89		1" without handle	0	4	0	Doz.	
,,	,,		1¼" ,, ,, ...	0	6	0	,,	
2365	31-5-89		Quick ¼"	0	5	0	,,	
			,, ⅜"	0	5	3	,,	
			,, ½"	0	6	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2155	21-3-89	Compasses.	Plain, steel, 8″	0	2	0	Each.	
2321	23-5-89		Wing, 6″	0	1	6½	,,	
			,, 8″	0	1	8½	,,	
			,, 10″	0	2	3½	,,	
2346	30-5-89	Cramps.	Carriage makers, to take in 10 feet	2	3	6	Each.	
,,	,,		Joiners, framing, strong, suitable for carriage door and similar work ...	0	16	10	,,	
1784	4-1-89		Sash, heavy, 7′ 0″	0	19	6	,,	
,,	,,		,, light, 2′ 6″	0	8	0	,,	
1851	30-1-89	Crucibles—Plumbago.	Morgan's, Salamander brand—					
			No. 25 50 lbs.	0	6	3	Each.	
			50 100 lbs.	0	12	6	,,	
			60 120 lbs.	0	15	0	,,	
			100 200 lbs.	1	5	0	,,	
			Crucible, stands for 200 lbs. pots.	1	11	3	,,	
2261	13-5-89		Morgan's, Salamander brand, No. 80	1	0	0	,,	
,,	,,		Stands for ditto, for letter X hot air furnace	0	12	6	,,	

18

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2725	6-3-89	Crucibles—Plumbago—*contd.*	Morgan's, Salamander brand—					
			No. 4 or 8 lbs.	0	1	0	Each.	
			,, 6 ,, 12 ,, ...	0	1	6	,,	
			,, 40 ,, 80 ,, ...	0	10	0	,,	
			,, 50 ,, 100 ,, ...	0	12	6	,,	
			,, 80 ,, 160 ,, ...	1	0	0	,,	
			,, 100 ,, 200 ,, ...	1	5	0	,,	
			Crucible, stands, for 200 lb. pots	1	11	3	,,	
2730	12-9-89	Cutters.	Milling, spiral, 3½″ long × 4″ diameter ½″ hole, for Smith and Coventry's Milling Machine No. 3387	1	16	0	Each.	
			Milling, to cut on side and edge, ¼″ to 1″ width, rising by ¼″, 4″ diameter, ½″ hole, square edge	8	15	0	Set of 7.	
			Ditto ditto 1½″ wide	1	12	0	,,	
1933	7-2-89		Milling, to cut on edge ... ... } ¼ to 1″ width, rising by ¼″, 4″ diameter, ½″ hole, square edge.	5	12	0	,,	
			Straight, fluted ... ... }					
			To cut on edge ... ... } 3½″ long, 4″ diameter, ½″ hole square edge.	1	10	0	Each.	
			Straight, fluted ... ... }					

19

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1873	7-2-89	Cutters—*contd.*	Round edged, for making twist drills, in sets ½" to 1" rising by $\frac{1}{16}$" for Smith and Coventry's Milling Machine.	7	4	0	Each.	
2415	15-6-89		Patent, for cutting tubes out of boilers in place, size of tubes 1¼" and 2" outside diameter.	6	5	0	"	
1325	25-5-89		Spare, for Wood Planing Machine—					
			16" × 4½" × ½"	0	16	0	"	
			6" × 4½" × ½"	0	6	0	"	
1033	7-2-89		Steel, for making cutters for Milling Machine—					
1730	12-9-89		No. 3387 Smith and Coventry's list Nos. 36 and 38	0	15	0	"	
"	"		Ditto ditto Nos. 34 and 35	0	15	0	"	
1773	24-12-88	Diamonds, cutters.	For cutting plate glass	0	14	3	Each.	
2024	25-11-89							
2417	[illegible]		For cutting sheet glass	0	7	0	"	
2903	2-11-89			0	7	7½	"	
2795	27-9-89	Drills, Cylinder	Of sizes ½", $\frac{9}{16}$", ⅝", ¾", ⅞", 1", 1¼", and 1½"	2	15	6	Doz.	
2794	27-9-89	Drills, Twist ...	Of sizes ½", $\frac{9}{16}$", ⅝", ¾", ⅞", 1", 1⅛", 1¼"	2	15	6	Doz.	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2389	6-9-89	Drills, Twist—*contd.*	Smith and Coventry's, from ½" to 2", rising by $\frac{1}{16}$" ...	0	6	4½	Each.	
			For Smith and Coventry's Drilling Machines; iron, taper shanks—					
			½"	0	1	1	"	
			$\frac{9}{16}$"	0	1	1	"	
			⅝"	0	1	3	"	
			$\frac{11}{16}$"	0	1	6	"	
			¾"	0	1	10	"	
			⅞"	0	2	3	"	
			1"	0	2	8	"	
1468	9-1-89		1⅛"	0	3	2	"	
			1¼"	0	3	7	"	
			1⅜"	0	4	0	"	
			1½"	0	4	6	"	
			1⅝"	0	4	11	"	
			1"	0	5	5	"	
			1$\frac{9}{16}$"	0	5	10	"	
			1¾"	0	6	4	"	

Contract number and date.	Maker.	Description.	Rate—Price or Hours. Amount. £ s. d.	Date.	Remarks.
		For Dear, Swift, and Grace's Drilling Machines; iron, taper shanks—contd.			
		1⅝″	0 5 9	Each.	
		1½″	0 6 6	"	
		1⅜″	0 7 3	"	
		1¼″	0 8 1	"	
		1⅛″	0 9 0	"	
		1″	0 9 11	"	
		⅞″	0 10 10	"	
		¾″	0 11 9	"	
		⅝″	0 12 8	"	
		½″	0 13 7	"	
		For Beale and Cleveley's Drilling Machines; iron, taper shanks—			
		1⅝″	0 6 9	Each.	
		1½″	0 7 3	"	
		1⅜″	0 8 1	"	
		1¼″	0 9 0	"	
		1⅛″	0 9 11	"	
		1″	0 10 10	"	
		For Dean, Smith, and Grace's Drilling Machines; iron, taper shanks—			
		⅞″	0 1 6	"	
		¾″	0 1 8	"	
		⅝″	0 1 10	"	
		½″	0 2 3	"	
		7/16″	0 2 7	"	
		3/8″	0 3 0	"	
		5/16″	0 3 7	"	
		¼″	0 4 2	"	
		Cleveland, with standard tapered shanks, to fit sockets of Pillar Drilling Machines—			
		⅞″	0 2 10	"	
		¾″	0 1 8½	"	
		⅝″	0 4 0	"	

Contract number and date.	Maker.	Description.	Rate—Price or Hours. Amount. £ s. d.	Date.	Remarks.
		For Beale and Cleveley's Drilling Machines; iron, taper shanks—			
1808	9.1.89	1⅝″	0 6 9	Each.	
		1½″	0 7 3	"	
		1⅜″	0 8 1	"	
		1¼″	0 9 0	"	
		1⅛″	0 9 11	"	
		1″	0 10 10	"	
		For Dean, Smith, and Grace's Drilling Machines; iron, taper shanks—			
		⅞″	0 1 6	"	
		¾″	0 1 8	"	
		⅝″	0 1 10	"	
		½″	0 2 3	"	
		7/16″	0 2 7	"	
		3/8″	0 3 0	"	
		5/16″	0 3 7	"	
		¼″	0 4 2	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Cleveland, with standard tapered shanks, to fit sockets of Pillar Drilling Machines—					
1769	8-7-89	Drills, Twist—*contd.*	⅛"	0	2	5	Each.	
2063	26-2-89		3/16"	0	5	7	,,	
2360	8-7-89		¼"	0	3	4½	,,	
2063	26-2-89		5/16"	0	7	7	,,	
2360	8-7-89		⅜"	0	4	6½	,,	
2063	26-2-89		7/16"	0	9	10	,,	
2360	8-7-89		½"	0	5	11	,,	
2063	26-2-89		9/16"	0	12	2	,,	
			5/8"	0	14	9	,,	
2063	26-2-89		¾"	0	16	4	,,	
			Cleveland, with standard tapered shanks, to fit sockets of Radial Drilling Machines—					
			¼" to 2" advancing by ⅛ths	24	16	3	Set.	
2355	16-2-89	Expanders, Tube.	Dudgeon's patent, suitable for tubes of 1¼" external diameter	3	0	9	Each.	
2005	16-2-89		,, ,, ,, 1½" ,, ,, ...	2	3	6	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1764	28-12-88	Expanders, Tube—*contd.*	Dudgeon's patent, suitable for tubes of 1¼" external diameter	2	5	0	Each.	
2087	27-8-89		1½" ,, ,, ...	3	12	6	,,	
2285	18-5-89							
1764	28-12-88		2" ,, ,, ...	2	10	0	,,	
2285	18-5-89		2" ,, ,, ...	4	4	0	,,	
2285	18-5-89		2½" ,, ,, ...	7	0	0	,,	
1757	24-12-88		Simplex patent, 2" × 1¼"	1	16	0	,,	
2086	27-8-89							
2111	11-3-89		Internal diameter 1¼", required for locomotive tubes	2	10	0	,,	
2306	23-5-89	Figures ...	Steel ⅜", from 0 to 9 (9 figures) for stamping metal	0	3	0	Set.	
1822	11-1-89	Files.	5" × 1½"	0	16	3	Doz.	
2312	23-5-89		Block, square, bastard, double cut, 6" × 1½" with holes for attaching handles	1	0	2	,,	
3146	20-12-89		5"	1	0	0	,,	
			Cotter, taper point, bastard, double cut—					
3146	20-12-89		12"	0	8	7	,,	
			14"	0	12	0	,,	
			16"	0	17	2	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3146	20-12-89	Files—contd.	Cotter, taper point, second cut, double cut, 16"	0	18	9	Doz.	
2035	1-11-89		Crossing taper— Second cut, 14"	0	17	3	"	
			Bastard, 14"	0	15	7	"	
			Smooth, 14"	0	19	3	"	
			Second cut, 16"	1	4	0	"	
			Bastard, 16"	1	2	0	"	
			Smooth, 16"	1	6	10	"	
2124	14-3-89		Double cut, flat, parallel, one safe edge :— Bastard, 10"	0	6	4	"	
2243	10-5-89		10"	0	6	9	"	
2124	14-3-89		14"	0	12	8	"	
2243	1-11-89		14"	0	14	5	"	
2503	29-6-89		14"	0	13	6	"	
2124	14-3-89		16"	0	17	6	"	
2243	10-5-89		16"	0	15	9	"	
2035	1-11-89		16"	1	0	0	"	
2503	29-6-89		16"	0	13	10	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

			Double cut, flat, parallel, one safe edge—*contd.*—					
2124	14-3-89		Middle cut, 16"	0	12	8	Doz.	
			18"	0	17	8	"	
2035	1-11-89		Rough cut, 6"	0	3	6	"	
2503	29-6-89		6"	0	3	2	"	
2243	10-5-89							
2124	14-3-89		14"	0	12	8	"	
2035	1-11-89		14"	0	16	5	"	
2243	10-5-89		16"	0	18	0	"	
2503	29-6-89		16"	1	0	3	"	
2503	29-6-89		18"	0	19	0	"	
2243	10-5-89		Second cut, 10"	0	7	0	"	
			Smooth, 6"					
2503	29-6-89		6"	0	3	8	"	
2124	14-3-89		10"	0	5	10	"	
2243	10-5-89		10"	0	8	0	"	
2503	29-6-89		10"	0	3	8	"	
2124	14-3-89		14"	0	13	9	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (a)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Contract Price or Rates. Amount. £	s.	d.	Unit.	Remarks.
		Files—contd.	Double cut, flat, parallel, one edge—contd.—					
2923	1-11-89		Smooth, 14"	0	16	10	Doz.	
[illegible]	29-6-89		14"	0	16	[illegible]	,,	
2124	14-3-89		16"	1	3	0	,,	
2935	1-11-89		16"	1	5	3	,,	
2503	29-6-89		16"	1	9	8	,,	
			Half round, half round, taper—					
			Bastard, 14"	0	[illegible]	3	,,	
			16"	0	10	3	,,	
			Rough cut, 12"	0	11	8	,,	
[illegible]	29-6-89		16"	0	16	[illegible]	,,	
			Second cut, 14"	0	13	6	,,	
			16"	0	17	3	,,	
			Smooth, 14"	0	13	6	,,	
			16"	0	19	6	,,	
			Double cut, half round—					
2243	10-5-89		Rough cut, 16"	0	15	2	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (a)—TOOLS—*contd.*

Contracted for in 18[illegible]

Contract number and date.		Articles.	Details.	Contract Price or Rates. Amount. £	s.	d.	Unit.	Remarks.
		Files—contd.	Double cut, half round—contd.—					
			Second cut, 10"	0	6	0	Doz.	
2124	14-3-89		14"	0	11	8	,,	
			16"	0	16	6	,,	
			Smooth, 10"	0	6	9	,,	
2124	14-3-89		12"	0	12	6	,,	
2123	13-3-89		14"	0	18	0	,,	
2124	13-2-89		16"	0	18	3	,,	
2535	16-5-89		18"	0	19	6	,,	
2124	14-3-89		Bastard, 14"	0	8	3	,,	
2542	16-5-89		12"	0	5	7	,,	
[illegible]	16-3-89		16"	0	10	8	,,	
[illegible]	16-5-89		12"	0	11	3	,,	
[illegible]	14-3-89		16"	0	15	0	,,	
[illegible]	[illegible]		18"	0	19	2	,,	
[illegible]	[illegible]		Middle cut, 14"	0	10	6		
			18"	0	15	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (a)—TOOLS—*contd.*

Contracted for in 1889.

Contract for 1859-

Contract for 1858-

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3146	20-12-89	Files—*contd.*	Flat, smooth, double cut, 18"	1	8	8	Doz.	
1822	11-1-89		18"	1	4	0	"	
2312	23-5-89		Flat, smooth taper, double cut, 4"	0	2	4	"	
"	"		10"	0	6	8	"	
2312	23-5-89		Flat, smooth, parallel, one safe edge, double cut, 16"	1	2	0	"	
1867	25-1-89		Flat, smooth, 14"	1	16	0	"	
"	"		8"	0	13	6	"	
2508	29-6-89		Flat, smooth, 8" topping, for saw sharpening, one edge rounded, and one safe edge.	3	1	0	"	
1790	4-1-89		Flat, taper, bastard, 14"	1	10	0	"	
3062	28-11-89		14"	0	12	0	"	
"	"		16"	0	17	3	"	
1790	4-1-89		16"	2	3	0	"	
"	"		18"	3	0	0	"	
3062	28-11-89		" " Half round, bastard, 16"	0	17	3	"	
			" " " 14"	0	12	0	"	
			rough, 16"	0	17	3	"	

35

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3062	28-11-89	Files—*contd.*	Flat, taper, half round, bastard, 14"	0	12	0	Doz.	
			rough, 16"	0	17	5	,,	
			,, 14"	0	12	0	,,	
			smooth, 16"	1	0	9	,,	
			,, 14"	0	14	5	,,	
2508	20-6-89		Four square, bastard, 18" × 1"	1	5	6	,,	
3146	20-12-89		Four square, bastard, double cut, 12"	0	9	3	,,	
			14"	0	11	7	,,	
			16"	0	16	9	,,	
			18"	1	3	3	,,	
3146	20-12-89		Four square, rough, double cut, 18"	1	3	3	,,	
1864	25-1-89		Half round, bastard, 14"	0	10	6	,,	
1822	11-1-89		Half round, bastard, double cut, 4"	0	1	7	,,	
2312	23-5-89		4"	0	1	8	,,	
1822	11-1-89		6"	0	2	3	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1822	11-1-89	Files—*contd.*	Half round, bastard, double cut, 8"	0	3	5	Doz.	
3146	20-12-89		8"	0	4	1	,,	
2312	23-5-89		10"	0	5	3	,,	
			12"	0	8	3	,,	
3146	20-12-89		14"	0	11	7	,,	
			16"	0	15	6	,,	
2312	23-5-89		16"	0	15	0	,,	
3146	20-12-89		18"	1	3	3	,,	
			Half round, rough, double cut—					
3146	20-12-89		12"	0	8	3	,,	
3146	20-12-89		14"	0	11	7	,,	
1822	11-1-89		16"	0	14	0	,,	
3146	20-12-89		18"	1	3	3	,,	
2859	17-10-89		Half round, rough, 18"	1	2	6	,,	
1790	4-1-89		18"	3	0	0	,,	
2859	17-10-89		16"	0	16	2	,,	

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2859	17-10-89	Files—*contd.*	Half round, rough, 12″	0	8	0	Doz.	
1867	25-1-89		8″	0	10	6	,,	
2859	17-10-89		Half round, second cut, 14″	0	12	4	,,	
			Half round, second cut, double cut—					
2312	23-5-89		4″	0	2	1	,,	
2312	23-5-89		10″	0	6	6	,,	
3146	20-12-89		14″	0	14	0	,,	
,,	,,		16″	0	19	9	,,	
2312	23-5-89		16″	0	17	10	,,	
3146	20-12-89		18″	1	7	1	,,	
,,	,,		18″	1	1	1	,,	
1822	11-1-89		18″	1	1	0	,,	
1867	25-1-89		Half round, smooth, 8″	0	13	6	,,	
2859	17-10-89		10″	0	7	2	,,	
1867	25-1-89		12″	1	6	6	,,	
1790	4-1-90		14″	1	16	0	,,	
1864	25-1-89		14″	0	12	7	,,	

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1864	25-1-89	Files—*contd.*	Half round, smooth, 16″	0	18	2	Doz.	
2859	17-10-89		16″	0	19	6	,,	
,,	,,		18″	1	7	9	,,	
			Half round, smooth, double cut—					
2312	23-5-89		4″	0	2	11	,,	
3146	20-12-89		6″	0	4	5	,,	
,,	,,		10″	0	9	0	,,	
2312	23-5-89		10″	0	8	0	,,	
3146	20-12-89		12″	0	11	7	,,	
1822	11-1-89		12″	0	8	8	,,	
3146	20-12-89		14″	0	16	3	,,	
1822	11-1-89		14″	0	11	9	,,	
3146	20-12-89		16″	1	4	5	,,	
1822	11-1-89		16″	0	17	0	,,	
2312	23-5-89		16″	1	2	0	,,	
3146	20-12-89		18″	1	12	6	,,	

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Files—*contd.*	Half round, taper—					
			Bastard, 14"	0	12	0	Doz.	
			16"	0	17	2	,,	
			Rough, 14"	0	12	0	,,	
2935	1-11-89		16"	0	17	2	,,	
			Second cut, 14"...	0	13	3	,,	
			,, 16"...	0	18	10	,,	
			Smooth, 14"	0	14	5	,,	
3062	28-11-89		14"	0	14	5	,,	
2748	13-9-89		16"	0	16	11	,,	
3062	28-11-89		16"	1	0	9	,,	
2935	1-11-89		16"	1	0	10	,,	
3146	20-12-89		Hand or flat, safe edge, smooth, double cut, 16"	1	5	2	,,	
			Parallel, cotter, bastard, double cut, 8"	8	0	4	,,	
3146	20-12-89		12"	0	9	8	,,	
			14"	0	14	0	,,	
			16"	0	19	4	,,	

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Files—*contd.*						
3146	20-12-89		Parallel, flat, round edge, dead smooth, double cut, 12" × 1½" × ¼" ...	1	0	11	Doz.	
1864	20-12-89		Rats tail, 6"	0	2	5	,,	
2859	17-10-89		Rasps, flat, rough, 14"	0	11	3	,,	
,,	,,		16"	0	16	3	,,	
2859	17-10-89		Round, bastard, 10"...	0	5	8	,,	
1864	25-1-89		Round, bastard, 12"	0	7	6	,,	
,,	,,		14"	0	10	6	,,	
			Round, bastard, double cut—					
1822	11-1-89		6"...	0	2	3	,,	
3146	20-12-89		6"...	0	2	8	,,	
1822	11-1-89		7"...	0	2	9	,,	
,,	,,		8"...	0	3	5	,,	
1822	11-1-89		10"	0	4	11	,,	
3146	20-12-89		10"	0	5	10	,,	
1822	11-1-89		12"	0	7	0	,,	
3146	20-12-89		12"	0	8	4	,,	
3146	20-12-89		14"	0	11	7	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3146	20-12-89	Files—*contd.*	Round, bastard, double cut, 16″	0	16	0	Doz.	
1822	11-1-89		16″ × ⅜″	0	14	0	,,	
			16″ × ½″	0	14	0	,,	
			Round, double cut, tapered, bastard—					
2124	14-3-89		6″ × ¼″	0	2	6	,,	
2508	29-6-89		6″ × ¼″	0	2	10	,,	
,,	,,		8″ × ⅜″	0	4	6	,,	
2124	14-3-89		10″ × ⅜″	0	5	3	,,	
2508	29-6-89		10″ × ½″	0	6	9	,,	
2124	14-3-89		12″ × ½″	0	7	6	,,	
2508	29-6-89		12″ × ⅝″	0	9	5	,,	
2124	14-3-89		14″ × ⅝″	0	10	6	,,	
2243	10-5-89		14″ × ¾″	0	11	3	,,	
2508	29-6-89		14″ × ¾″	0	13	6	,,	
2124	14-3-89		16″ × ⅞″	0	15	0	,,	
2243	10-5-89		16″ × ⅞″	0	16	2	,,	
2508	29-6-89		16″ × 1″	0	18	10	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Files—*contd.*	Round, double cut, tapered, bastard—*contd.*					
2508	29-6-89		18″ × 1″	1	5	6	Doz.	
2124	14-3-89		22″ × 1″	1	17	0	,,	
2243	10-5-89		22″ × 1″	1	19	9	,,	
			Round, rat tail, bastard, double cut—					
			4″ × $\frac{1}{16}$″	0	1	11	,,	
2312	23-5-89		10″ × ⅜″	0	5	3	,,	
			12″ × ½″	0	7	6	,,	
			14″ × ⅝″	0	10	6	,,	
			16″ × ¾″	0	17	6	,,	
			Round, parallel, smooth, double cut—					
3146	20-12-89		14″	1	0	0	,,	
			16″	1	8	8	,,	
3146	20-12-89		Round, rough, double cut, 14″	0	11	7	,,	
			8″	0	5	8	,,	
2859	17-10-89		10″	0	16	2	,,	
			16″	0	16	3	,,	
1822	11-1-89		Round, second cut, double cut, 14″	0	11	9	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3146	20-12-89	Files—*contd.*	Round, smooth, double cut, 6″	0	4	5	Doz.	
,,	,,		8″	0	6	0	,,	
1822	11-1-89		Round, smooth, double cut, rats tail, 6″	0	3	9	,,	
2935	1-11-89		Round, taper bastard—					
			18″ × 1″	1	7	3	,,	
			16″ × ½″	1	0	0	,,	
			14″ × ½″	0	14	5	,,	
			12″ × ½″	0	10	0	,,	
			10″ × ½″	0	7	3	,,	
			8″ × ½″	0	4	10	,,	
			6″ × ¼″	0	3	0	,,	
3062	28-11-89		Round, taper, bastard, 16″	0	17	3	,,	
,,	,,		14″	0	12	0	,,	
3146	20-12-89		Round, taper, bastard, double cut, 6″	0	2	8	,,	
3062	28-11-89		Round, taper, rough, 16″	0	17	3	,,	
,,	,,		14″	0	12	0	,,	
3062	28-11-89		Round, taper, smooth, 16″	1	0	9	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Files—*contd.*	Round, taper, smooth—					
2748	13-9-89		6″	0	3	1	Doz.	
2243	10-5-89		22″ × 1″	2	8	0	,,	
2124	14-3-89		22″ × 1″	2	4	9	,,	
,,	,,		16″ × ¾″	0	18	3	,,	
2243	10-5-89		16″ × ¾″	0	19	6	,,	
,,	,,		12″ × ½″	0	9	11	,,	
2124	14-3-89		12″ × ½″	0	9	3	,,	
,,	,,		6″ × ¼″	0	3	4	,,	
3146	20-12-89		Round, taper, smooth, double cut, 6″	0	4	6	,,	
2124	14-3-89		Saw mill, or topping, one safe edge, rounded and tapered, bastard, 8″ ...	0	3	9	,,	
2243	10-5-89		Ditto ditto ditto 8″, single cut	0	4	6	,,	
3146	20-12-89		Saw, taper, bastard, 3″	0	1	9	,,	
			4″					
3146	20-12-89		Saw, taper, smooth, 3″	0	2	2	,,	
			4″	0	2	4	,,	
			6″	0	3	6	,,	

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Files.—*contd.*	Saw, taper, smooth, double cut—					
			3″	0	1	10	Doz.	
			3½″	0	2	0	,,	
			4″	0	2	1	,,	
1822	11-1-89		4½″	0	2	3	,,	
			6″	0	3	3	,,	
			8″	0	5	1	,,	
3062	28-11-89		Saw, cross, taper, 8″	0	4	9	,,	
,,	,,		6″	0	3	0	,,	
2312	23-5-89		Saw gulletting 8″ × ½″	0	5	7	,,	
1790	4-1-89		Smooth 14″	1	16	0	,,	
1790	4-1-89		Square, bastard, 18″	3	0	0	,,	
			Double cut—					
			12″	0	7	0	,,	
1822	11-1-89		14″	0	9	9	,,	
			16″ × ½″	0	14	0	,,	
			16″ × ⅝″	0	14	0	,,	

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2312	23-6-89	File—*contd.*	$\frac{3}{16}$″ square, bastard, taper, double cut, 4″ long	0	1	8	Doz.	
,,	,,		¾″ ,, ,, ,, ,, 10″ long	0	5	3	,,	
1867	28-1-89		Square, rough, 16″	2	3	9	,,	
			Double cut—					
1822	11-1-89		8″	0	3	5	,,	
			14″	0	9	9	,,	
			16″	0	14	0	,,	
1822	11-1-89		Three square, bastard, double cut, 12″	3	8	0	,,	
2124	14-3-89		Three square, parallel, second cut, 10″	0	8	5	,,	
			Three square, smooth, double cut—					
2312	23-5-89		4″	0	2	7	,,	
			6″	0	4	0	,,	
			12″	0	10	6	,,	
2124	14-3-89		Three square, saw, 4″	0	2	3	,,	
2935	1-11-89		Three square, saw, 8″	0	4	10	,,	
2508	29-6-89		Three square, 8″, for saw sharpening	0	4	6	,,	
2243	10-5-89		Three square, saw, bastard, 4″	0	2	0	,,	
2859	17-10-89		Three square, second cut, 7″	0	4	6	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1859	17-10-89	Files—*contd.*	Three square, second cut, 12"	0	10	1	Doz.	
"	"		" smooth, 5"	0	3	4	"	
2859	17-10-89		Topping, safe edge, 12"	0	9	0	"	
3146	20-12-89		Topping, saw, one round edge, second cut, double cut, 10"	0	7	2	"	
2312	23-5-89		Topping, saw, two round edges, 10"	0	7	8	"	
3146	20-12-89		Topping, saw, safe edge, smooth, double cut, 10"	0	7	6	"	
3146	20-12-89		Topping, saw, taper, bastard, single cut, 6"	0	2	8	"	
"	"		10"	0	5	10	"	
3146	20-12-89		Topping, saw, taper, bastard, double cut, 6"	0	2	9	"	
"	"		10"	0	5	10	"	
2935	1-11-89		Topping, saw, 8" one edge rounded, and one safe edge	0	5	5	"	
1822	11-1-89		Topping, saw, taper, bastard, double cut, 10"	0	4	11	"	
			Single cut, 10"	0	4	11	"	
			6"	0	2	3	"	
3146	20-12-89		Topping, two round edges, second cut— double cut, 6"	0	4	2	"	
			14"	0	16	8	"	

CLASS OF STORES G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Double cut—					
1822	11-1-89		8"	0	5	0	Doz.	
			10"	0	7	2	"	
			12"	0	9	9	"	
2748	13-9-89		Triangular, taper, smooth, 6"	2	5	0	"	
			Warding, bastard, full cut—					
			2"	0	2	0	"	
3146	20-12-89	Files—*contd.*	2½"	0	2	0	"	
			3"	0	2	0		
			4"	0	2	0	"	
			5"	0	2	6	"	
			2"	0	1	6	"	
			2½"	0	1	6	"	
1822	11-1-89		3"	0	1	6	"	
			4"	0	1	6	"	
			5"	0	1	11	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Watchmaker's, smooth, double cut, assorted—					
			Feather edge 3″	0	0	6	Each.	
			2″	0	0	4	,,	
			Flat, taper 4″	0	0	5	,,	
			3″	0	0	4	,,	
			2″	0	0	3	,,	
			Pottance 4″	0	0	5	,,	
2332	28-5-89	Files—*contd.*	3″	0	0	4	,,	
			2″					
			Ridge, dove-tail 3″	0	0	6	,,	
			2″	0	0	4	,,	
			Round 4″	0	0	6	,,	
			3″	0	0	5	,,	
			2″	0	0	4	,,	
			½ round 4″	0	0	6	,,	
			3″	0	0	5	,,	
			2″	0	0	4	,,	

50

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Watchmaker's, smooth, double cut—*contd.*					
			Square 4″	0	0	6	Each.	
			3″	0	0	5	,,	
			2″	0	0	4	,,	
			3 square 4″	0	0	5	,,	
2332	25-8-89	Files—*contd.*	3″	0	0	4	,,	
			2″	0	0	3	,,	
			Verge 3″	0	0	4	,,	
			2″	0	0	4	,,	
1783	4-1-89	Gauges.	Leather cutting, fitted with knife and guide and attached to a quadrant stem, to cut leather into parallel strips up to 5″ wide	0	8	6	Each.	
1780	4-1-89		Standard, wire (S. W. G.)	0	6	6	,,	
			Screw—					
			⅛″	0	4	0	Each.	
			$\frac{3}{16}$″	0	4	0	,,	
2317	23-5-89	Gimlets.	¼″	0	4	0	,,	
			$\frac{5}{16}$″	0	5	0	,,	
			⅜″	0	5	0	,,	

51

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Hammers.	Cast steel—					
2301	23-5-89		chipping, ball, pene, 1¼ lbs.	0	0	7½	Each.	
			„ „ 1½ lbs.	0	0	8	„	
			„ „ 2 lbs.	0	0	10	„	
2055	25-2-89		„ „ 2 lbs.	0	11	0	Doz.	
2206	29-4-89		„ „ 2 lbs.	0	10	0	„	
2552	5-7-89		„ ball, „ 2 lbs.	0	10	0	„	
3009	16-11-89							
2552	5-7-89		„ „ „ 3 lbs.	0	15	0	„	
2552	5-7-89		„ cross „ 2 lbs.	0	10	0	„	
3009	16-11-89							
2206	29-4-89		„ „ „ 2 lbs.	0	10	0	„	
2552	5-7-89		„ „ „ 3 lbs.	0	15	0	„	
2304	23-5-89		holding up 20 lbs.	0	8	0	Each.	
„	„		spiking, 7 to 8 lbs.	0	1	10½	„	
2737	13-9-89		Coachmakers, trimming, light	0	2	6	„	
3092	5-12-89		Claw, carpenters, handled, 2 lbs.	1	0	0	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £.	s.	d.	Unit.	Remarks.
1874	26-1-89	Hammers—*concld.*	Crucible, cast steel, for stone breaking, heads only, 4 lbs. each ...	0	1	0	Each.	
2831	10-10-89		Flogging (14 lbs.) cast steel, best crucible quality	0	3	4	„	
3009	16-11-89		Hand claw, 2½ lbs.	1	4	0	Doz.	
3059	28-11-89		Keying, 7 lbs. each	0	1	9	Each.	
1812	11-1-89		Platelayers, spiking, 7 lbs., all crucible cast steel	0	1	7	„	
2055	25-2-89		„ „ cast steel, 10 lbs.	0	2	9	„	
3092	5-12-89		„ „ best crucible cast steel, 10 lbs.	1	16	0	Doz.	
1898	31-1-89		„ „ cast, all steel, 13 lbs.	1	16	0	„	
3092	5-12-89		Sledge, best crucible cast steel, 10 lbs.	1	10	0	„	
3009	16-11-89		Spiking, 10 lbs.	1	13	0	„	
2552	5-7-89		Stone breaking, 3 lbs.	0	8	0	Each.	
3092	5-12-89		„ „ best cast steel, 3 lbs.	1	9	0	„	
2189	10-4-89	Handles.	Ash, for coal picks without shoe or ferrule, 3 feet long, to suit shoe of Hardy's No. 3 pick	0	0	4½	Each.	
2484	25-6-89		Brass, flush, 3½"	0	0	6	„	
2360	31-5-89		File, to fit 8" to 16" files	0	0	1½	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2823	8-10-89		File, large / medium / small	0	0	1½	Each.	
			Hammer, ash wood—					
2309	23-5-89	Handles—*contd.*	13″	0	1	0	Doz.	
1796	4-1-89		16″	0	0	0	Each.	
2733	12-9-89		16″	0	0	0	,,	
2309	23-5-89		18″	0	1	9	Doz.	
2733	12-9-89		18″	0	0	1½	Each.	
1796	4-1-89		20″	0	0	1½	,,	
2733	12-9-89		20″	0	0	1½	,,	
2309	23-5-89		30″	0	3	0	Doz.	
2733	12-9-89		30″	0	3	0	,,	
1796	4-1-89		36″	0	0	3½	Each.	
2733	12-9-89		36″	0	0	4	,,	
2309	23-5-89		38″	0	4	0	Doz.	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1769	31-12-89	Hones.	Sharpening, oil Turkey (stones only)	0	12	0	Doz.	
2951	2-11-89		(unstocked)	1	4	0	,,	
2718	6-9-89		Charnley forest (stones only)	0	12	0	,,	
2951	2-11-89		Turkey	1	4	0	,,	
2320	23-5-89	Knives.	Palette ... 15″	0	4	0	Each.	
2320	23-5-89		Putty ... 5″	0	0	4½	,,	
2810	1-10-89		Putty ... 6″	0	0	8	,,	
2306	23-5-89	Letters ...	Steel ⅜″, from A to Z (26 letters for stamping)	0	9	0	Set.	
2962 / 3101	2-11-89 / 6-12-89	Levels.	Spirit ... 14″	0	3	6	Each.	
			Tubes, spare for—					
2692	30-8-89		4″ × 7/16″	0	4	0	,,	
			4½″ × 7/16″	0	4	6	,,	
			4½″ × ⅜″	0	4	6	,,	
			5½″ × ½″	0	5	6	,,	
			5½″ × 9/16″					

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number	Contract date	Articles.	Details.	Rate—Free on Board. Amount £	s.	d.	Unit.	Remarks.
1986	16-2-89	Levels Spirit.	With wooden blocks, 1″ long	1	16	0	Doz.	For the foundry.
2199	27-4-89		With wooden stands, 14″	2	6	0	,,	
1747	17-12-89		Tubes for —— 3″ × $\frac{7}{16}$″	0	1	6	Each.	
,,	,,		,, 4″ × ½″	0	2	0	,,	
2167	27-3-89	Magnet ...	8″ in case, of the best quality	0	11	6	Each.	
2303	23-5-89	Mops ...	Washing, coloured, worsted, with handles	0	1	1½	Each.	
2503	28-6-89		Washing, coloured, worsted, without handle	0	0	10	,,	
2929	31-10-89		,, ,, ,, ,, ,, ...	0	0	10½	,,	
1783	4-1-89	Nail Extractors ...	or Pullers	0	8	0	Each.	
2335	28-5-89	Needles.	Sail, triangular—					
			2″	0	1	2	For 5 dozs. of each.	
			2½″	0	1	2		
			3″	0	1	9		
			3½″	0	3	0		
			4″	0	4	6		

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number	Contract date	Articles.	Details.	Rate—Free on Board. Amount £	s.	d.	Unit.	Remarks.
2694	30-8-89	Needles—*concld.*	For Sewing Machine—					
			No. $\frac{2360294}{70296}$ No. 3					
			,, 3½	0	1	0	Doz.	
			,, ...					
2810	1-10-89	Nippers	Steel, wire cutting, Hills patent cutting, 12″ pliers...	0	10	6	Each.	
2361	31-5-89		Ticket, chipping, from Nos. 42 to 47	0	3	1	,,	
1794	4-1-89	Palms ...	Sailmakers	0	1	0	Each.	
2380	8-6-89	Pencils ...	Carpenters, oval	0	5	6	Gross.	
2492	27-6-89	Plowralls.	4 lbs. each	0	0	8	Each.	
2980	6-11-89		All steel, solid eyes, 4 lbs. each	0	9	2	Doz.	
3096	5-12-89		4 lbs.	0	0	9	Each.	
1834	17-1-89		All steel, solid eye, 5½ lbs. each	0	0	11	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number	Contract date	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1805	8-1-89	Picks and Shafts.	Picks, colliers, Bury's patent, 3 lbs. each	0	1	0	Each.	
			" for India Store Depôt	0	1	0	"	
			Shafts for " " with Brown's patent steel hoops fitted to the picks.	0	1	0	"	
			" for India Store Depôt	0	1	0	"	
2317	23-5-89	Pliers.	Carpenters, 9" long	0	2	2½	Pair.	
1795	4-1-89		Steel, wire cutting	0	1	8	Each.	
2875	25-10-89	Planes ...	Smoothing, iron, 7" × 2" double	0	2	9	Each.	
2320	23-5-89	Plane Irons.	Double 2"	0	0	8½	Each.	
3006	16-11-89		2"	0	0	11	"	
3006	16-11-89		2¼"	0	1	1	"	
2320	23-5-89		2¼"	0	0	9½	"	
1859	24-1-89	Pliers.	Flat nose, ½" × 6"	0	1	5	Each	
1859	24-1-89		T, webb streching, 4" jaw	0	3	6	"	
2317	23-5-89		Flat nosed, black, 6" long	0	1	2½	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number	Contract date	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1935	7-2-89	Punches.	Duplex lever, with round punch and die, weight about 81 lbs.—To punch hole 1 3/8" diameter in a thickness of ⅝"; gap 2".	5	6	3	Each.	
1359	7-2-89		Duplex lever, with round punch and die, weight about 120 lbs.—To punch a hole ¾" diameter in thickness of ⅞", gap 2¼".	7	19	0	"	
2875	25-10-89		Leather, round, hole ½"	0	0	10½	"	
2810	1-10-89		Pin 5/16"	0	0	4	"	
			¼"	0	0	4	"	
			5/16"	0	0	4	"	
1819	11-1-89	Riddles.	Galvanized iron, for foundry, ½" mesh	0	2	2	Each.	
			" " ¼" "					
			" " ½" "					
			" " ¾" "					
2947	2-11-89	Rules.	Boxwood, 2 feet, four fold	0	18	0	Doz.	
1900	4-2-89		Carpenters, boxwood, 2 feet, four fold	1	1	0	"	
2592	12-7-89		" " "	0	18	0	"	
3090	5-12-89		" " "	0	8	0	"	
1820	11-1-89		" " " with brass slide	0	2	3	Each.	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1820	11-1-89	Rules—*contd.*	Carpenters, boxwood, 2 feet, four fold, plain, 1½" wide	0	2	3	Each.	
2739	13-9-89		Carpenters, boxwood, 2 feet, four fold, plain	0	1	6	"	
2273	17-5-89		Smiths, steel, 2 feet, folding, Chestermans	0	0	11	"	
		Saws.	Band, endless, unbrazed, Perrins patent, 4" being allowed for lapping—					
2911	29-10-89		23' × ¼"	0	3	10	Each.	
			23' × 1"	0	5	2	"	
			23' × 1¼"	0	8	6	"	
			23' × 2"	0	12	0	"	
			20' 0" × 1¼" × 21 S. W. G.	0	12	9	"	
2946	2-11-89		20' 0" × 1¼" × 21 S. W. G.	0	8	0	"	
2619	18-7-89		20' 0" × 1¼" × 19 or 20 S. W. G.	0	15	9	"	
2946	2-11-89		23' 0" × ¾" × 20 S. W. G.	0	4	3	"	
			23' 0" × 1" × 20 S. W. G.	0	5	0	"	
1786	4-1-89		23' 0" × 1¼" × 20 S. W. G.	0	6	6	"	
			23' 0" × 1½" × 20 S. W. G.	0	7	3	"	

60

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Saws—*contd.*	Band, endless, unbrazed, Perrins patent, 4" being allowed for lapping—*contd.*:—					
2738	13-9-89		20' 0" × ⅝" × 20 B. W. G.	0	3	9	Each.	
1921	5-2-89		20' 0" × ¾" × 21 B. W. G.	0	8	0	"	
2738	13-9-89		20' 0" × 1" × 20 B. W. G.	0	4	5	"	
1921	5-2-89		20' 0" × 1" × 21 B. W. G.	0	10	0	"	
1921	5-2-89		20' 0" × 1¼" × 21 B. W. G.	0	12	0	"	
2738	13-9-89		20' 0" × 1½" × 20 B. W. G.	0	7	1	"	
2738	13-9-89		23' 0" × ¾" × 20 B. W. G.	0	4	3	"	
2738	13-9-89		23' 0" × 1" × 20 B. W. G.	0	5	0	"	
2388	5-6-89		Bow, blades spare, 14"	0	0	8½	"	
2388	5-6-89		" for cutting metal, 15"	0	0	8	"	
2736	13-9-89		" for cutting metal, blade, 14" × ⅝"...	0	4	9	"	
1786	4-1-89		" blades only for cutting metal webs for 14" frame ...	0	0	8	"	
"	"		" " " " 16"	0	0	11	"	
2619	18-7-89		" " Spare webs for 16" long	0	0	6	"	
"	"		" " " 18" "	0	0	7	"	
2044	25-2-89		" " " " 16" "	0	1	0	"	

63

3/11/54

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Saws—*contd.*	Tenon—					
2388	5-6-89		12″	0	1	11	Each.	
2911	29-10-89		12″	0	2	3	,,	
2388	5-6-89		14″	0	2	0	,,	
2388	5-6-89		16″	0	2	2	,,	
1786	4-1-89		18″ brass back	0	3	8	,,	
2388	5-6-89		Vertical, 5′ 10½″ × 7 × ½″. The teeth to be for hard wood. London tooth, ⅜″ pitch	0	6	9	,,	
2911	29-10-89		Vertical frame, 5′ 4″ × 5″ × 12 S. W. G.	0	6	0	,,	
2508	12-7-88	Scissors.	Lamp	0	10	6	Doz.	
2958	2-11-89		Ordinary, 6″ blade	0	12	9	,,	
2316	23-5-89		,, ...	0	15	0	,,	
2118	14-3-89		,, ...	0	18	0	,,	
2316	23-5-89		,, ...	1	15	0	,,	
2317	23-5-89	Screw Drivers.	8″ blade	0	0	8½	Each.	
			12″ ,, ...	0	1	3½	,,	

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2007	18-2-89	Sets Cold.	1½″, with rod handles, to cut steel rails	1	1	0	Doz.	
2322	23-5-89		With rods, to cut steel rails, 1½″	1	2	9	,,	
2567	8-7-89							
2434	14-6-85	Sewing Machines.	Bobbins for	0	3	0	Each.	
,,	,,		Shuttles for	0	5	0	,,	
1823	11-1-89		Shuttles for	0	1	6	,,	
2030	23-2-89	Shears.	Garden	2	4	0	Doz.	
2651	3-8-89		,, ...	2	7	0	,,	
2958	2-11-89		,, ...	2	12	0	,,	
2358	30-5-89		Tinsmiths, right hand, 14″ long	0	6	0	Pair.	
1817	11-1-89	Shovels.	Coal, square nose, D handles, weight 6¾ lbs.	0	15	9	Doz.	
2860	17-10-89		Locomotive engines 18″ × 8½″	0	2	0	Each.	
2710	6-9-89		Round nose, crutch handled, 12″ × 10″, weight of each 5 lbs. 3 ozs. ...	0	16	0	Doz.	
3089	5-12-89		Square nose, 4 lbs. size for earthwork	1	1	6	,,	
2308	23-5-89		Square, for steamers 13½″ × 11″	0	16	0	,,	
2042	25-2-89		Stoking, weighing 7½ lbs. 16″ long and 8″ mouth; handled	0	16	0	,,	
2308	23-5-89		Stoking, Locomotive engines, 18″ × 9¼″	0	19	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number	Contract date	Articles	Details	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1897	31-1-89	Shovels—*concld.*	Stokers, ordinary, square nosed, all steel, with stamped sockets and D handles, 6 lbs. complete	0	19	0	Doz.	
2242	10-5-89		Stoking, weight—including handle—7½ lbs. 16″ long, 8″ mouth, and stamped socket	0	19	0	,,	
1817	11-1-89		Stoking, with handles complete	0	19	9	,,	
2604	12-7-89		Stoking, handled, weighing 7½ lbs. 16″ long, 8″ mouth	1	1	0	,,	
2375	3-6-89	Spanners.	Clyburns 15″	0	7	0	Each.	
2961	2-11-89		Double ended, 18″ long, for nuts for fish-bolts, for 41¼ lbs. and 50 lbs. rails	1	14	0	Doz.	
2081	1-3-89		Double ended, wrought iron, 1⅛″ jaw 24″ long, for nuts for fish-bolts for 41¼ and 50 lbs. rails	0	3	8	Each.	
2542	4-7-89							
			Gas pipe, steel—					
2375	3-6-89		No. 3, 1″ to 1½″	0	3	6	,,	
			,, 4, 1½″ to 2″	0	4	9	,,	
			,, 5, 2″ to 3″	0	6	9	,,	
3084	5-12-89		*Platelayers—24″ × 1⅛″ in jaw, for fish-bolts	0	3	9	,,	

66

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number	Contract date	Articles	Details	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Shifting, Clyburn—					
2712	6-9-89	Spanners—*concld.*	12″	0	5	3	Each	
			14″	0	6	3	,,	
3084	5-12-89		1½″ × 12″	0	6	9	,,	
1793	4-1-89	Squares.	Carpenters, 12″	0	1	9	Each.	
2317	23-5-89		Carpenters, 12″ ordinary rose wood or mahogany stocks, steel blade, and brass mounted	0	1	8½	,,	
2366	1-6-89		Fitters, 12″ to be perfectly true	0	11	6	,,	
2339	28-5-89		Gravers, for engraver No. 1	0	10	0	Doz.	Handled and mounted ready for use.
,,	,,		,, ,, ,, ,, 2	0	10	0	,,	
2366	1-6-89		Steel, Smiths; one side 15″ and other 24″ long	0	2	3	Each	
			For iron ¼″ long—					
2735	13-9-89	Stamps Steel.	Figures 0 to 8 1/8	0	2	6	Set.	
			,, 1/16	0	2	9	,,	
			,, ¼	0	3	6	,,	
			Letters A to Z including "and" set of 27 × ¼″ ...	0	10	6	,,	

67

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2278	17-5-89	Stocks, Taps and Dies.	Gas thread, from $\frac{1}{4}''$ to 2"	15	0	0	Set.	
			Whitworth's thread—					
2724	6-9-89		$\frac{1}{4}''$ to $\frac{3}{4}''$ rising by $\frac{1}{8}''$	5	15	0	"	
			$\frac{1}{4}''$ to 1" " $\frac{1}{4}''$	8	16	0	"	
			$\frac{1}{4}''$ to $1\frac{1}{4}''$ " $\frac{1}{8}''$	8	2	0	"	
1894	31-1-89		Whitworth's thread, $\frac{1}{4}''$ to $\frac{3}{4}''$ rising $\frac{1}{8}''$	5	15	0	"	
2278	17-5-89		" " in box, $\frac{1}{4}''$, $\frac{3}{8}''$, $\frac{1}{2}''$, $\frac{5}{8}''$, $\frac{3}{4}''$ and $\frac{7}{8}''$	6	14	0	"	
2278	17-5-89		" " " $\frac{3}{8}''$, 1", $1\frac{1}{4}''$, $1\frac{1}{2}''$, $1\frac{3}{4}''$ and 2"	16	13	0	"	
			Whitworth's thread—					
2814	3-10-89		$\frac{1}{4}''$ to $\frac{3}{8}''$ by $\frac{1}{16}$ lbs.	11	1	$10\frac{1}{2}$	"	
			$\frac{3}{4}''$ to $1\frac{1}{4}''$ by $\frac{1}{8}$ "					
			$1\frac{3}{4}''$ to 2" by $\frac{1}{8}$ "					
2470	21-6-89		Whitworth's thread, $\frac{3}{8}''$ to $\frac{1}{2}''$ with stocks and tap handles	19	16	0	"	
			" " $\frac{1}{2}''$ to 3" " " " *viz.*	75	13	0	"	
2470	21-6-89		Stocks. F. G. H. Wrenches. H. J. L. M. N. Range of dies. $\frac{1}{2}''$, $\frac{5}{8}''$, $\frac{3}{4}''$, $\frac{7}{8}''$, 1", $1\frac{1}{4}''$, $1\frac{1}{2}''$ $1\frac{3}{4}''$, 2" $2\frac{1}{4}''$, $2\frac{1}{2}''$, $2\frac{3}{4}''$, 3"					

69

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1894	31-1-89	Stocks, Taps and Dies—*concld.*	Taps and dies, gas thread, in sets, $\frac{1}{4}''$ to $\frac{3}{4}''$ rising by $\frac{1}{8}''$	4	19	0	Set.	
"	"		" " " $\frac{3}{4}''$ to $1\frac{1}{4}''$ " $\frac{1}{8}''$	8	8	0	"	
1894	31-1-89	Taps.	Taps, machine, Whitworth's—					
2724	6-9-89		$\frac{3}{8}''$	0	1	6	Each.	
			$\frac{1}{2}''$	0	2	0	"	
			$\frac{5}{8}''$	0	2	6		
			$\frac{3}{4}''$	0	3	0	"	
			$\frac{7}{8}''$	0	3	6	"	
			1"	0	4	0	"	
1894	31-1-89		Taps, Whitworth's standard thread, 1", 12 thread per inch, total length of tap 20" length of thread 14" (7" taper and 7" parallel)	1	1	0	"	
			Taps only, Whitworth's standard thread (in sets of 3)—					
1894	31-1-89		$\frac{3}{8}''$	0	3	7	Set.	
			$\frac{1}{2}''$	0	4	6	"	
			$\frac{5}{8}''$	0	6	0	"	
			$\frac{3}{4}''$	0	7	3	"	
			$\frac{7}{8}''$	0	8	5	"	

69

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1894	31-1-89	Taps—*concld.*	Taps only, Whitworth's standard thread in sets of 3— 1"	0	9	7	Set.	
2470	21-6-89		Taps spare, ¼", 5/16", ⅜", 7/16", ½", 9/16", ⅝", ¾" and 1" — 3 in a set (Whitworths standard)	0	8	9½	„	
1894	31-1-89		Taps, for lead plug hole 1⅛", taper 1 in 6	0	3	9	Each.	
1894	31-1-89		Taps for wash out plug hole, 2¼" taper 1 in 8	0	8	6	„	
„	„		„ „ „ 1¼" „ „	0	5	6	„	
2686	23-8-89	Tapes, measuring.	Metallic, Chesterman's 100 feet	0	7	4	Each.	In brown leather cases with folding handles.
3075	30-11-89		„ „ 50 „	0	4	6	„	
2273	17-5-89		Steel, Chesterman's 50 feet, ½" wide, with flush handles	0	13	8	„	
2812	1-10-89	Tools Blacksmith	In sets, *vide*, schedule attached	12	10	0	Set.	
2330	28-5-89	Tools, Diamond point	Large size, diamond, for turning emery wheels, —— Thomson and Stornes patent	3	0	0	Each.	
1822 1832	11-1-89 16-1-89	Tools, Tinmen's ...	*Vide* schedule attached	...	...	...	Each.	
1774	1-1-89	Vices.	Bench, Tinman's, 36 lbs. with solid boxes and perfectly sound threads ...	0	10	6	Each.	
2715	6-9-89		Bench, standing 100 lbs. superior 6" jaws	1	6	3	„	

70

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*)—TOOLS—*concld.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2715	6-9-89	Vices—*concld.*	Hand, 5" × 1½" jaw	0	2	5	Each.	
„	„		„ 3" jaw	0	1	5	„	
2314	23-5-89		Staple, 6" jaw, with solid screw box	1	4	10	„	
2542	4-7-89	Wrenches.	Coach, 8"	0	4	0	Each.	
„	„		„ 10"	0	5	0	„	
2081	1-3-89		„ 10"	0	5	2	„	
2542	4-7-89		„ 12"	0	7	0	„	
2081	1-3-89		„ 12"	0	6	4	„	
2961	2-11-89		„ 12"	0	8	3	„	
3084	5-12-89		„ 12"	0	5	0	„	
1922	5-2-89		„ 12"	0	8	3	„	
3084	5-12-89		„ or monk ey double pillar, 12"	0	5	0	„	
1818	11-1-89		Double pillar, 8"	0	6	5	„	Lancashire make.
2726	6-9-89		„ „ 10"	0	8	0	„	
			„ „ 12"	0	9	6	„	
			„ „ 16"	0	12	9	„	
			„ „ 18"	0	14	6	„	

71

3111/40

Schedule of Tinmen's Tools.

No. and date of contract.	Description.	Amount.	Unit.	Remarks.
		£ s. d.		
1832—16-1-89	Bits, copper 1 lb. square	0 1 2	Each.	
	„ „ 1½ lbs. „	0 1 6	„	
	„ „ 2 „ „	0 1 9	„	
	Callipers, inside, size 4″	0 0 8	„	
	„ „ „ 5″	0 0 10	„	
	„ „ „ 6″	0 1 0	„	
	„ outside „ 4″	0 0 8	„	
	„ „ „ 5″	0 0 10	„	
	„ „ „ 6″	0 1 0	„	
	Compasses, 12″	0 3 2	„	
	Creasing iron, 12″ with half plain	0 14 6	„	
1832—11-1-89	Files, fish back bastard, 8″	0 4 5	Dozen.	
	„ „ smooth, 8″	0 5 6	„	
	„ „ flat, bastard, 12″	0 8 9	„	
	„ second cut, flat, 12″	0 7 10	„	
	„ smooth „ 12″	0 8 7	„	
	„ square, second cut 8″, taper ⅜″ to ⅛″	0 7 0	„	
	„ „ smooth „ „ „	0 4 2	„	
	„ half round, bastard, 12″	0 4 5	„	
	„ „ smooth, 12″	0 7 0	„	
	„ „ rasp, crescent cut, 12″	0 8 7	„	
	„ round, second cut 7″, taper ⅜″ to ⅛″	0 7 0	„	
	„ „ smooth „ „ „	0 4 2	„	
1832—16-1-89	Hammers, block, large, 6 lbs.	0 4 9	„	
	„ „ medium, 4½ lbs.	0 4 8	Each.	
	„ „ small, 3 lbs.	0 3 6	„	
	„ bottom, 4½ lbs.	0 2 4	„	
	„ bullet, 12 oz.	0 3 6	„	
	„ creasing, ½ lb.	0 1 0	„	
	„ cross pene, 9 oz.	0 0 8	„	
	„ pene, 1 lb.	0 0 8	„	
	„ planishing, flat, medium, 3½ lbs.	0 9 0	Dozen.	
	„ „ „ small 1½ „	0 3 0	Each.	
	„ rivetting, 6 oz., with square and round nose... ...	0 1 5	„	
	„ roughing, flat, 2¼ lbs.	0 0 11	„	
	„ „ round, 9 oz.	0 2 9	„	
	„ stretching, 8″ half round face, 10 ozs.	0 0 11	„	
	„ stud, 9 ozs.	0 1 0	„	
	„ horse, iron, 44½ lbs.	0 0 10	„	
	„ heads for, 6 lbs. 5 ozs.	1 2 0	„	
	„ „ 4 „ 5 „	0 5 0	„	
	„ „ 2 „ 15 „	0 3 9	„	
		0 2 4	„	

Schedule of Tinmen's Tools—contd.

No. and date of contract.	Description.	Amount.	Unit.	Remarks.
		£ s. d.		
1832—16-1-89	Iron, beak, 3′ 0″, 2½ lbs.—		Each.	
	3′ 6″ }	1 1 3	,,	
	3′ 9″ } Strength to be in proportion to length	1 3 9	,,	
	4′ 0″ }	1 6 6	,,	
	Mallets, boxwood, 2½ dia. × 6″	0 8 6	Dozen.	
	,, ,, ,, 3 ,, × 6½″	0 9 9	,,	
	,, ,, ,, 3½ ,, × 7″	0 10 9	,,	
	Nippers, cutting, large, 9″	2 2 0	,,	
	,, ,, medium, 8″	1 13 0	,,	
	,, ,, small, 7″	1 4 9	,,	
	Pincers	0 16 0	,,	
	Pliers, cutting	1 10 0	,,	
	,, flat nose, small, 6″	0 11 9	,,	
	,, round nose	0 18 3	,,	
	,, Tinmans, 7″	0 12 6	,,	
	Pots fire	0 4 10	Each.	
	Punches, hollow, ⅛″	0 6 9	Dozen.	
	,, ,, ¼″	0 9 3	,,	
	,, ,, ⅜″	0 9 3	,,	
	,, ,, ½″	0 9 3	,,	
	,, ,, ⅝″	0 13 6	,,	
	,, ,, ¾″	0 19 6	,,	
	,, ,, 1″	1 2 6	,,	
	,, ,, 1⅛″	1 8 6	,,	
	,, ,, 1¼″	1 13 0	,,	
	,, ,, 1⅜″	1 18 0	,,	
	,, ,, 1½″	2 14 0	,,	
	,, ,, 1¾″	3 12 0	,,	
	,, ,, 2″	0 0 6	Each.	
	Rules, iron, 2-foot, 2 fold	0 2 0	,,	
	Sets, grooving, to fit stake	0 1 7½	,,	
	,, rivet ,, ,, ...	0 14 9	,,	
	,, block 24 lbs.			
	,, grooving, copper, tinsmiths—			
	Large	1 2 0	,,	
	Medium	0 1 1	,,	
	Small	0 1 0	,,	
	,, rivet, bottom, copper and tinsmiths—			
	Large	1 2 0	,,	
	Medium	1 1 0	,,	
	Small	1 0 0	,,	
	Shears, hand, Scotch	0 4 0	,,	
	,, stock (tinmans), straight, large	0 18 0	,,	
	,, ,, ,, ,, small	0 8 3	,,	

3111/41

Schedule of Tinmen's Tools—concld.

No. and date of contract.	Description.	Amount.	Unit.	Remarks.
		£ s. d.		
1832—16-1-89	Snips, bent	0 2 8	Each.	
	,, straight	0 1 8	,,	
	Squares, Engineers, metal, 18″ × 12″ steel	0 7 4	,,	
	Stakes, bottom, 50 lbs.	2 14 0	,,	
	,, ,, 25 ,, ...	1 7 0	,,	
	,, extinguisher, medium, 7½ lbs.	0 7 9	,,	
	,, ,, small, 5 lbs.	0 5 3	,,	
	,, funnel, large, 16½ lbs.	0 13 6	,,	
	,, ,, medium, 12 lbs.	0 10 0	,,	
	,, grooving, medium	0 18 6	,,	
	,, ,, small	0 14 9	,,	
	,, hatchet, 7 lbs.	0 5 3	,,	
	,, side, medium, 40 lbs.	1 10 0	,,	

Schedule of set of Blacksmith's tools as supplied under Contract No. 2812 dated 1st October 1889.

2	Hammers, sledge, wrought iron, steel faced, handled, 14 lbs.
2	„ „ cast steel „ „ 7 „
2	„ „ „ „ „ 5 „
2	„ hand „ ball pene „ 2½ „
2	„ „ „ cross „ „ 2½ „
6	Tongs, bellow, bit, 1 each ¼", ½", ¾", 1", 1¼" and 1½".
6	„ flat „ „ „ „ „
3	Sets, hammers, cast, steel, round, handled, 1 each, ½", 1", 1¼".
1	„ „ „ flat „ „
1	„ „ „ „ „ „ with edges, rounded.
12	Swages, top, cast steel, with rods, 1 each, ¼", ⅜", ½", ⅝", ¾", ⅞", 1", 1¼", 1½", 1¾", 1⅞" and 2" rods.
12	„ bottom „ with 1½" shank „ „ „ „ „ „
12	Punches and bolsters, cast steel, set of 12, sizes same as for top and bottom swages.
3	Sets cold, cast steel, handled.
3	„ hot „ „
4	Chisels cold, cast steel, flat ⅝".
1	Rivets snap „ for ¼" rivets (with iron rods).
1	„ „ „ ¾" „
1	„ „ „ 1" „
1	Square, wrought iron, figured to 24" and 12", bright.
1	Fire, poker.
1	„ slice.
1	Case hardwood complete.

3111/42

CLASS G.

TOOLS AND STORES.

b.—Stores.

1.--Hardware Copper, Tin, Zinc and Zincware.

FOR 1889.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1849	22-1-89	Bells.						
2064	26-2-89		Brass, rough, 7″ for stations	0	9	0	Each	
2614	16-7-89		Colliery, calling, signal, size 9″, Davis' patent	1	10	0	,,	
2458	20-6-89	Bolts and Nuts.	Bolts, iron, countersunk head, round neck, with hexagonal nuts, 2¼″ long including head × ½″ diameter	1	2	0	Cwt.	
2025	23-2-89		Bolts and hexagon nuts, Cheese headed, with square necks— 2″ × ¼″	2	18	0	,,	
			2½″ × ¼″	2	14	0	,,	
			2½″ × ⅜″	1	8	0	,,	
			3″ × ⅜″					
2025	23-2-89		Bolts and hexagon nuts, Cupheaded, with square necks— 2½″ × ⅜″	1	0	0	,,	
			3″ × ⅜″					
2025	23-2-89		Bolts and hexagon nuts, hexagonheaded— 2½″ × ⅝″	1	0	0	,,	
			3½″ × ⅝″					
			9″ × ¾″	0	16	0	,,	
2458	20-6-89		Iron, Cupheaded, square neck, length under head 2½″ × ½″ diameter, hexagonal nuts	2	16	0	,,	

77

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
	Bolts and Nuts—*contd.*	*Iron, Hexagonheaded, black, round neck—*					
2458 20-6-89		1″ × ⅝″	1	18	6	Cwt.	
		1″ × ½″	1	2	6	,,	
		1¼″ × ⅝″	1	14	6	,,	
		1¼″ × ½″	1	1	9	,,	
		2″ × ⅝″	1	11	6	,,	
		2½″ × ½″	1	0	0	,,	
		2″ × ½″	1	1	0	,,	
3014 21-11-89		1¼″ × ⅜″	1	16	0	,,	
		2″ × ⅜″					
		2½″ × ⅜″					
		4″ × ⅜″					
		5″ × ⅜″	1	6	6	,,	
		6″ × ⅜″					
		1¼″ × ½″					
		2″ × ½″	1	3	0	,,	
		2½″ × ½″					

78

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
	Bolts and Nuts—*contd.*	*Iron, Hexagonheaded, black, round neck—contd.*					
2458 20-6-89		2″ × ¾″	0	17	3	Cwt.	
		2½″ × ½″	0	17	6	,,	
		2½″ × ¾″	0	16	6	,,	
		3″ × ⅝″	1	7	9	,,	
		3″ × ½″	0	19	6	,,	
		3″ × ⅝″	6	16	3	,,	
		3½″ × ⅜″	0	16	0	,,	
3102 6-12-89		3½″ × ¾″	0	18	0	,,	
		4″ × ½″	0	18	6	,,	
		4″ × ⅜″	0	16	6	,,	
2458 20-6-89		5″ × ½″	0	17	9	,,	
		5″ × ⅝″	0	15	6	,,	
		6″ × ½″	0	17	0	,,	
3014 21-11-89		3″ × ½″	1	1	0	,,	
		3½″ × ½″					
		4″ × ½″					

79

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Bolts and Nuts—*contd.*	Iron, Hexagonheaded, black, round neck—*coneld.*					
3014	21-11-89		5″ × ½″	0	19	6	Cwt.	
			6″ × ½″					
			2″ × ⅝″					
			2½ ×„ ⅝″	1	0	0	„	
			3″ × ⅝″					
			4″ × ⅝″	0	19	0	„	
			2″ × ¾″					
			2½″ × ¾″	0	18	6	„	
			3″ × ¾″					
			3½″ × ¾″					
			4″ × ¾″	0	18	0	„	
			4½″ × ¾″					
			5″ × ¾″					
			6″ × ¾″	0	17	0	„	
			7″ × ¾″					
			3″ × ⅞″					
			4″ × ⅞″	0	18	0	„	

80

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2648	1-8-89	Bolts and Nuts—*coneld.*	Iron, Snapheaded, galvanized, 5½″ under headed × ⅝″ diameter ...	1	11	0	Cwt.	
2458	20-6-89		Bolts, iron, countersunk head, round neck with hexagonal nuts, 2½″ long including head × ½″ diameter	1	2	0	„	
2590	12-7-89	Bolts.	Door, brass, barrel, complete, 6″	1	0	0	Doz.	
1929	7-2-89		Door, brass, tower, 4″	0	14	0	„	
2067	26-2-89		Door, brass, tower, with brass shoots, 6″	0	16	0	„	
1929	7-2-89		Door, iron, tower, 6″	0	0	10	Each.	
2017	29-10-89		Door, iron, tower, 6″ complete	0	8	9	Doz.	
2590	12-7-89		Door, iron, tower, 6″	0	9	0	„	
2590	12-7-89		„ „ „ 8″	0	12	0	„	
9217	29-10-89							
2066	26-2-89		„ „ „ 8″	0	13	0	„	
2269	17-5-89		„ „ „ 12″	0	1	6½	Each.	
2494	27-6-89		Door, Venetian with handles and clamps—					
			30″	0	19	0	Doz.	
			36″	1	2	6	„	

81

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Short link—concld.					
2089	2-3-89		$\frac{7}{16}$″ in one length of 50 fathoms	0	4	0	Fathom.	
,,	,,		$\frac{7}{16}$″ ,, ,, ,, of 44 ,, ...					
2601	12-7-89		$\frac{7}{16}$″ ,, ,, ,, of 94 ,, ...	1	14	0	Cwt.	
2089	2-3-89		$\frac{1}{2}$″ ,, ,, ,, of 75 ,, ...	0	4	7½	Fathom.	
2431	14-6-89		$\frac{1}{2}$″ in two equal lengths of 200 fathoms	0	4	10½	,,	
,,	,,		$\frac{1}{2}$″ in one length of 80 fathoms	0	4	10½	,,	
2864	17-10-89		$\frac{9}{16}$″ ,, ,, of 42 ,, ...	1	2	0	Cwt.	
2431	14-6-89		$\frac{5}{8}$″ ,, ,, of 46 ,, ...	0	6	6	Fathom.	
2864	17-10-89		$\frac{5}{8}$″ ,, ,, of 17 ,, ...	1	1	0	,,	
2957	2-11-89		$\frac{5}{8}$″ ,, ,, of 23 ,, ...	0	5	4	,,	
2601	12-7-89	Chain, Iron—*contd.*	$\frac{11}{16}$″ ,, ,, of 31 ,, ...	1	8	6	Cwt.	
2431	14-6-89		$\frac{3}{4}$″ ,, ,, of 63 ,, ...	0	8	11	Fathom.	
2864	17-10-89		$\frac{3}{4}$″ ,, ,, of 17 ,, ...	1	0	0	Cwt.	
2089	2-3-89		$\frac{3}{4}$″ in two lengths of 10 ,, each	0	11	9	Fathom.	
2431	14-6-89		$\frac{7}{8}$″ in two equal lengths of 23½ fathoms	0	12	0	,,	
2864	17-10-89		$\frac{7}{8}$″ in one length of 17 fathoms	0	19	9	Cwt.	
2601	12-7-89		$1\frac{1}{16}$″ in ,, ,, of 17 fathoms	1	5	6	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1857	24-1-89		Tested, short length for cranes $\frac{5}{16}$″ in 2 lengths of 150 ft. each ...	0	5	6	Fathom.	
,,	,,		,, ,, $\frac{3}{4}$″ in ,, ,, ...	0	8	5	,,	
,,	,,		,, ,, $1\frac{1}{8}$″ in ,, ,, ...	0	12	6	,,	
2431	14-6-89		Twisted link $\frac{1}{2}$″	2	10	0	Cwt.	
2089	2-3-89	Chain, Iron—*contd.*	Twist, short link $\frac{1}{4}$″	0	0	3¼	Foot.	
,,	,,		,, $\frac{5}{16}$″ ,, ...	0	0	3½	,,	
1993	16-2-89	Cocks.	Iron, galvanized, bib, screwed $\frac{1}{2}$,″ with gunmetal plug	0	1	8	Each.	
3054	28-11-89		Gunmetal, range, 1″ bore	0	8	6	Doz.	
2576	9-7-89	Feeders, Oil ...	Spirng, 1 pint—Kayes' patent	0	2	6	Doz.	
2788	21-9-89							
2272	17-5-89	Glasses, Gauge.	8″ × $\frac{3}{8}$ } External diameter	0	0	1¾	Each.	
,,	,,		$11\frac{1}{2}$″ × $\frac{3}{8}$″ }	0	0	2¾	,,	
2048	25-2-89		$9\frac{1}{8}$″ × $\frac{5}{8}$″, $\frac{3}{16}$″ Internal diameter	0	2	$1\frac{1}{10}$	Doz.	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2384	3-6-89	Gongs.	Repeating, telegraph, with screw coupling, 430 feet of ¼″ steel wire, and all necessary fittings for connection with engine. Chadburn and Sons, patent.	25	0	0	Each.	
2590	12-7-89	Hasps and Staples.	Brass 6″	0	11	6	Doz.	
,,	,,		5″	0	8	6	,,	
			6″	0	0	11½	Each.	
2484	25-6-89		4″		0	6	,,	
			3″	0	0	3	,,	
2871	19-10-89	Hinges.	Brass, butt 2″ × ¾″ from centre of pin	0	2	4	Doz. pairs.	
			2½″ × 5/8 ,, ...	0	3	3	,,	
			3″ × ⅞″ ,, ...	0	4	6	,,	
			1½″ × ⅝″	0	0	2½	Each.	
2484	25-6-89		2″ × ¾″	0	0	2¾	,,	
			2½″ × ⅞″	0	0	3½	,,	
			3″ × 1″	0	0	4½	,,	

86

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
24852	25-6-89	Hinges—*contd.*	Brass, butt 3½″ × 1¼″	0	0	8	Each.	
			4″ × 1½″	0	0	11	,,	
			for Lamp hoods	0	1	0	,,	
2871	19-10-89		Cast iron, butt 2″ × ¾″ from centre of pin	0	1	3	Doz. pairs.	
			2½″ × ⅝″ ,, ...	0	1	7	,,	
			3″ × 1″ ,, ...	0	2	1	,,	
1988	16-2-89		Cast iron, sunshade 2½″ × 2″ from centre of pin	0	0	6	Each.	
3021	22-11-89		Wrought iron, butt 2″ × 2″ (from centre of pin 1″)	0	5	0	Doz. pairs.	
2484	25-6-89		2″ × ¾″	0	0	1¾	Each.	
			2½″ × 1″	0	0	2¼	,,	
			3″ × 1″	0	0	2¾	,,	
			4″ × 1½″	0	0	5	,,	
			,, double strap for boxes ⅛″ thick, 20″ × 24″ long ...	0	10	6	Doz.	
			T. for doors, 1/16″ thick 10″ × 12″ long	0	14	0	,,	
2028	23-2-89	Locks ...	Box, brass, 3 lever, with duplicate keys, 2″ (Hobbs Hart and Co.) ...	0	1	10	Each.	

87

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2396	8-6-89	Locks—*contd.*	Box, brass, four lever, with duplicate keys:—					
			3″	0	13	6	Doz.	
			2½″	0	11	8	,,	
			3½″	0	17	0	,,	
2396	8-6-89		Cupboard, brass, three lever:—					
			2½″	0	9	9	,,	
			3½″	0	11	0	,,	
2028	23-2-89		Drawer, brass, 4 lever, with duplicate keys, 2½″	0	1	11	Each.	Hobbs Hart and Co.
,,	,,		,, 4 ,, ,, 3″	0	2	3	,,	
2056	23-2-89		,, with duplicate keys, 3″	0	8	7	Doz.	
2596	12-7-89		,, each with one key, 3″	0	8	7	,,	
,,	,,		,, ,, ,, 5½″	1	11	0	,,	
1950	11-2-89		Pad, brass, with duplicate keys, 2″	0	10	11	Each.	
,,	,,		,, ,, ,, 2½″	0	12	5	,,	
2028	23-2-89		Pad, brass, 6 lever, 1″ for cash bags, with master keys	0	5	10	,,	
2021	21-2-89		Pad, all brass, Hamiltons eccentric, 4 lever, with 2 keys:—					
			,, ,, ,, ,, 1½″	0	18	9	Doz.	
			,, ,, ,, ,, 1″	0	17	9	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2028	23-2-89	Locks—*contd.*	Pad, iron, galvanized 1½″ } 3 lever, with duplicate keys ... ... {	0	2	8	Each.	
			2″ }	0	2	8	,,	
2762	18-9-89		Pad, iron, galvanized 2½″, with 2 keys to each	0	3	0	,,	
2585	11-7-89		2½″ ,, ,, standard lever	0	2	9	,,	
1964	12-2-89							
2870	19-01-89		2½″, 3 lever	0	2	10	,,	Hobbs' patent.
2107	9-3-89							
2235	4-5-89		2½″, with duplicate keys	1	13	0	Doz.	
1800	4-1-89		2½″, with key one to each	0	2	6	Each.	
2028	23-2-89		2½″, 3 lever with duplicate keys	0	2	9	,,	
2396	8-6-89		2½″, two lever	0	10	5	Doz.	
2585	11-7-89		Pad, iron, galvanised 3″, 3 lever, 2 keys each	0	4	5	Each.	
2235	4-5-89		3″, with duplicate keys	2	12	0	Doz.	
2870	19-10-89		3″	0	4	5	Each.	
2396	8-6-89		3″, 2 lever	0	14	0	Doz.	
2028	23-2-89		3″, with duplicate keys	0	4	3	Each.	
,,	,,		4″ ,, ,, ,, ...	0	5	5	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1873	26-1-89	Locks—*contd.*	Pad, iron, japanned 2½"	0	12	6	Doz.	
2396	8-6-89		3", two lever	0	15	3	,,	
1873	26-1-89		3", one key to each	0	13	6	,,	
		Measures.	Copper, liquid, (verified)—					
			½ pint	0	5	6	Each.	
			1 ,, ...	0	6	0	,,	
2331	28-5-89		1 quart	0	7	0	,,	
			½ gallon	0	9	3	,,	
			1 ,, ...	0	11	9	,,	
2043	25-2-89	Nails.	Brass coffin, ½"	0	1	0	Gross.	
3028	22-11-89		Copper, countersunk, flat head, chisel points, 1¼"	0	0	8½	Lb.	
2368	15-6-89		,, tack 1"	0	0	7	,,	
1953	11-3-89		Iron, cut, brads, 1½" fine	0	11	3	Cwt.	
2299	21-5-89		Iron, cut, clasp, 1½" ,, ...	0	10	9	,,	
2821	7-10-89		1½" blunt points, fine	0	10	9	,,	
2299	21-5-89		2"	0	9	9	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2299	21-5-89	Nails—*contd.*	Iron, cut, clasp, 3"	0	8	9	Cwt.	
,,	,,		,, ,, ,, 4"	0	8	9	,,	
2821	7-10-89		,, ,, tack, ⅞" fine, flat heads and sharp points	0	0	3	Lb.	
			,, ,, ,, ½" ,, ,, ,, ,, ,, ...	0	0	2½	,,	
2299	21-5-89		,, ,, ,, ⅜" ,, ,, ,, ,, ,, ...	0	0		,,	
			,, ,, ,, ¾" ,, ,, ,, ,, ,, ...	0	0	2	,,	
2086	2-3-89		,, ,, ,, ⅝" ,, ,, ,, ,, ,, ...	0	16	6	Cwt.	
,,			,, ,, ,, ½" ,, ,, ,, ,, ,, ...	0	18	0	,,	
2104	9-3-89		,, ,, ,, Flemish, tinned	1	8	0	,,	
2191	11-4-89							
2705	4-9-89		,, ,, ,, tinned ⅜"	4	3	6	,,	
2086	2-3-89		,, ,, ,, ,, ½"	5	2	0	,,	
,,	,,		,, rose stamped, 6"	0	10	0	,,	
2299	21-5-89		,, spike, wrought, with champered square heads and chisel points—					
			,, ,, 6"	0	12	0	,,	
3046	27-11-89		,, ,, 8"	0	11	0	,,	
			,, ,, 10"	0	11	0	,,	

91

25/11/2

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Nails—*contd.*	Iron, wire, French —					
			⅛″ × 16 S. W. G.	1	0	3	Cwt.	
			¾″ × 16 „	1	0	3	„	
1953	11-2-89		1″ × 15 „	0	18	3	„	
			1¼″ × 14 „	0	16	3	„	
			2″ × 12 „	0	13		„	
			3″ × 12 „	0	13	9	„	
			4″ × 10 „	0	12	0	„	
2086	2-3-89		3½″ × 8 „	0	10	6	„	
„	„		1½″ × 12 „	0	13	9	„	
			Iron, wire 2½″ × 10 S. W. G.	0	17	0	„	
3113	9-12-89		„ „ 3″ × 8 „	0	13	6	„	
			„ „ 4″ × 6 „	0	12	6	„	
2821	7-10-89		Iron, wrought, black, bellow or scupper, fine points 1″	1	1	6	„	
			Iron, wrought, clasp, strong—					
			5″	0	12	6	„	
1809	10-1-89		4½″	0	12	9	„	
			4″	0	13	3	„	

92

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2299	21-5-89	Nails—*concld.*	Iron, wrought, tack, Flemish, tinned —					
			½″	0	1	1	Lb.	
			¾″	0	0	8½	„	
			¼″ ... ... „	0	16	6	Cwt.	
2670	13-8-89		Steel, galvanized, for wedges					
1989	16-2-89		Zinc, for registering sleepers, head ¾″ diameter, shank $\frac{3}{16}$ square and ½″ long	0	15	0	°/₀₀	
		Netting.	Wire, iron, galvanized, 2′ 0″ wide, 36 meshes to a square inch, 21 S. W. G. wire	0	0	2¾	Ft.	
2402	11-6-89		Wire, iron, galvanized, 2′ 0″ wide, 16 meshes to a square inch, 18 S. W. G. wire	0	0	2¾	„	
			Wire, iron, galvanized, 2′ 0″ wide, 1″ hexagonal mesh, 19 S. W. G wire ...	0	0	¾	„	
2855	17-10-89		Wire, iron, galvanized, 2 feet wide, No. 16 mesh, No. 28 S. W. G. wire after galvanizing	0	0	4½	„	
		Nuts.	Iron, hexagonal, screwed, black—Whitworth's standard thread and sizes —					
			½″	1	2	0	Cwt.	
			⅝″	0	18	0	„	
			¾″					
2025	23-2-89		⅞″ ... ... „					
			1″	0	16	0	„	
			1⅛″					
			1¼″					

93

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3087 5-12-89	Nuts—*contd.*	Iron, hexagonal, screwed, black; faced and champered on both sides—Whitworth's standard—					
		for ½″ bolts	3	8	0	Cwt.	
		⅝″ „	2	16	0	„	
		¾″ „	2	8	0	„	
		⅞″ „	2	8	0	„	
		1″ „	2	8	0	„	
3087 5-12-89		Iron, hexagonal, screwed, black—					
		for ½″ bolts	1	12	0	„	
		⅝″ „	1	8	0	„	
		1″ „	1	8	0	„	
2834 26-10-89		Iron, hexagonal, screwed, bright, 1¼″; faced and champered on both sides ...	2	5	0	„	
2458 20-6-89		Iron, hexagonal, tapped, bright (machined) Whitworth's standard gauge for Locomotive engines— Diameter of bolt. ⅝″	3	17	6	„	
		¾″	3	1	6	„	
		⅞″	2	10	0	„	
		1″					
		1¼″					

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2458 20-6-89	Nuts—*contd.*	Iron, hexagonal, tapped, black; faced both sides—Whitworth's standard gauge— Diameter of bolt. ⅝″	4	4	6	Cwt.	
		¾″	2	19	3	„	
		⅞″	2	3	0	„	
		1″	1	18	6	„	
		1¼″	1	16	3	„	
		1½″	1	14	0	„	
2458 20-6-89		Iron, hexagonal, tapped, black; faced and champered on both sides,—Whitworths' standard gauge— For Carriage Buffers. Diameter of bolt 1¼″, thickness of nut 2″	1	14	0	„	
		„ 1¼″ „ 2½″	1	14	0	„	
2234 4-5-89		Iron, hexagonal, tapped, black— for ½″ bolts	1	2	0	„	
		⅝″ „	1	4	0	„	
		¾″ „	1	8	0	„	
		⅞″ „	1	18	0	„	

Contracted for in 1889.

Contract number and date.	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2234 4-5-89	Nuts—*contd.*	Iron, square, tapped, black—				Cwt.	
		for 1″ bolts	0	18	0		
		½″ „	0	18	0	„	
2046 25-2-89	Pins, Brass.	Panel, ½″	0	1	0	Lb.	
		1 ″					
		1¼″					
		1½″					
2193 27-4-89	Pins, Copper.	Panel, 1¼″ × 15 S. W. G.	0	0	11½	Lb.	
2879 25-10-89		1¼″ × 15 S. W. G.	0	1	3	„	
2198 27-4-89		1 ″ × 16 S. W. G.	0	0	11½	„	
2879 25-10-89		1 ″ × 16 S. W. G.	0	1	3	„	
2047 25-2-89	Pins, Iron.	Half round, wire, split, wrought iron—					
		1½″ × ½″	0	0	5	Gross.	
		1½″ × ½″	0	0	6	„	
		2¼″ × $\frac{3}{16}$″	0	0	10	„	
		2½″ × $\frac{3}{16}$″	0	0	10½	„	

Contracted for in 1889.

Contract number and date.	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2847 25-2-89	Pins, Iron—*contd.*	Half round, wire, split, wrought iron—				Gross.	
		2½″ × $\frac{3}{16}$″	0	0	11½		
		2¼″ × ¼″	0	1	4	„	
		2½″ × ¼″	0	1	5	„	
		3″ × ¼″	0	1	7	„	
		3½″ × $\frac{5}{16}$″	0	3	5	„	
2358 30-5-89		Half round, wire, split—				Cwt.	
		1¼″ × $\frac{5}{16}$″	0	13	0		
		2½″ × ¼″	1	9	6	„	
		4½″ × ¼″	1	15	5	„	
2358 30-5-89		Panel, ¼″	1	2	6	„	
		1¼″	1	2	6	„	
2358 30-5-89	Pins, Steel.	Taper, bright—				Cwt.	
		5″	0	16	0		
		4½″	1	2	6	„	
		4″	0	5	0	„	
		3½″	0	16	0	„	
		3½″	1	0	0	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2863	7-10-89	Pipes, Iron.	Gas, screwed ends, $\frac{3}{4}$" bore, in 10 ft. lengths	...	...	...	.....	
"	"		" " " 15 "	...	...	...	.....	
3083	5-12-89	Pots.	Drinking, metal, enamelled white, one pint capacity	0	0	10	Each.	
1987	16-2-89		Glue, cast iron, 4" × 3"	0	2	9	"	
2333	28-5-89		Glue, iron, with copper well	0	4	6	"	
2848	17-10-89	Rivets, Copper.	$\frac{1}{2}$" × $\frac{5}{16}$"	0	0	8	Lb.	
"	"		$\frac{3}{4}$" × $\frac{5}{16}$"	0	0	8	"	
3107	6-12-89		$\frac{3}{4}$" × $\frac{5}{16}$"	0	0	9	"	
2848	17-10-89		1" × $\frac{1}{4}$"	0	0	8	"	
2963	2-11-89		Cheese headed $\frac{1}{2}$" × $\frac{5}{16}$"	0	0	9½	"	
			1" × $\frac{1}{4}$"	0	0	9½	"	
2307	23-5-89		$\frac{3}{4}$" × $\frac{1}{4}$" with washers	0	0	9½	"	
"	"		Flat headed $\frac{1}{2}$" × $\frac{5}{16}$" / 1" × $\frac{1}{4}$" } For leather belting	0	0	7½	"	

CLASS OF STORES. G. TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1958	12-2-89	Rivets, Copper—*contd.*	For belting $\frac{1}{2}$" × $\frac{5}{16}$" diameter	0	0	10½	Lbs.	
			$\frac{3}{4}$" × $\frac{5}{16}$" "					
			$\frac{3}{4}$" × $\frac{1}{4}$" "					
			$\frac{3}{4}$" × $\frac{1}{4}$" "	0	0	10½	"	
2555	5-7-89		$\frac{3}{4}$" × $\frac{1}{4}$" "	0	0	7½	"	
1958	12-2-89		1" × $\frac{1}{4}$" "	0	0	10½	"	
2555	5-7-89		1" × $\frac{1}{4}$" "	0	0	7½	"	
2307	23-5-89		With washers $\frac{3}{4}$" × $\frac{5}{16}$"	0	0	7½	"	
3107	6-12-89		With washers $\frac{3}{4}$" × $\frac{1}{4}$"	0	0	9	"	
2426	14-6-89		Cheese headed; length under head 1" × $\frac{1}{4}$" diameter, diameter of head $\frac{3}{4}$", depth $\frac{1}{4}$"	0	18	6	Cwt.	
2925	31-10-89		Cheese headed 1$\frac{1}{2}$" × $\frac{3}{8}$"	0	19	9	"	
"	"		2$\frac{1}{2}$" × $\frac{1}{2}$"	0	18	3	"	
2925	31-10-89		Countersunk 3" × $\frac{1}{2}$"	0	17	3	"	
"	"		Cupheaded 1" × $\frac{1}{4}$"	1	3	0	"	
3077	2-12-89		Galvanized, with washers, snapheaded $\frac{3}{4}$" × $\frac{1}{4}$"	1	9	6	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Panheaded—					
			Length under head diameter—					
2426	14-6-89	Rivets, Iron.	3″ × ½″	1	4	6	Cwt.	
2097	7-3-89		1½″ × ⅜″	1	14	0	,,	
2054	25-2-89		1½″ × ⅜″	0	15	0	,,	
			13″ × ⅜″					
			1¾″ × ⅜″					
			2″ × ⅜″					
			1¼″ × ½″	0	13	9	,,	
2097	7-3-89		1½″ × ½″	1	5	6	,,	
			1″ × ½″	1	5	6	,,	
			1½″ × ½″	1	5	6	,,	
			1⅝″ × ½″	1	5	6	,,	
2054	25-2-89		2″ × ½″	0	13	9	,,	
			2½″ × ½″	0	13	9	,,	
			3″ × ½″	0	13	9	,,	
			3½″ × ½″	0	13	0	,,	
			2″ × ⅝″	0	12	6	,,	

100

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Panheaded—*contd.*					
			Length under headdiameter—					
2097	7-3-89	Rivets, Iron—*contd.*	2″ × ¾″	1	1	6	Cwt.	
2054	25-2-89		2½″ × ¾″	0	12	6	,,	
2097	7-3-89		2½″ × ¾″	1	1	6	,,	
			2¼″ × ¾″	1	1	6	,,	
			2¾″ × ¾″	1	1	6	,,	
2054	25-2-89		2¾″ × ¾″	0	12	6	,,	
,,	,,		3″ × ¾″	0	12	6	,,	
2097	7-3-89		3″ × ¾″	1	1	6	,,	
2097	7-3-89		1½″ × ⅝″	1	2	6	,,	
			1½″ × ⅝″	0	13	0	,,	
2054	25-2-89		1¾″ × ⅝″	0	13	0	,,	
			2″ × ⅝″	0	13	0	,,	
2097	7-3-89		2″ × ⅝″	1	2	6	,,	
2054	25-2-89		2¼″ × ⅝″	0	13	0	,,	
,,	,,		2½″ × ⅝″	0	13	0	,,	
2097	7-3-89		2½″ × ⅝″	1	2	6	,,	

101

5/11/12

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Rivets, Iron—*contd.*	Panheaded—*concld.*					
			Length under headdiameter—					
2097	7-3-89		3″ × ⅜″	1	2	6	Cwt.	
2054	25-2-89		3″ × ⅜″	0	13	0	,,	
,,	,,		3½″ × ⅜″	0	12	6	,,	
2097	7-3-89		3½″ × ¾″	1	1	6	,,	
,,	,,		4″ × ¾″	1	1	6	,,	
2054	25-2-89		4″ × ¾″	0	12	6	,,	
			4½″ × ¾″	1	1	6	,,	
			5″ × ¾″	1	1	6	,,	
			5½″ × ¾″	1	1	6	,,	
2097	7-3-89		6″ × ¾″	1	1	6	,,	
			3″ × ⅝″	1	0	6	,,	
			4½″ × ⅝″	1	6	6	,,	
			4½″ × ½″	1	0	6	,,	
2054	25-2-89		4½″ × ½″	0	12	6	,,	
2097	7-3-89		5″ × ½″	1	0	6	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Panheaded, black, Bowling—					
			Length under headdiameter—					
			1½″ × ⅜″	1	13	0	Cwt.	
			1½″ × ½″					
			1″ × ½″					
			1¼″ × ½″	1	7	0	,,	
			1⅜″ × ½″					
			1½″ × ½″					
1837	17-1-89	Rivets, Iron—*contd.*	2″ × ½″					
			2¼″ × ½″	1	4	0	,,	
			3″ × ½″					
			2″ × ⅝″					
			2¼″ × ⅝″					
			2½″ × ⅝″					
			2¾″ × ⅝″	1	3	0	,,	
			3″ × ⅝″					
			3½″ × ⅝″					
			4″ × ⅝″					

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Rivets, Iron—*contd.*	Panheaded, black, Bowling—*concld.*					
			Length under headdiameter—					
			$4\frac{3}{4}'' \times \frac{3}{4}''$					
			$5'' \times \frac{3}{4}''$	1	3	0	Cwt.	
			$5\frac{1}{4}'' \times \frac{3}{4}''$					
1837	17-1-89		$6'' \times \frac{3}{4}''$					
			$3'' \times \frac{7}{8}''$					
			$4\frac{1}{2}'' \times \frac{7}{8}''$	1	2	0	,,	
			$4\frac{3}{4}'' \times \frac{7}{8}''$					
			$5'' \times \frac{7}{8}''$					
			Panheaded, Farnley—					
			$4'' \times \frac{3}{4}''$					
2150	21-3-89		$3\frac{1}{4}'' \times \frac{3}{4}''$	24	0	0	Ton	
			$5\frac{1}{2}'' \times \frac{3}{4}''$					
			$2'' \times \frac{7}{8}''$					
			Round headed—					
			$1\frac{1}{2}'' \times \frac{1}{2}''$	0	18	3	Cwt.	
2925	31-10-89		$1\frac{1}{4}'' \times \frac{1}{2}''$	0	17	6	,,	
			$2'' \times \frac{1}{2}''$	0	17	6	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Rivets, Iron—*contd.*	Snapheaded—					
			Length under headdiameter—					
2426	14-6-89		$1\frac{1}{4}'' \times \frac{1}{4}''$	1	4	6	Cwt.	
,,	,,		$1'' \times \frac{3}{8}''$					
			$1'' \times \frac{1}{2}''$					
2426	14-6-89		$\frac{5}{8}'' \times \frac{1}{2}''$	1	0	0	,,	
			$1\frac{1}{4}'' \times \frac{1}{2}''$					
			$1\frac{1}{2}'' \times \frac{1}{2}''$					
			$\frac{5}{8}'' \times \frac{5}{8}''$					
2732	12-9-89		$1'' \times \frac{5}{8}''$	0	19	0	,,	
			$1\frac{1}{2}'' \times \frac{5}{8}''$					
			$1\frac{1}{4}'' \times \frac{5}{8}''$					
2426	14-6-89		$2'' \times \frac{5}{8}''$	1	0	0	,,	
,,	,,		$1\frac{1}{2}'' \times \frac{1}{2}''$	0	18	6	,,	
2732	12-9-89		$1\frac{1}{2}'' \times \frac{1}{2}''$	0	17	0	,,	
,,	,,		$1\frac{1}{2}'' \times \frac{1}{2}''$					
2426	14-6-89		$1\frac{1}{4}'' \times \frac{1}{2}''$	0	18	6	,,	
,,	,,		$2'' \times \frac{1}{2}''$	0	18	6	,,	

G 3111

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
	Rivets, Iron—*contd.*	Snapheaded—*contd.*					
		Length under headdiameter—					
		2½″ × ½″	0	18	6	Cwt.	
2436 14-6-89		2¼″ × ½″	0	18	6	,,	
		3″ × ½″	0	18	6	,,	
		1″ × ½″					
		1¼″ × ½″					
3077 2-12-89		1½″ × ½″	0	18	0	,,	
		1¾″ × ½″					
		2″ × ½″					
		1″ × ½″					
		1¼″ × ½″					
		1½″ × ½″	0	18	0	,,	
		1¾″ × ½″					
2426 14-6-89		2″ × ½″					
		2¼″ × ½″					
		2½″ × ½″	0	18	0	,,	
		3″ × ½″					

106

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
	Rivets, Iron—*contd.*	Snapheaded—*concld*					
		Length under headdiameter—					
		1½″ × ⅜″					
3077 2-12-89		3″ × ⅜″	0	17	3	Cwt.	
		2½″ × ⅜″					
2732 12-9-89		1⅝″ × ⅜″	0	14	6	,,	
		2½″ × ⅜″					
		2¼″ × ¼″					
2426 14-6-89		2″ × ¾″	0	17	6	,,	
		3″ × ¾″					
2732 12-9-89		1¾″ × ¼″	0	13	0	,,	
		2″ × ¾″					
		2½″ × ¾″					
3077 2-12-89		3½″ × ¾″	0	16	9	,,	
		4½″ × ¾″					
		3½″ × ⅞″					
2732 12-9-89		Snapheaded, galvanized, 1½″ × ⅜″	1	5	0	,,	

107

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3071	29-11-89	Rivets, Iron—*contd.*	Snapheaded, Yorkshire, required for repairing Locomotive Boilers—					
			$2\frac{1}{2}'' \times \frac{5}{8}''$					
			$2\frac{5}{8}'' \times \frac{5}{8}''$					
			$3'' \times \frac{3}{4}''$	26	0	0	Ton.	
			$3\frac{1}{2}'' \times \frac{7}{8}''$					
			$5\frac{1}{4}'' \times \frac{3}{4}''$					
			$5\frac{1}{2}'' \times \frac{7}{8}''$					
			Snapheaded, Yorkshire, required for rivetting 40 feet girders—					
			$2\frac{1}{2}'' \times \frac{5}{8}''$					
			$3\frac{1}{2}'' \times \frac{7}{8}''$	25	0	0	,,	
			$4'' \times 1''$					
2580	11-7-89	Screws.	Coach, iron, hexagonheaded, black $3'' \times \frac{1}{2} \times \frac{1}{2}''$	1	10	0	Cwt.	
2816	3-10-89		,, ,, ,, ,, $3\frac{1}{2}'' \times \frac{1}{2}''$	1	6	0	,,	
2580	11-7-89		,, ,, ,, galvanized $3\frac{1}{2}'' \times \frac{3}{8}''$	2	0	0	,,	
2122	14-3-89		,, ,, galvanized, $5\frac{1}{2}'' \times \frac{3}{4}''$	1	1	0	,,	

105

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2916	29-10-89	Screws—*contd.*	Coach, iron, square headed, galvanized—					
			$2'' \times \frac{1}{2}''$					
			$2\frac{1}{2}'' \times \frac{1}{2}''$	0	0	4	Lb.	
			$3'' \times \frac{1}{2}''$					
			$3\frac{1}{2}'' \times \frac{1}{2}''$					
2313	23-5-89		2" underhead × $\frac{1}{2}$" diameter	2	0	0	Cwt.	
			3" ,, × $\frac{1}{2}$" ,, ...	1	9	0	,,	
			4" ,, × $\frac{1}{2}$" ,, ...	1	8	0	,,	
			$5\frac{1}{2}$" ,, × $\frac{1}{2}$" ,, ...	1	7	0	,,	
			4" ,, × $\frac{1}{2}$" ,, ...	1	7	0	,,	
2313	23-5-89		Coach, iron, square head, black—					
			$2\frac{1}{2}$" underhead × $\frac{1}{2}$"	1	5	0	,,	
			$2\frac{1}{2}$" ,, × $\frac{5}{8}$"	1	10	0	,,	
2916	29-10-89		Coach, iron, square head, black—					
			$3'' \times \frac{1}{2}''$	0	0	3	Lb.	
			$4'' \times \frac{1}{2}''$					

106

5/1132

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
	Screws—*contd.*	Coach, iron, square headed, round neck, length under the head—					
		$1\frac{1}{2}'' \times \frac{3}{8}''$	2	5	0	Cwt.	
		$2'' \times \frac{3}{8}''$	1	16	0	,,	
3047 27-11-89		$2'' \times \frac{1}{2}''$	1	7	0	,,	
		$2\frac{1}{2}'' \times \frac{1}{2}''$	1	4	0	,,	
		$4'' \times \frac{1}{2}''$	1	3	0	,,	
		Coach, iron, square headed, black, and round neck, gimlet points—					
		$2'' \times \frac{3}{8}''$					
		$2\frac{1}{2}'' \times \frac{3}{8}''$					
2026 23-2-89		$3'' \times \frac{3}{8}''$	1	10	0	,,	
		$3\frac{1}{2}'' \times \frac{3}{8}''$					
		$2\frac{1}{2}'' \times \frac{1}{2}''$	1	4	0	,,	
		$2\frac{1}{2}'' \times \frac{1}{2}''$	1	8	0	,,	
2825 9-10-89		$3'' \times \frac{1}{2}''$	1	8	0	,,	
		$3'' \times \frac{1}{2}''$					
		$3\frac{1}{2}'' \times \frac{1}{2}''$	1	4	0	,,	
2026 23-2-89		$3\frac{1}{2}'' \times \frac{3}{4}''$	1	0	0	,,	
		$7'' \times \frac{3}{4}''$	0	18	0	,,	

110

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
	Screws—*contd.*	Wood, brass, countersunk heads—					
		$\frac{1}{4}''$ No. 3	0	0	$7\frac{1}{2}$	Gross.	
		$\frac{3}{8}''$,, 4	0	0	8	,,	
2009 18-2-89		$\frac{3}{8}''$,, 4	0	0	$8\frac{1}{2}$	,,	
		$\frac{3}{8}''$,, 5	0	0	8	,,	
		$\frac{1}{2}''$,, 6	0	0	$8\frac{1}{2}$	,,	
		$\frac{1}{2}''$,, 8	0	1	0	,,	
		$\frac{5}{8}''$,, 6	0	0	10	,,	
		$\frac{5}{8}''$,, 6	0	1	3	,,	
		$\frac{3}{4}''$,, 7	0	1	2	,,	
1789 4-1-89		$\frac{3}{4}''$,, 8	0	1	3	,,	
		$\frac{3}{4}''$,, 9	0	1	$4\frac{1}{2}$	,,	
		$1''$,, 8	0	1	7	,,	
		$1''$,, 10	0	2	0	,,	
2009 18-2-89		$1\frac{1}{4}''$,, 12	0	2	5	,,	
1789 4-1-89		$1\frac{1}{2}''$,, 10	0	2	4	,,	
2009 18-2-89		$1\frac{1}{2}''$,, 12	0	2	9	,,	
1789 4-1-89		$1\frac{1}{2}''$,, 14	0	3	6	,,	

111

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Wood, brass, countersunk heads—*concld.*					
1789	4-1-89		1½" No. 16	0	4	3	Gross.	
			1¾" „ 16	0	4	9½	„	
			2" „ 16	0	5	3	„	
2120	14-3-89	Screws—*contd.*	Wood, brass, countersunk heads, best gimlet points—					
			½" No. 4	0	0	8	„	
			¾" „ 5	0	0	10½	„	
2773	19-9-89		Wood, brass, flat headed ½" „ 6	0	0	9	„	
			¾" „ 7	0	1	1	„	
			Wood, brass flat head, countersunk—					
2225	3-5-89		½" No. 8	0	0	11½	„	
2348	30-5-89		½" „ 4	0	0	7½	„	
			½" „ 5	0	0	8	„	
			½" „ 6	0	0	9	„	
2509	29-6-89		½" „ 8	0	1	0½	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Wood, brass, flat head, countersunk—*contd.*					
2509	29-6-89		½" No. 10	0	1	3	Gross.	
2896	26-10-89		½" „ 6	0	0	9½	„	
			½" „ 8	0	1	½	„	
			½" „ 10	0	1	3	„	
2509	29-6-89	Screws—*contd.*	⅝" „ 6	0	0	11	„	
2896	26-10-89		⅝" „ 6	0	0	10½	„	
2225	3-5-89		¾" „ 8	0	1	1½	„	
„	„		¾" „ 6	0	0	11½	„	
2348	30-5-89		¾" „ 6	0	0	11½	„	
			¾" „ 8	0	0	11½	„	
			¾" „ 10	0	1	5	„	
2509	29-6-89		⅞" „ 6	0	1	½	„	
„	„		⅞" „ 8	0	1	2½	„	
2896	26-10-89		1" „ 6	0	1	½	„	
„	„		1" „ 8	0	1	2½	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Wood, brass, flat head, countersunk—*contd.*					
			1″ No. 10	0	1	9	Gross.	
2225	3-5-89		1″ „ 8	0	1	5	„	
„	„		1″ „ 10	0	1	8½	„	
2348	30-5-89		1″ „ 6	0	1	2½	„	
2509	29-6-89	Screws—*contd.*	1″ „ 8	0	1	5½	„	
			1″ „ 10	0	1	10	„	
			1″ „ 12	0	2	3	„	
2896	26-10-89		1″ „ 6	0	1	3	„	
			1″ „ 10	0	1	10	„	
			1″ „ 12	0	2	3½	„	
2509	29-6-89		1¼″ „ 6	0	1	5	„	
„	„		1¼″ „ 12	0	2	8	„	
2896	26-10-89		1¼″ „ 6	0	1	5½	„	
„	„		1¼″ „ 12	0	2	8½	„	
2225	3-5-89		1½″ „ 12	0	3	0	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Wood, brass, flat head, countersunk—*concld.*					
2509	29-6-89		1½″ No. 12	0	3	1	Gross.	
			1½″ „ 10	0	2	5½	„	
2348	30-5-89		1½″ „ 12	0	2	11½	„	
			1½″ „ 14	0	3	7½	„	
2896	26-10-89		1½″ „ 12	0	3	2½	„	
2348	30-5-89		2″ „ 14	0	4	7½	„	
2509	29-6-89	Screws—*contd.*	2″ „ 14	0	5	1	„	
2896	26-10-89		2″ „ 14	0	4	11½	„	
2225	3-5-89		3″ „ 12	0	6	5	„	
2509	29-6-89		3″ „ 16	0	7	10	„	
2896	26-10-89		3″ „ 16	0	8	5½	„	
			Wood, brass, round head—					
			1″ No. 6	0	1	4	„	
2829	10-10-89		1¼″ „ 10	0	2	5	„	
			1½″ „ 12	0	3	6	„	
2348	30-5-89		1½″ „ 12	0	3	3½	„	

2/1113

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
	Screws—*contd.*	Wood, brass, square head—					
		1½″ No. 12	0	5	3	Gross.	
		1″ „ 10	0	2	7	„	
2009 18-2-89		¾″ „ 8	0	2	3	„	
		½″ „ 6	0	1	8	„	
		Wood, iron—					
1899 31-1-89		½″ No. 8	0	0	3½	„	
„ „		⅜″ „ 6	0	0	3	„	
		1″ „ 8	0	0	5½	„	
2773 19-9-89		1″ „ 9	0	0	5½	„	
		1¼″ „ 12	0	0	9	„	
		1⅛″ „ 12	0	0	7½	„	
		1¼″ „ 9	0	0	6	„	
1899 31-1-89		1⅛″ „ 8	0	0	6	„	
		1¼″ „ 8	0	0	5½	„	
2773 19-9-89		1¼″ „ 10	0	0	7	„	

116

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
	Screws—*contd.*	Wood, iron—*contd.*					
		1¾″ No. 12	0	0	9	Gross.	
		2″ „ 14	0	1	0	„	
1899 31-1-89		2½″ „ 14	0	1	1½	„	
		3″ „ 14	0	1	6	„	
		4″ „ 16	0	2	6	„	
		Wood, iron, countersunk head—					
		⅜″ No. 3	0	0	2½	„	
		¾″ „ 4	0	0	2¾	„	
		½″ „ 4	0	0	2¾	„	
2002 18-2-89		½″ „ 5	0	0	3	„	
		½″ „ 6	0	0	3½	„	
		½″ „ 7	0	0	3½	„	
		½″ „ 8	0	0	3¾	„	
2829 10-10-89		½″ „ 6	0	0	3½	„	
1789 4-1-89		⅝″ „ 6	0	0	3¾	„	

117

3111
63

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
	Screws—*contd.*	Wood, iron, countersunk head—*contd.*					
1789 4-1-89		⅜″ No. 6	0	0	4½	Gross.	
		⅜″ „ 8	0	0	4½	„	
		½″ „ 6	0	0	3½	„	
		½″ „ 7	0	0	4	„	
		½″ „ 8	0	0	4½	„	
		½″ „ 9	0	0	4½	„	
		½″ „ 10	0	0	4½	„	
		½″ „ 12	0	0	5½	„	
2009 18-2-89		1″ „ 6	0	0	4½	„	
		1″ „ 8	0	0	4½	„	
		1″ „ 9	0	0	5	„	
		1″ „ 10	0	0	5½	„	
		1″ „ 12	0	0	6½	„	
		1″ „ 13	0	0	7	„	
		1″ „ 14	0	0	7½	„	

118

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
	Screws—*contd.*	Wood, iron, countersunk head—*contd.*					
2009 8-2-89		1″ No. 16	0	0	10	Gross.	
		1″ „ 18	0	1	½	„	
1789 4-1-89		1¼″ „ 6	0	0	5½	„	
2829 10-10-89		1¼″ „ 10	0	0	7	„	
		1¼″ „ 8	0	0	5¾	„	
		1¼″ „ 10	0	0	6½	„	
		1¼″ „ 12	0	0	6½	„	
		1¼″ „ 13	0	0	7½	„	
2009 18-2-89		1¼″ „ 14	0	0	9	„	
		1½″ „ 10	0	0	6¾	„	
		1½″ „ 12	0	0	7	„	
		1½″ „ 13	0	0	8½	„	
		1½″ „ 14	0	0	10	„	
		1½″ „ 16	0	0	11½	„	
1789 4-1-89		1½″ „ 16	0	1	0	„	

119

3111
64

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Screws—*contd.*	Wood, iron, countersunk head—*contd.*					
			1¼″ No. 8	0	0	7	Gross.	
			1¼″ „ 9	0	0	7½	„	
2829	10-10-89		1¼″ „ 12	0	0	9	„	
			1¼″ „ 13	0	0	10½	„	
			1¼″ „ 16	0	1	3	„	
1789	4-1-89		1½″ „ 16	0	1	1½	„	
			1½″ „ 8	0	0	8½	„	
2829	10-10-89		1½″ „ 9	0	0	8½	„	
			1½″ „ 12	0	0	10½	„	
			1½″ „ 13	0	1	0	„	
			1¾″ „ 10	0	0	7½	„	
			1¾″ „ 12	0	0	8	„	
2009	18-2-89		1¾″ „ 13	0	0	9½	„	
			1¾″ „ 14	0	0	10½	„	
			1¾″ „ 16	0	1	2½	„	

120

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Screws—*contd.*	Wood, iron, countersunk head—*contd.*					
			2″ No. 10	0	0	8½	Gross.	
			2″ „ 12	0	0	9½	„	
2009	18-2-86		2″ „ 14	0	0	11½	„	
			2″ „ 16	0	1	1½	„	
			2″ „ 18	0	1	4	„	
2829	10-10-89		2″ „ 12	0	1	0	„	
			2¼″ „ 18	0	1	5	„	
			2½″ „ 12	0	0	10½	„	
2009	18-2-89		2½″ „ 14	0	1	2½	„	
			2½″ „ 16	0	1	4½	„	
			2½″ „ 18	0	1	8½	„	
2829	10-10-89		2½″ „ 15	0	1	8	„	
„	„		2½″ „ 16	0	1	9	„	
2009	18-2-89		2¾″ „ 18	0	1	11½	„	
1789	4-1-89		2¾″ „ 16	0	1	6½	„	

121

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Screws—*contd.*	Wood, iron, countersunk head—*concld.*					
1789	4-1-89		3″ No. 18	0	2	2¼	Gross.	
2009	18-2-89		3″ „ 14	0	1	4½	„	
			3″ „ 16	0	1	7½	„	
			3″ „ 18	0	2	11½	„	
2829	10-10-89		3″ „ 14	0	1	9	„	
			3″ „ 16	0	2	2	„	
			3½″ „ 16	0	2	8	„	
2009	18-2-89		4″ „ 16	0	2	6	„	
			4″ „ 18	0	3	½	„	
			4″ „ 20	0	2	7	„	
2829	10-10-89		5″ „ 24	0	7	6	„	
			5″ „ 25	0	7	10	„	
			Wood, iron, countersunk head, best gimlet points—					
2129	14-3-89		¾″ No. 5	0	0	3½	„	
„	„		¾″ „ 7	0	0	4½	„	

122

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Screws—*contd.*	Wood, iron, countersunk head, best gimlet points—*concld.*					
1872	26-1-89		⅝″ No. 8	0	1	1½	Gross.	
„	„		⅝″ „ 9	0	1	2½	„	
2120	14-3-89		½″ „ 4	0	0	2½	„	
„	„		½″ „ 6	0	0	3	„	
			1″ „ 8	0	1	3	„	
			1″ „ 9	0	1	3½	„	
			1½″ „ 12	0	2	1	„	
			1½″ „ 13	0	2	4	„	
			1½″ „ 10	0	1	9	„	
			1½″ „ 11	0	1	11	„	
1872	26-1-89		1½″ „ 16	0	3	7½	„	
			1½″ „ 17	0	4	0	„	
			1¾″ „ 14	0	3	0	„	
			1¾″ „ 15	0	3	4	„	
			2¼″ „ 16	0	4	5	„	
			2¼″ „ 17	0	4	9	„	

123

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Wood, iron, flat head, countersunk—					
2225 3-5-89	Screws—*contd.*	½″ No. 6	0	0	3½	Gross.	
		½″ „ 6	0	0	3½	„	
2509 29-6-89		½″ „ 8	0	0	4½	„	
		½″ „ 10	0	0	5	„	
		½″ „ 6	0	0	3½	„	
2896 26-10-89		½″ „ 8	0	0	4½	„	
		½″ „ 10	0	0	5½	„	
		½″ „ 4	0	0	3	„	
2348 30-5-89		½″ „ 5	0	0	3¼	„	
		½″ „ 6	0	0	3½	„	
2896 26-10-89		½″ „ 6	0	0	4½	„	
2225 3-5-89		⅝″ „ 8	0	0	4½	„	
		⅝″ „ 6	0	0	4½	„	
2348 30-5-89		⅝″ „ 8	0	0	5	„	
		⅝″ „ 10	0	0	5½	„	

124

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Wood, iron, flat head, countersunk—contd.					
2348 30-5-89	Screws—*contd.*	¾″ No. 12	0	0	6¼	Gross.	
„ „		¾″ „ 14	0	0	8	„	
		¾″ „ 8	0	0	4	„	
2509 29-6-89		¾″ „ 10	0	0	5½	„	
		¾″ „ 12	0	0	6¼	„	
		⅞″ „ 8	0	0	5¼	„	
2896 26-10-89		¾″ „ 10	0	0	6	„	
		¾″ „ 12	0	0	6¾	„	
2225 3-5-89		1″ „ 10	0	0	5½	„	
		1″ „ 8	0	0	5½	„	
		1″ „ 9	0	0	5½	„	
		1″ „ 10	0	0	6	„	
2348 30-5-89		1″ „ 11	0	0	6½	„	
		1″ „ 12	0	0	7	„	
		1″ „ 14	0	0	8¼	„	

125

3111/67

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Wood, iron, flat head, countersunk—*contd.*					
2509	29-6-89	Screws—*contd.*	1″ No. 10	0	0	6	Gross.	
,,	,,		1″ ,, 12	0	0	7	,,	
2348	30-5-89		1¼″ ,, 10	0	0	6½	,,	
			1¼″ ,, 11	0	0	7½	,,	
			1¼″ ,, 12	0	0	8½	,,	
			1¼″ ,, 14	0	0	10	,,	
2509	29-6-89		1¼″ ,, 12	0	0	8½	,,	
,,	,,		1¼″ ,, 14	0	0	10	,,	
3025	22-11-89		1½″ ,, 10	0	0	8	,,	
,,	,,		1½″ ,, 12	0	0	10	,,	
2225	3-5-89		1½″ ,, 13	0	0	8½	,,	
2348	30-5-89		1½″ ,, 10	0	0	7½	,,	
			1½″ ,, 11	0	0	8½	,,	
			1½″ ,, 12	0	0	9	,,	
			1½″ ,, 13	0	0	10½	,,	

126

CLASS OF STORES G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Wood, iron, flat head, countersunk—*contd.*					
2348	30-5-89	Screws—*contd.*	1½″ No. 14	0	0	11½	Gross.	
,,	,,		1½″ ,, 16	0	1	2½	,,	
2509	29-6-89		1½″ ,, 12	0	0	9	,,	
			1½″ ,, 14	0	0	11½	,,	
			1½″ ,, 16	0	1	3	,,	
3025	22-11-89		1¾″ ,, 12	0	0	10½	,,	
,,	,,		1¾″ ,, 14	0	1	1¾	,,	
2348	30-5-89		1¾″ ,, 12	0	0	10½	,,	
			1¾″ ,, 13	0	0	11½	,,	
			1¾″ ,, 14	0	1	1	,,	
2348	30-5-89		2″ ,, 10	0	0	9½	,,	
			2″ ,, 14	0	1	2½		
			2″ ,, 16	0	1	5½	,,	
			2″ ,, 18	0	1	8¾	,,	
2509	29-6-89		2″ ,, 12	0	1	0	,,	

127

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Wood, iron, flat head, countersunk—*contd.*					
2509	29-6-89	Screws—*contd.*	2″ No. 14	0	1	2¼	Gross.	
,,	,,		2″ ,, 16	0	1	5¼	,,	
3134	12-12-89		2″ ,, 12	0	1	1	,,	
2348	30-5-89		2½″ ,, 14	0	1	5½	,,	
			2½″ ,, 16	0	1	8¾	,,	
			2½″ ,, 18	0	2	0	,,	
			2½″ ,, 20	0	2	3½	,,	
2509	29-6-89		2½″ ,, 12	0	1	2½	,,	
,,	,,		2½″ ,, 16	0	1	8½	,,	
3134	12-12-89		2½″ ,, 14	0	1	7	,,	
2348	30-5-89		3″ ,, 14	0	1	8¼	,,	
			3″ ,, 18	0	2	7½	,,	
			3″ ,, 20	0	3	1½	,,	
2509	29-6-89		3″ ,, 16	0	2	1	,,	
3025	22-11-89		3″ ,, 16	0	2	5	,,	

128

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Wood, iron, flat head, countersunk—*concld.*					
3025	22-11-89	Screws—*contd.*	3″ No. 18	0	3	1	Gross.	
3134	12-12-89		3″ ,, 16	0	2	4	,,	
2348	30-5-89		3½″ ,, 18	0	3	3¼	,,	
			3½″ ,, 20	0	3	10½	,,	
			3½″ ,, 24	0	4	11½	,,	
2348	30-5-89		4″ ,, 20	0	4	2	,,	
,,	,,		4″ ,, 24	0	5	2½	,,	
2348	30-5-89		5″ ,, 24	0	7	3	,,	
			Wood, iron, round head—					
1789	4-1-89		1½″ No. 16	0	1	1½	,,	
,,	,,		1½″ ,, 18	0	1	4	,,	
2509	29-6-89		1¼″ ,, 14	0	0	11½	,,	
,,	,,		¾″ ,, 14	0	0	10	,,	
2009	18-2-89		¼″ ,, 12	0	0	7½	,,	

129

3111/69

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Fees on Board. Amount. £	s.	d.	Unit.	Remarks.
			Copper—					
2848	17-10-89		$\frac{3}{16}$"	0	0	8	Lb.	
„	„		$\frac{1}{4}$"	0	0	8	„	
2307	23-5-89		$\frac{1}{4}$" for leather belting	0	0	7½	„	
2009	18-2-89		Iron, galvanized, round, $\frac{5}{16}$" hole for roofing	0	0	4½	„	
		Washers—*contd.*	Iron—					
			Galvanized for $\frac{1}{4}$" rivets } Thickness 13 S. W. G.	1	2	6	Cwt.	
			„ $\frac{3}{4}$" „ }					
2744	13-9-89		Black, $\frac{7}{16}$" hole } 11 S. W. G.	0	14	6	„	
			„ $\frac{9}{16}$" „ }					
			„ $\frac{11}{16}$" „ } 9 S. W. G.	0	14	6	„	
			„ $\frac{13}{16}$" „ }					
3135	12-12-89		Iron, galvanized, for 1¼" and 2½" screws	1	8	0	„	

CLASS G.

TOOLS AND STORES.

b.—Stores.

2.—Lamps and Lamp fittings.

FOR 1889.

211/71

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(2) LAMPS AND LAMP FITTINGS.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2247	13-5-89	Lamps.	Hand, signal, tricolour, (Defries)	0	8	3	Each.	
2295	20-5-89		Hand, signal, tricolour, (Defries) the oil containers fitted with Scraftons wick holders.	0	8	3	"	Delivered at the India Store Depôt.
			Spare oil containers for above	0	0	6	"	
2538	4-7-89		Hand, signal, tricolour, horizontal movement, (Defries)	0	6	9	"	
2934	1-11-89		Hand, signal, tricolour, horizontal movement, (Players)	0	5	2	"	
2293	20-5-89		Hand, ticket-collectors, (Knight & Co.)	0	3	8	"	
2900	29-10-89		Hand, ticket-collectors, with Scraftons, burner, (Knight & Co.) ...	0	3	8	"	
2566	8-7-89							
2373	3-6-89		Hurricane, hand, with globe complete, (Hinks)	0	3	1	"	
2125	15-3-89		For level crossing gates, with cast-iron sockets	0	18	0	"	
3116	11-12-89		Office, hall, complete, Hinks' duplex, 1" wick	0	6	0	"	No. 2 lever.
2629	23-7-89		Office, hanging, with globe, chimney, &c., Hinks' patent duplex, for waiting-room.	1	5	4	"	With shades.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(2) LAMPS AND LAMP FITTINGS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3049	27-11-89	Lamps—*contd.*	Office, hanging, with globe, chimney, &c., Hinks' patent duplex ...	1	5	0	Each.	
2300	22-5-89		Petroleum light, equal to 26 candles, wind proof; with rods at corners to strengthen.	1	5	0	"	These lamps were obtained for experimental purposes.
1792	4-1-89		Pneumatic, platform, (Defries)— Size No. 20	3	1	0	"	
			" 1	3	10	0	"	
			" 2	4	15	9	"	
2490	27-6-89		Roof, for brake-vans—Scraftons patent, complete with glasses—and including supply for "relays"	1	12	6	"	
2387	18-5-89		Roof, carriage, complete with glasses, including supply for "relays," (Defries)	1	15	0	"	
2421	14-6-89		Roof, for composite carriages, complete with glasses, including supply for "relays"	1	16	0	"	
2493	27-6-89		Semaphore, signal, distant, (Bullpit)	1	1	0	"	
2934	1-11-89		" " (Player)	0	12	0	"	
3100	6-12-89		Wall, to pattern No. 430 with the same metal container and filling screw, but fitted with Hinks' patent duplex burner for mineral oil	0	17	0	"	
			Ditto ditto for India Store Depôt, as per pattern	0	17	0	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(2) LAMPS AND LAMP FITTINGS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1850	22-1-89	Lamp-Rag.	Green merino, stout, about 36 inches wide, for—	0	1	6½	Yard.	
2493	27-6-89	Lamp Burners.	Distant Semaphore signal lamps, (Bullpit)	0	5	0	Each.	
2934	1-11-89		Spare, for " " (Player), fitted with ¾" cast brass feed hole	0	2	6	"	
2538	4-7-89		Spare, for hand signal lamps	0	2	0	"	
2373	3-6-89		For Hurricane lamp, Hinks' patent	0	6	0	Doz.	
3116	11-12-89		Brass, complete, for Hinks' Hurricane lamp	0	6	0	"	
2077	1-3-89		Duplex, with oil holders complete, for station pillar lamps, (Knight & Co.)...	0	4	3	Each.	
2128	16-3-89		" " " " " " ...	0	4	8	"	
2237	7-5-89							
2629	23-7-89		Duplex, Hinks' patent, with oil holders and wicks complete, for station pillar lamps.	0	5	0	"	
3049	27-11-89							

47/112

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(2) LAMPS AND LAMP FITTINGS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2934	1-11-89	Lamp Burners—*contd.*	Spare, for station Semaphore lamps, fitted with ⅛″ cast brass feed hole ...	0	2	6	Each.	
2369	1-6-89		With collars but without containers, Hinks' patent, kerosine	0	2	6	,,	
2566	8-7-89		Scraftons' patent, spare, for ticket-collectors	0	1	3	,,	
2528	2-7-89	Lamp Burner screws and Collars.	1″ for Hand Signal lamp	0	1	3	Doz.	
2819	7-10-89		1¼″ for Buffer lamps, with wick holders	0	2	2	,,	
2629	23-7-89	Lamp Chimneys.	For Hinks' patent duplex	0	4	0	Doz.	
3049	27-11-89		For Hinks' duplex wall lamp	0	4	0	,,	
3116	11-12-89		For Hinks' duplex office hall lamp, complete, with 1″ wick	0	4	0	,,	
1792	4-1-89		For Pneumatic platform lamps— Size No. 20	0	6	9	,,	
			,, 1	0	7	9	,,	
			,, 2	0	11	0	,,	
2300	22-5-89		For Lamps, petroleum light	0	6	0	,,	
2077	1-3-89		For Lamps, Station Pillar, (Knights)	0	0	5	,,	
2237	7-5-89		For ,, ,, (Hinks)	0	4	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(2) LAMPS AND LAMP FITTINGS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3123	11-12-89	Lamp Chimneys—*contd.*	For station wall lamps, Silbers	0	0	9	Each.	
3116	11-12-89	Lamp Domes.	For Hurricane lamps, Hinks' patent, length 6½″ and diameter at bottom 3¼″	0	3	0	Doz.	
2138	19-3-89		For carriage roof lamps, metre gauge, 7 1/16″ inside diameter and 3 1/16″ outside diameter	0	2	3	,,	
3151	31-12-89	Lamp Glasses.	For carriage roof lamp, outside rim 7⅞″, inside of rim 6¾″, thickness of body ¼″, depth of bowl 6″ inside	0	2	3	Each.	
3151	31-12-89		For carriage roof lamp, 8″ in diameter, weight 4 lb. 15 oz. each ...	0	2	3	,,	
2287	18-5-89		For carriage roof lamps	0	2	6	,,	
2387	28-5-89		,, ,, 7½″ diameter at top and 5¼″ deep	0	2	6	,,	
2490	27-6-89		For brake-van roof lamps	0	17	4	,,	
2520	1-7-89		For hand signal lamp— 3″ green circle	0	0	1½	,,	
			3″ ruby ,, ...	0	0	1½	,,	
2527	2-7-89		For hand signal lamps— green	0	2	3	Doz.	
			ruby	0	1	9	,,	

42/1112

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(2) LAMPS AND LAMP FITTINGS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2622	18-7-89	Lamp Glasses—*contd*.	For hand signal lamps, round white 5″ diameter, ¾″ thick, bevelled edge ...	0	0	3½	Each.	
2529	2-7-89		Ruby, solid, Bulls' eye, 5′ 2″ diameter	0	2	6	,,	
			White ,, ,, 5″ ,, ...	0	0	10	,,	
			,, ,, ,, 5½ ,, ...	0	1	2	,,	
2622	18-7-89		Slide green 6½″ × 6″ × ¼″	0	0	6½	,,	
			,, 6″ × 6″ × ¼″	0	0	6	,,	
			red 6½″ × 6″ × ¼″	0	0	3½	,,	
			6″ × 6 × ¼″	0	0	3½	,,	
			White 14″ × 12″ × ¼″	0	0	3½	,,	
			12″ × 10″ × ¼″	0	0	2½	,,	
			5½″ × 4″ × ¼″	0	1	8	Doz.	
3055	28-11-89		White, 5″ diameter × $\frac{5}{16}$″ thick, for hand signal lamps	0	4	3	,,	
2901	29-10-89	Lamp Glass Bowls.	For patent Victoria roof lamps	0	2	6	Each.	
3421	14-6-89		Spare for roof lamps for composite carriages	0	2	6	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(2) LAMPS AND LAMP FITTINGS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2622	18-7-89	Lenses.	For brake-van tail lamps, ruby, hollow, 9″ diameter	1	0	0	Doz.	
3055	28-11-89		For brake-van tail lamp, red, hollow, 9″	0	2	4½	Each.	
3055	28-11-89		For brake van tail lamp, red, hollow, 8″	0	1	11	,,	
2490	27-6-89	Porcelain Tiles.	Plain, for roof lamp reflectors	0	4	8	Each.	
			Plain, with monogram, for roof lamp reflectors	0	5	0	,,	
2490	27-6-89		For brake-van roof lamp, plain	1	10	0	,,	
			,, ,, ,, with monogram	1	11	0	,,	
2490	27-6-89	Reflectors' Lamp	For 3rd class carriges, plain, standard size	1	10	0	Each.	
			With monogram for 1st class carriages	1	11	0	,,	
2387	18-5-89		Enamelled wrought iron	0	12	9	,,	
2295	20-5-89		For lamps, hand, signal, tricolour	0	0	6	,,	At the India Store Depôt.
2528	2-7-89		6″ diameter without slide at back	0	1	3	,,	
2819	7-10-89	Screws and Collars	Brass, for lamp $\frac{3}{32}$″	0	1	0	Doz.	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(2) LAMPS AND LAMP FITTINGS—*concld*.

Contracted for in 1889.

Contract number and date.	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
	Wicks, Lamp.						
2300 22-5-89		For lamps, petroleum	0	0	3	Yard.	
1963 12-2-89		For patent Victoria lamps 8"	0	0	1	"	
2301 29-10-89		"					
2269 29-4-89		For pneumatic platform lamps—					
1792 4-1-89		Size No. 20	0	1	1½	Doz.	
		" 1	0	1	4½	"	
		" 2	0	1	10	"	
	Wick Holders.						
2294 30-6-89		Screftons, complete, with brass mounts ...	0	1	2	Each.	
2294 20-6-89		Screftons, moveable portion only, without brass mounts ...	0	1	4	"	

3111
76

CLASS G.

TOOLS AND STORES.

b.—Stores.

3.—Leather and India-rubber Goods.

FOR 1889.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(3) LEATHER AND INDIA-RUBBER GOODS.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2359	30-5-89	Bands.	Catgut, ½″ diameter, unbleached, in one length	0	0	11	Foot.	
2861	17-10-89		Catgut, 14′ 6″ × ½″, unbleached	0	0	3	„	
2861	17-10-89		Hooks and eyes for ——, ½″	0	0	4	Pair.	
		Belting.	Cotton, Gandy's patent—					
1882 / 2084	26-1-89 / 1-3-89		2″, 4 ply	0	0	6	Foot.	
1882 / 2084	26-1-89 / 1-3-89		2½″, 4 „	0	0	7½	„	
2084 / 2570 / 2882	1-3-89 / 8-7-89 / 25-10-89		3″, 4 „	0	0	9	„	
1882	26-1-89		3″, 6 „	0	1	0	„	
2882	25-10-89		3½″, 4 „	0	0	10½	„	
2084	1-3-89		4″, 4 „	0	1	0	„	

C6/1115

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(3) LEATHER AND INDIA-RUBBER GOODS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Belting—*contd.*	Cotton, Gandy's patent—					
1832	26-1-89		4″, 6 ply	0	1	4	Foot.	
2084	1-3-89							
2570	8-7-89		6″, 6 „	0	2	0	„	
2882	25-10-89							
1882	26-1-89		6″, 8 „	0	2	6	„	
2106	9-3-89		Laces for ——. Preller leather—					
			6′ × ¼″	0	2	3	Lb.	
			4½′ × ¼″	0	2	3	„	
			3¼′ × 7/16″	0	2	3	„	
2267	18-5-89		Leather, double, 2″, sewn	0	3	0	Foot.	
2100	7-3-89		„ „	0	4	0	„	
2100	7-3-89		Leather, double, single, 3″, sewn	0	7	0	„	
2267	18-5-89							
2100	7-3-89		Leather, double, 4″, sewn	0	1	8	„	
2267	18-5-89		„ „	0	1	10	„	

3111/78

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(3) LEATHER AND INDIA-RUBBER GOODS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2131	18-3-89	Buckets.	Pump, guttapercha, 12″	0	15	6	Each.	
			„ „ 12½″	0	16	0	„	
			„ „ 13″	0	17	6	„	
			„ „ 14″	0	18	9	„	
2565	8-7-89	Hides.	Cow, middling, best, English, tanned and curried, to average 20 lbs. ...	0	2	6	Lb.	
2940	2-11-89							
2465	21-6-89		Cow, of maroon colour, Morocco grained, weight 3 ounces per square foot...	2	5	0	Each.	
2417	14-6-90		Cow, dark green, Morocco grained	0	0	11	Sq. ft.	
2347	30-5-89		English, tanned, pump, to average 37 lbs. per butt, ¼″	0	1	11	Lb.	
1959	12-2-89		Horse, white, to average 18 lbs. per hide	1	4	0	Each.	
2565	8-7-89							
2565	8-7-89		Tanned, butt ⅛″, to average 22 lbs.	0	1	10	Lb.	
2940	2-11-89		Tanned, butt 3/16″, to average 24 lbs.	0	1	7½	„	
2121	14-3-89		Tanned, butt English, to average 33 lbs. per butt	0	1	10	„	
2565	8-7-89		Tanned, butt ¼″, to average 37 lbs.	0	2	0	„	
2940	2-11-89							

3111/78

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(3) LEATHER AND INDIA-RUBBER GOODS.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Hose.	India-rubber, delivery—					
2446	18-6-89		2 ply, $\frac{1}{2}$″ inside diameter	0	0	6	Foot.	
			2 „ 1″ „ „	0	0	9½	„	
			3 „ 1¼″ „ „ in 50 feet lengths	0	1	1	„	
			India-rubber, delivery, vulcanized, without unions—					
1976	15-2-89		1½″ inside diameter, in 6 lengths of 30 feet, and 1 length of 20 feet ...	0	1	5	„	
			2″ inside diameter, in lengths of 50 feet	0	1	9	„	
			2¼″ „ „ 40 „	0	1	11½	„	
			2½″ „ „ 50 „	0	2	2	„	
1830	15-1-89		2½″ „ 4 ply, in lengths of 30 feet	0	2	2	„	
„	„		3″ „ „ of 50 feet canvas covered ...	0	2	11	„	
2446	18-6-89		India-rubber, suction, 3″ inside diameter, in 50 feet lengths	0	3	3	„	
1813	11-1-89		„ „ 2″ internal diameter, without couplings	0	3	5	„	
1813	11-1-89		„ „ 2½″ „ „ „	0	4	3	„	
2621	18-7-89		„ 4″ ply, embedded, 3″ inside diameter, in 50 feet lengths, without couplings	0	4	3	„	

144

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(3) LEATHER AND INDIA-RUBBER GOODS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2771	19-9-89	Hose—*contd.*	Leather, delivery, copper rivetted, to take couplings, 2½″ waterway, 50 feet each, without couplings	0	1	8	Foot.	
2119	14-3-89		Leather, delivery, copper rivetted, 2½″ waterway, in 50 feet lengths, with gun metal couplings	4	0	0	Each.	
2446	18-6-89		Tanned, canvas and rubber combined, 2¼″ inside diameter, in 100 feet lengths	0	1	2	Foot.	
3015	21-11-89		Tanned, canvas and rubber combined, 2½″ internal diameter, in 100 feet lengths, without couplings	0	1	4	„	
2340	28-5-89	Packing.	India-rubber, round, patent, with square India-rubber core:— 1¼″ ... ... 1½″ ... ... ¼″ ... ... ½″ ... ... ¾″	0	1	2	Lb.	
2976	5-11-89	Pipe, India-rubber	For Westing-house brake, 2½″ × 1″ inside diameter	0	5	9	Each.	

145

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(3) LEATHER AND INDIA-RUBBER GOODS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2238	9-5-89	Rings, gauge glass, India-rubber.	⅛″ internal diameter	0	4	0	Gross.	
1937	7-2-89	Sheets—India-rubber.		0	3	2½	Lb.	
2383	3-6-89			0	3	4	,,	
2597	12-7-89		1/16″	0	3	6	,,	
2972	5-11-89			0	3	4	,,	
1937	7-2-89			0	3	2½	,,	
2238	9-5-89			0	3	3	,,	
2383	3-6-89		⅛″	0	3	4	,,	
2597	12-7-89			0	3	6	,,	
2972	5-11-89			0	3	4	,,	
1937	7-2-89		3/16″	0	3	2½	,,	
1937	7-2-89			0	3	2½	,,	
2238	9-5-89			0	3	3	,,	
2383	3-6-89		¼″	0	3	4	,,	
2597	12-7-89			0	3	6	,,	
2972	5-11-89			0	3	4	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(3) LEATHER AND INDIA-RUBBER GOODS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2383	3-6-89	Sheets—India-rubber—*contd.*	5/16″	0	3	4	Lb.	
2597	12-7-89			0	3	6	,,	
2383	3-6-89			0	3	4	,,	
2238	9-5-89		⅜″	0	3	3	,,	
2972	5-11-89			0	3	4	,,	
3124	11-12-89			0	3	1	,,	
2383	3-6-89		7/16″	0	3	4	,,	
2383	3-6-89			0	3	4	,,	
2972	5-11-89		½″	0	3	4	,,	
3124	11-12-89			0	3	4	,,	
2597	12-7-89			0	3	1	,,	
3124	11-12-89		1″	0	3	6	,,	
2777	19-9-89			0	3	1	,,	
1976	15-2-89		3 feet wide, ¼″ thick	0	3	5	,,	
			Vulcanized, red—					
			½″					
			¾″	0	3	4	,,	
			¾″					

28/1112

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(3) LEATHER AND INDIA-RUBBER GOODS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1880	15-1-89	Sheets—India-rubber—*contd.*	Vulcanized, red, $\frac{1}{8}$", in sheets 6' × 3', of the very best quality, suitable for valves for marine engines.	0	3	9	Lb.	
1932	7-2-89	Skins.	Buffaloe, American—					
			Crimson					
			Brunswick green	2	18	0	Each.	
2460	20-6-89		Brown (leather color)					
2498	27-6-89		Buffaloe, American—					
			Brunswick green					
2707	5-9-89		Crimson, for trimmings					
			Brown	0	0	11½	Foot.	
			Maroon, for cushions, to average 56 square feet each					
2995	14-11-89		Buffaloe, French finish, Morocco grained, enamelled green, to average 56 square feet per hide.	0	1	0	sq. ft.	
2336	12-10-89		Morocco grained, maroon colour, *full size, to average 56 square feet* ...	0	0	11	„	

148

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(3) LEATHER AND INDIA-RUBBER GOODS—*concld.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount £	s.	d.	Unit.	Remarks.
2507	28-6-89	Skins—*concld.*						
2856	17-10-89		Wash or Chamois, to average 5 ozs. per skin	0	1	4	Each.	
2913	29-10-89							
1913	4-2-89							
1973	13-2-89							
2154	21-3-89							
2232	3-5-89		„ „ „ „	0	1	5	„	
2356	30-5-82							
1937	7-2-89	Tubing ...	India-rubber, $\frac{1}{8}$" internal diameter, $\frac{1}{8}$" thick, in lengths of 50 feet ...	0	0	7	Foot.	
2076	3-6-89	Valves ...	India-rubber, Perrauxs' patent, No. 3 Pulsometer	0	15	0	Each.	
			„ „ No. 5 „	1	10	0	„	
2972	5-11-89	Washers, India-rubber.	For steam pump valves, 6" diameter, 1½" hole in centre, ¼" thick ...	0	1	9	Each.	

149

12/7/11

311/82

CLASS G.

TOOLS AND STORES.

b.—Stores.

4.—Metals.

FOR 1889.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS.

Contracted for in 1859.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bolt, or yellow metal—					
2023	22-2-89		$\frac{5}{16}$", $\frac{3}{8}$", in lengths of 10 feet	0	0	9¾	Lb.	
2399	8-6-89		$\frac{1}{2}$", $\frac{5}{8}$", $\frac{3}{4}$", 1", 1¼", 1½", 1¾", 1¼", 2", in lengths of 12 feet ...	0	0	5½	"	
"	"		3", in lengths of 4 feet	0	0	5½	"	
2440	25-2-89		$\frac{1}{2}$" " 12 "	0	0	8½	"	
2595	12-7-89		$\frac{5}{8}$", $\frac{3}{4}$" " 10 "	0	0	7½	"	
2954	2-11-89		$\frac{1}{2}$", $\frac{5}{8}$", $\frac{3}{4}$", 1", 1¼", 1½", 2"	0	0	6½	"	
3078	2-12-89							
3118	11-12-89	Brass.	Gauze, wire, 2 feet wide, No. 32 S. W. G., 30 mesh to the inch ...	0	0	8	Lft.	
2270	17-5-89		Sheet, 2' × 2' × $\frac{1}{4}$"	0	0	6½	Lb.	
2399	8-6-89		" 4' × 2' × $\frac{1}{32}$"	0	0	6½	"	
"	"		" 4' × 2' × $\frac{1}{16}$"	0	0	6½	"	
2595	2-7-89		" 4' × 2' × $\frac{3}{16}$"	0	0	7½	"	
2399	8-6-89		" 4' × 2' × $\frac{1}{8}$"	0	0	6½	"	
2023	22-2-89		" 4' × 4' × $\frac{1}{16}$"	0	0	9½	"	
"	"		" 4' × 4' × $\frac{1}{8}$"	0	0	9½	"	

3111
83

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2954	2-11-89	Copper—*contd.*	Bolt or rod, $\frac{3}{4}$", in lengths of 10 feet	3	10	0	Cwt.	
3078	2-12-89		„ $\frac{3}{4}$" „ 10 „	3	12	0	„	
2595	12-7-89		„ $\frac{7}{8}$" „ 10 „	2	19	0	„	
2395	8-6-89		„ $\frac{7}{8}$" „ 12 „	2	17	0	„	
1977	15-2-89		„ 1" „ 10 „	4	6	0	„	
„	„		„ 1" „ 12 „	4	2	0	„	
2065	26-2-89		„ $1\frac{1}{8}$" „ 10 „	3	15	3	„	
„	„		„ $1\frac{1}{4}$" „ 10 „	3	15	3	„	
2595	12-7-89		„ $1\frac{1}{4}$" „ 10 „	2	15	0	„	
2065	26-2-89		„ $1\frac{3}{8}$" „ 10 „	3	15	3	„	
„	„		„ $1\frac{3}{8}$" „ 10 „	3	15	3	„	
2395	8-6-89		„ 1" „ 12 „	2	12	0	„	
2065	26-2-89		„ 1" „ 10 „	3	15	3	„	
2395	8-6-89		„ $1\frac{1}{4}$" „ 12 „	2	12	0	„	
2065	26-2-89		„ $1\frac{1}{4}$" „ 10 „	3	15	3	„	
2395	8-6-89		„ $1\frac{1}{4}$" „ 12 „	2	12	0	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1791	4-1-89	Copper—*contd.*	Bolt or rod, $1\frac{1}{4}$", in lengths of 10 feet	4	1	9	Cwt.	
3078	2-12-89		„ $1\frac{1}{4}$" „ 10 „	3	2	0	„	
2395	8-6-89		„ $1\frac{3}{8}$" „ 12 „	2	12	0	„	
1791	4-1-89		„ $1\frac{3}{8}$" „ 10 „	4	1	9	„	
2395	8-6-89		„ $1\frac{1}{2}$" „ 12 „	2	12	0	„	
3078	2-12-89		„ 2" „ 10 „	3	2	0	„	
1974	14-2-89		Ingots of about 14 lbs. each	3	18	0	„	
2233	3-5-89			2	4	$4\frac{1}{2}$	„	
2382	3-6-89			2	5	$10\frac{1}{2}$	„	
2546	4-7-89			2	6	9	„	
2850	17-10-89			2	8	0	„	
2981	8-11-89			2	9	0	„	
3027	22-11-89			2	11	8	„	
2065	26-2-89		Plate, 8′ × 4′ × $\frac{3}{16}$"	77	15	0	Ton.	
			„ 6′ × 5′ 3" × $\frac{1}{2}$"	80	5	0	„	
			„ 6′ × 4′ × $\frac{3}{16}$"	77	5	0	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2065	26-2-89	Copper—*contd*.	Plate, 5′ 3″ × 4′ 6″ × ½″	77	15	0	Ton.	
			„ 5′ 6″ × 4′ × ½″					
			„ 4′ 6″ × 4′ 6″ × ½″					
			„ 4′ 6″ × 4′ 0″ × ½″					
1907	2-2-89		Sheet, 7′ × 4′ × ¼″	4	4	0	Cwt.	
2395	8-6-89		„ 4′ × 3′ × $\frac{1}{32}$″	2	12	0	„	
„	„		„ 4′ × 3′ × $\frac{1}{16}$″					
1977	15-2-89		„ 4′ × 2′ × $\frac{1}{16}$″	4	2	0	„	
2395	8-6-89		„ 4′ × 2′ × ⅛″	2	12	0	„	
„	„		„ 4′ × 2′ × No. 26 S. W. G.	62	0	0	Ton.	
2953	2-11-89		„ 4′ × 2′ × „ 12 „	56	0	0	„	
			Sheet—					
2065	26-2-89		6′ × 3′ × 21 B. W. G.	79	0	0	„	
2775	19-9-89		4′ × 2′ × 21 „	56	0	0	„	
„	„		4′ × 2′ × 16 „	56	0	0	„	
2065	26-2-89		4′ × 4′ × 16 „	75	5	0	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Tubing, solid drawn—					
2098	7-3-89	Copper—*contd*.	⅜″, No. 14 S. W. G. } in lengths of 16 feet	0	1	0¾	Lb.	
			⅜″ „ 16 „ }	0	1	1¼	„	
			½″ „ 14 „ }	0	1	0½	„	
			½″ „ 14 „ } „ 14 „	0	1	0	„	
			½″ „ 12 „ }	0	0	11¾	„	
2558	5-7-89		$\frac{13}{16}$″ „ 12 „ } „ 11 „	0	0	8¼	„	
„	„		$\frac{13}{16}$″ „ 9 „ }	0	0	8¼	„	
3058	28-11-89		1″ „ 12 „	0	0	9¼	„	
2098	7-3-89		1″ „ 14 „ }	0	0	11½	„	
			1¼″ „ 10 „ } in lengths of 14 feet	0	0	10¾	„	
			1¼″ „ 14 „ }	0	0	11	„	
2558	5-7-89		1½″ „ 9 „ „ 11 „	0	0	7½	„	
2982	8-11-89		1$\frac{5}{16}$″ „ 8 „ „ 10 „		0	8	„	
3058	28-11-89		1⅝″ „ 12 „	0	0	8¼	„	
2098	7-3-89		1½″ „ 12 „ in lengths of 14 feet	0	0	10¾	„	

3111

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Copper—*contd.*	Tubing, solid drawn—*contd.*					
2098	7-3-89		1¼″, No. 12 S. W. G. } 2″ „ 10 „ } in lengths of 14 feet	0	0	10½	Lb.	
			2¼″ „ 10 „					
			3½″ „ 9 „ in lengths of 14 feet	0	0	10½	„	
			4½″ „ 6 „ „ 6 „	0	0	11½	„	
			¼″ „ 14 „ „ 14 „	0	1	0½	„	
2866	18-10-89		⅛″ bore, No. 16 B. W. G.	0	0	10	„	
„	„		⅛″ „ 12 „	0	0	9	„	
2416	14-6-89		⅛″ „ 14 „	0	0	9½	„	
			⅛″ „ 13 „	0	0	9	„	
			1¼″ „ 11 „ }					
			1½″ „ 11 „ }					
2866	11-10-89		1¾″ „ 11 „ } in lengths of 10 feet	0	0	8	„	
			1⅞″ „ 11 „ }					
			2″ „ 11 „ }					
			2½″ „ 11 „ }					

157

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Tubing, solid drawn—*concld.*					
			½″ inside × ⅝″ outside diameter }	0	0	11½	Lb.	
			½″ „ × ¾″ „ „	0	0	10½	„	
			½″ „ × 1″ „ „	0	0	8½	„	
2164	14-6-89		½″ „ × 1⅛″ „ „ in lengths of 12 feet ...	0	0	8½	„	
			1″ „ × 1¼″ „ „	0	0	8	„	
			1¼″ „ × 1⅜″ „ „					
			1½″ „ × 1⅝″ „ „	0	0	7½	„	
			1⅝″ „ × 2¼″ „ „ }					
1924	5-2-89		⅛″ internal diameter × ·100, in lengths of 10 feet	0	1	0½	„	
2954	2-11-89		Wire, round, hard drawn, No. 3 B. W. G.	0	0	7	Lb.	
2560	5-7-89		„ „ „ 15 „	0	0	6½	„	
2954	2-11-89		„ „ „ 19 „	0	0	7	„	
2231	3-5-89		„ „ „ 20 „	0	0	6½	„	
2410	11-6-89		„ „ „ 20 „	0	0	6½	„	
2560	5-7-89		„ „ „ 20 „	0	0	6½	„	
2794	27-9-88		„ „ „ 21 „	0	0	8	„	

158

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2794	27-9-88	Copper—*contd.*	Wire, round, hard drawn, No. 24 B. W. G.	0	0	8½	Lb.	
2440	25-2-89		,, ,, ,, 20 S. W. G.	0	0	10½	,,	
3078	2-12-89		,, ,, ,, 20 ,, ...	0	0	8	,,	
2410	11-6-89		,, ,, ,, } $\frac{1}{16}$", $\frac{3}{8}$", $\frac{5}{16}$", $\frac{5}{16}$", $\frac{1}{4}$", for trimmings ...	0	0	6½	,,	
2031	3-5-89		,, ,, ,, }					
3070	3-12-89	Iron.	Angle, 1" × 1" × ⅛"	10	15	0	Ton.	
2394	8-6-89		}	8	0	0	,,	
2544	4-7-89		,, 1" × 1" × ⅛" ... ... }	8	0	0	,,	
3079	3-12-89		}	9	15	0	,,	
2544	4-7-89		,, 1¼" × 1¼" × $\frac{5}{16}$"	8	10	0	,,	
2394	8-6-89		,, 1¼" × 1¼" × ¼"	8	0	0	,,	
,,	,,		,, 1½" × 1½" × ¼"	8	0	0	,,	
3079	3-12-89		,, 1½" × 1½" × ¼"	9	15	0	,,	
2780	19-9-89		,, 1½" × 1½" × ¼", in lengths of 20 feet	10	5	0	,,	Best, Best, Best.
2394	8-6-89		,,1¾" × 1¾" × ¼"	8	0	0	,,	

159

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2422	14-6-89	Iron—*contd.*	}	18	5	0	Ton.	For Boiler work.
2268	17-3-89		Angle, 2" × 2" × ¼"	8	0	0	,,	
3079	3-12-89		}	9	15	0	,,	
2394	8-6-89		,, 2" × 2" × $\frac{5}{16}$"	8	0	0	,,	
2147	21-3-89		}	18	5	0	,,	Farnley.
2394	8-6-89		,, 2" × 2" × ⅜" ... ... }	8	0	0	,,	
			,, 2" × 2" × ½"	8	0	0	,,	
			,, 2¼" × 2¼" × ¼"	8	0	0	,,	
2544	4-7-89		}	8	0	0	,,	
3079	3-12-89		,, 2½" × 2½" × ¼" ... ... }	8	0	0	,,	
1863	25-1-89		}	9	15	0	,,	
2394	8-6-89		}	7	0	0	,,	
2544	4-7-89		,, 2½" × 2½" × $\frac{5}{16}$", in lengths of 20 feet	8	0	0	,,	
3079	3-12-89		}	8	0	0	,,	
			}	9	15	0	,,	

160

21/11/89

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1889.

Contract number and date.	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
	Iron—*contd*.	Angle, parallel, equal sides—*contd*.					
1938 9-2-89		$1\frac{5}{8}'' \times 1\frac{5}{8}'' \times \frac{5}{16}''$	7	0	0	Ton.	
		$2'' \times 2'' \times \frac{3}{8}''$	7	0	0	,,	
		$2\frac{1}{2}'' \times 2\frac{1}{2}'' \times \frac{1}{4}''$	7	0	0	,,	
		$2\frac{1}{4}'' \times 2\frac{1}{4}'' \times \frac{5}{16}''$	7	0	0	,,	
		$2\frac{1}{4}'' \times 2\frac{1}{4}'' \times \frac{3}{8}''$	7	0	0	,,	
		$2\frac{1}{4}'' \times 2\frac{1}{4}'' \times \frac{1}{2}''$	7	0	0	,,	
2888 26-10-89		$2\frac{1}{2}'' \times 2\frac{1}{2}'' \times \frac{1}{4}''$	9	5	0	,,	
1938 9-2-89		$2\frac{1}{2}'' \times 2\frac{1}{2}'' \times \frac{5}{16}''$	7	0	0	,,	
		$2\frac{1}{2}'' \times 2\frac{1}{2}'' \times \frac{3}{8}''$	7	0	0	,,	
2888 26-10-89		$3'' \times 3'' \times \frac{3}{8}''$	7	0	0	,,	
		$3'' \times 3'' \times \frac{1}{2}''$	9	5	0	,,	
1938 9-2-89		$3'' \times 3'' \times \frac{1}{2}''$	7	0	0	,,	
		$3'' \times 3'' \times \frac{5}{8}''$	7	0	0	,,	
		$3\frac{1}{2}'' \times 3\frac{1}{2}'' \times \frac{3}{8}''$	7	0	0	,,	
		$3\frac{1}{2}'' \times 3\frac{1}{2}'' \times \frac{1}{2}''$	7	0	0	,,	
1969 13-2-89		$3\frac{1}{2}'' \times 3\frac{1}{2}'' \times 3\frac{1}{2}''$, in lengths of 15'	18	15	4	,,	For repairs to boilers.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1889.

Contract number and date.	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2888 26-10-89	Iron—*contd*.	Angle, parallel, equal sides—*concld*.					
		$3\frac{1}{2}'' \times 3\frac{1}{2}'' \times \frac{5}{8}''$	9	5	0	Ton.	
,, ,,		$3\frac{1}{2}'' \times 3\frac{1}{2}'' \times \frac{3}{4}''$	9	5	0	,,	
1969 13-2-89		$4\frac{1}{2}'' \times 4\frac{1}{2}'' \times \frac{1}{2}''$, in lengths of 15'	18	15	4	,,	For repairs to boilers.
		$5'' \times 5'' \times \frac{1}{2}$	7	10	0	,,	
		$5'' \times 5'' \times \frac{5}{8}''$	7	10	0	,,	
		$6'' \times 6'' \times \frac{1}{2}''$	8	0	0	,,	
1938 9-2-89		Angle, parallel, unequal sides—					
		$1\frac{1}{2}'' \times 1'' \times \frac{1}{4}''$	7	0	0	,,	
		$1\frac{1}{2}'' \times 1\frac{1}{2}'' \times \frac{1}{4}''$	7	3	0	,,	
		$6'' \times 3'' \times \frac{5}{8}''$	7	0	0	,,	
		Bar, convex, feather edge—					
		$\frac{1}{2}'' \times \frac{1}{4}''$	9	15	0	,,	
		$\frac{5}{8}'' \times \frac{5}{16}''$	9	5	0	,,	
2394 8-6-89		$\frac{3}{4}'' \times \frac{1}{4}''$	9	15	0	,,	
		$1'' \times \frac{1}{2}''$					
		$1\frac{1}{2}'' \times \frac{1}{2}''$	7	15	0	,,	
		$1\frac{1}{2}'' \times \frac{5}{8}''$					

7117
68

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Iron—*contd.*	Bar, fire—					
2428	14-6-89		3″ × $\frac{5}{8}$″ × $\frac{3}{8}$″, in lengths of 16 feet and upwards	6	12	6	Ton.	
,,	,,		3″ × $\frac{5}{8}$″ × $\frac{1}{2}$″ ,, 16 ,, ,, ...	6	12	6	,,	
1911	4-2-89		3½″ × ″ × $\frac{3}{8}$″	6	15	0	,,	
1978	15-2-89		3½″ × $\frac{1}{4}$″ × $\frac{5}{8}$″	6	10	0	,,	
2080	1-3-89		3½″ × $\frac{1}{2}$″ × $\frac{3}{8}$″	6	15	0	,,	
2202	27-4-89		3½″ × $\frac{1}{2}$″ × $\frac{5}{8}$″	7	0	0	,,	
2588	11-7-89		3½″ × $\frac{1}{2}$″ × $\frac{3}{8}$″, in lengths of 16 feet	7	0	0	,,	
1978	15-2-89		3½″ × $\frac{5}{8}$″ × $\frac{1}{2}$″	6	10	0	,,	
2883	26-10-89		3½″ × $\frac{5}{8}$″ × $\frac{3}{8}$″, in lengths of 16 feet	8	5	0	,,	
3085	5-12-89		3½″ × $\frac{1}{2}$″ × $\frac{3}{8}$″	9	0	0	,,	
1978	15-2-89		4½″ × 1″ × $\frac{1}{2}$″	6	10	0		
,,	,,		5″ × 1″ × $\frac{1}{2}$″	6	10	0	,,	
			Bar, flat—					
2780	19-9-89		$\frac{1}{2}$″ × $\frac{1}{2}$″, Best, Best, Best	11	0	0	,,	
1938	9-2-89		$\frac{1}{16}$″ × $\frac{1}{4}$″, for $\frac{1}{4}$″ nuts	6	15	0	,,	
2394	8-6-89		1″ × $\frac{1}{4}$″	8	15	0	,,	

165

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Iron—*contd.*	Bar, flat—*contd.*					
1863	25-1-89		1″ × $\frac{1}{4}$″	6	15	0	Ton.	B. B. S.
1938	9-2-89		1″ × $\frac{1}{4}$″	6	15	0	,,	
2145	21-3-89		1″ × $\frac{1}{4}$″	7	0	0	,,	
2394	8-6-89		1″ × $\frac{1}{4}$″	7	15	0	,,	
2780	19-9-89		1″ × $\frac{1}{4}$″	10	0	0	,,	Best, Best, Best.
2865	17-10-89		1″ × $\frac{1}{4}$″	8	5	0	,,	
3072	29-11-89		1″ × $\frac{1}{4}$″	9	5	0	,,	
3079	3-12-89		1″ × $\frac{1}{4}$″	9	10	0	,,	
1938	9-2-89		1″ × $\frac{5}{8}$″	6	15	0	,,	
2394	8-6-89		1″ × $\frac{1}{2}$″	7	15	0	,,	
,,	,,		1″ × $\frac{5}{8}$″	7	15	0	,,	
1938	9-2-89		1$\frac{3}{16}$″ × $\frac{5}{8}$″, for $\frac{1}{2}$″ nuts	6	15	0	,,	
2888	26-10-89		1¼″ × $\frac{3}{16}$″	9	10	0	,,	
1938	9-2-89		1¼″ × $\frac{1}{4}$″	6	15	0	,,	
2033	23-2-89		1¼″ × $\frac{1}{4}$″	6	15	0	,,	
2145	21-3-89		1¼″ × $\frac{1}{4}$″	7	0	0	,,	

166

16/
11K

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, flat—*contd.*					
2203	27-4-89	Iron—*contd.*	1¼″ × ⅛″	7	10	0	Ton.	
2394	8-6-89		1¼″ × ⅛″	7	15	0	,,	
2544	4-7-89		1¼″ × ¼″	7	15	0	,,	
3072	29-11-89		1¼″ × ¼″	9	5	0	,,	
3079	29-11-89		1¼″ × ¼″	9	10	0	,,	
1938	9-2-89		1¼″ × ⅜″	6	15	0	,,	
2394	8-6-89		1¼″ × ⅜″	7	15	0	,,	
1938	9-2-89		1¼″ × ½″	6	15	0	,,	
,,	,,		1 7/16″ × 7/16″, for ½″ nuts...	6	15	0	,,	
1863	25-1-89		1½″ × ⅛″	6	15	0	,,	
1938	9-2-89		1½″ × ⅛″	6	15	0	,,	
2203	27-4-89		1½″ × ¼″	7	10	0	,,	
2394	8-6-89		1½″ × ¼″	7	15	0	,,	
2544	4-7-89		1½″ × ¼″	7	15	0	,,	
2888	26-10-89		1½″ × ¼″	9	0	0	,,	
3079	3-12-89		1½″ × ¼″	9	10	0	,,	

167

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, flat—*contd.*					
1938	9-2-89	Iron—*contd.*	1½″ × ⅜″	6	15	0	Ton.	
2145	21-3-89		1½″ × ⅜″	7	0	0	,,	
2203	27-4-89		1½″ × ⅜″	7	10	0	,,	
3072	29-11-89		1½″ × ⅜″	9	5	0	,,	
1938	9-2-89		1½″ × ½″	6	15	0	,,	
2145	21-3-89		1½″ × ½″	7	0	0	,,	
2394	8-6-89		1½″ × ½″	7	15	0	,,	
1938	9-2-89		1½″ × ⅝″	6	15	0	,,	
2394	8-6-89		1½″ × ¾″	7	15	0	,,	
,,	,,		1½″ × 1″	7	15	0	,,	
2865	7-10-89		1½″ × 1″	8	5	0	,,	
1938	9-2-89		1⅝″ × 1 3/32″, for 1″ nuts	6	15	0	,,	
2888	26-10-89		1¾″ × 3/16″	9	10	0	,,	
1938	9-2-89		1¾″ × ¼″	6	15	0	,,	
1863	25-1-89		1¾″ × ⅜″	6	15	0	,,	
1870	25-1-89		1¾″ × ⅜″	7	5	0	,,	

168

25/1/12

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Iron—*contd*.	Bar, flat—*contd*.					
1938	9-2-89		$1\frac{3}{4}'' \times \frac{3}{8}''$	6	15	0	Ton.	
2394	8-6-89		$1\frac{3}{4}'' \times \frac{1}{2}''$	7	15	0	,,	
1938	9-2-89		$1\frac{1}{2}'' \times \frac{1}{2}''$	6	15	0	,,	
2394	8-6-89		$1\frac{1}{2}'' \times \frac{1}{2}''$	7	15	0	,,	
2544	4-7-89		$1\frac{1}{2}'' \times \frac{5}{8}''$	7	15	0	,,	
2888	26-10-89		$1\frac{1}{2}'' \times \frac{3}{4}''$	9	0	0	,,	
1938	9-2-89		$1\frac{1}{4}'' \times \frac{3}{8}''$	6	15	0	,,	
2888	26-10-89		$1\frac{1}{4}'' \times \frac{3}{4}''$	9	0	0	,,	
1938	9-2-89		$1\frac{1}{4}'' \times 1\frac{1}{4}''$, for $1\frac{1}{4}''$ nuts	6	15	0	,,	
			$1\frac{1}{16}'' \times 1\frac{1}{16}''$, for $\frac{3}{4}''$ nuts	6	15	0	,,	
			$2'' \times \frac{1}{4}''$	6	15	0	,,	
2394	8-6-89		$2'' \times \frac{1}{4}''$	7	15	0	,,	
2865	17-10-89		$2'' \times \frac{1}{4}''$	8	5	0	,,	
1863	25-1-89		$2'' \times \frac{3}{8}''$	6	15	0	,,	
1938	9-2-89		$2'' \times \frac{3}{8}''$	6	15	0	,,	
2145	21-3-89		$2'' \times \frac{3}{8}''$	7	0	0	,,	
2203	27-4-89		$2'' \times \frac{3}{8}''$	7	10	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Iron—*contd*.	Bar, flat—*contd*.					
2394	8-6-89		$2'' \times \frac{3}{8}''$	7	15	0	Ton.	
2554	4-7-89		$2'' \times \frac{3}{8}''$	7	15	0	,,	
2780	19-9-89		$2'' \times \frac{7}{16}''$	10	0	0	,,	
3072	29-11-89		$2'' \times \frac{7}{16}''$	9	5	0	,,	
3079	3-12-89		$2'' \times \frac{7}{16}''$	9	10	0	,,	
1938	9-2-89		$2'' \times \frac{1}{2}''$	6	15	0	,,	
2032	23-2-89		$2'' \times \frac{1}{2}''$, in lengths of about 14 to 16 feet	10	5	0	,,	Sweedish iron, for repairs to boilers.
2145	21-3-89		$2'' \times \frac{1}{2}''$	7	0	0	,,	
2268	17-5-89		$2'' \times \frac{1}{2}''$	7	15	0	,,	
2394	8-6-89		$2'' \times \frac{1}{2}''$	7	15	0	,,	
2780	19-9-89		$2'' \times \frac{1}{2}''$	10	0	0	,,	
2865	17-10-89		$2'' \times \frac{1}{2}''$	8	5	0	,,	
3079	3-12-89		$2'' \times \frac{1}{2}''$	9	10	0	,,	
1863	25-1-89		$2'' \times \frac{5}{8}''$	6	15	0	,,	
1938	9-2-89		$2'' \times \frac{5}{8}''$	6	15	0	,,	
2394	8-6-89		$2'' \times \frac{5}{8}''$	7	15	0	,,	

F26/1112

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, flat—*contd*					
2544	4-7-89	Iron—*contd.*	2″ × ½″	7	15	0	Ton.	
2888	26-10-89		2″ × ½″	9	0	0	,,	
1938	9-2-89		2″ × ⅝″	6	15	0	,,	
2394	8-6-89		2″ × ⅝″	7	15	0	,,	
2888	26-10-89		2″ × ¾″	9	0	0	,,	
1938	9-2-89		2″ × ¾″	6	15	0	,,	
1863	25-1-89		2″ × 1″	6	15	0	,,	
1938	9-2-89		2″ × 1″	6	15	0	,,	
2394	8-6-89		2″ × 1″	7	15	0	,,	
2888	26-10-89		2″ × 1″	9	0	0	,,	
3079	3-12-89		2″ × 1″	9	10	0	,,	
1863	25-1-89		2¼″ × ¼″	6	15	0	,,	
1870	25-1-89		2¼″ × ½″	7	5	0	,,	
1938	9-2-89		2¼″ × ½″	6	15	0	,,	
2544	4-7-89		2¼″ × ½″	7	15	0	,,	
2888	26-10-89		2¼″ × ½″	9	0	0	,,	

171

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, flat—*contd.*					
1870	25-1-89	Iron—*contd.*	2¼″ × ⅝″	7	5	0	Ton.	
1938	9-2-89		2¼″ × ⅝″	6	15	0	,,	
2203	17-4-89		2¼″ × ⅝″	7	10	0	,,	
2394	8-6-89		2¼″ × ⅝″	7	15	0	,,	
2865	17-10-89		2¼″ × ⅝″	8	5	0	,,	
2033	23-2-89		2¼″ × ¾″	6	15	0	,,	
1938	9-2-89		2¼″ × ¾″	6	15	0	,,	
2394	8-6-89		2¼″ × ¾″	7	15	0	,,	
,,	,,		2¼″ × ⅞″	7	15	0	,,	
1938	9-2-89		2¼″ × 1″	6	15	0	,,	
,,	,,		2¼″ × 1″	6	15	0	,,	
2033	23-2-89		2½″ × ¾″	6	9	0	,,	
2394	8-6-89		2½″ × ¾″	7	15	0	,,	
2780	19-3-89		2½″ × ⅞″	10	0	0	,,	
2865	17-10-89		2½″ × ⅞″	8	5	0	,,	
3072	29-11-89		2½″ × ⅞″	9	5	0	,,	

172

3111/93

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, flat—*contd*.					
1870	25-1-89	Iron—*contd*.	2½″ × ½″	7	5	0	Ton.	
1938	9-2-89		2½″ × ⅝″	6	15	0	,,	
2145	21-3-89		2½″ × ½″	7	0	0	,,	
2394	8-6-89		2½″ × ⅝″	7	15	0	,,	
2865	17-10-89		2½″ × ¾″	8	5	0	,,	
3072	29-11-89		2½″ × ⅞″	9	5	0	,,	
2145	21-3-89		2¾″ × ½″	7	0	0	,,	
2394	8-6-89		2¾″ × ⅝″	7	15	0	,,	
2780	19-9-89		2¾″ × ¾″	10	0	0	,,	
3079	3-12-89		2¾″ × ⅞″	9	10	0	,,	
1938	9-2-89		2¼″ × ½″	6	15	0	,,	
2145	21-3-89		2¼″ × ⅝″	7	0	0	,,	
2394	8-6-89		2¼″ × ¾″	7	15	0	,,	
2544	4-7-89		2¼″ × ⅞″	7	15	0	,,	
1938	9-2-89		2¼″ × 1″	6	15	0	,,	
1938	9-2-89		2½″ × 1″	6	15	0	,,	

173

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, flat—*contd*.					
2422	14-6-89	Iron—*contd*.	2½″ × 1″	16	5	0	Ton.	Best Yorkshire iron.
1938	9-2-89		2¾″ × ¼″	6	15	0	,,	
,,	,,		2¾″ × ⅜″	6	15	0	,,	
2394	8-6-89		2¾″ × ⅜″	7	15	0	,,	
,,	,,		2¾″ × ½″	7	15	0	,,	
2145	21-3-89		2¾″ × ⅝″	7	0	0	,,	
2780	19-9-89		2¾″ × ¾″	10	0	0	,,	
2865	17-10-89		2¾″ × ⅞″	8	5	0	,,	
3079	19-9-89		2¾″ × ⅞″	9	10	0	,,	
2544	4-7-89		3″ × ⅜″	8	15	0	,,	
1863	25-1-89		3″ × ¼″	6	15	0	,,	
2145	21-3-89		3″ × ½″	7	0	0	,,	
2394	8-6-89		3″ × ¼″	7	15	0	,,	
2780	19-9-89		3″ × ½″	10	0	0	,,	
1938	9-2-89		3″ × ⅜″	6	15	0	,,	
2145	21-3-89		3″ × ⅝″	7	0	0	,,	
2394	8-6-89		3″ × ⅞″	7	15	0	,,	

174

3111/27

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, flat—*contd.*					
2394	8-6-89	Iron—*contd.*	3½″ × ⅜″	7	15	0	Ton.	
1865	17-10-89		3½″ × ½″	8	5	0	,,	
2394	8-6-89		3½″ × ½″	7	15	0	,,	
2865	17-10-89		3½″ × ½″	8	5	0	,,	
2394	8-6-89		3½″ × ¾″	7	15	0	,,	
,,	,,		3½″ × 1″	7	15	0	,,	
1938	9-2-89		3½″ × 1¼″	6	15	0	,,	
2865	17-10-89		3½″ × 1¼″	8	5	0	,,	
3079	3-12-89		4″ × ¼″	9	10	0	,,	
1938	9-2-89		4″ × ⅜″	6	15	0	,,	
2394	8-6-89		4″ × ½″	7	15	0	,,	
,,	,,		4″ × ½″	7	15	0	,,	
1938	9-2-89		4″ × ⅝″	6	15	0	,,	
2145	21-3-89		4″ × ¾″	7	0	0	,,	
2394	8-6-89		4″ × ¾″	7	15	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, flat—*contd.*					
2394	8-6-89	Iron—*contd.*	4″ × ⅞″	7	15	0	Ton.	
3079	3-12-89		4″ × ⅞″	9	10	0	,,	
2032	23-7-89		4″ × 1″	10	5	0	,,	
2145	21-3-89		4″ × 1″	7	0	0	,,	
2394	8-6-89		4″ × 1″	7	15	0	,,	
2422	14-6-89		4″ × 1″	16	5	0	,,	
2888	26-10-89		4″ × 1″	9	0	0	,,	
2394	8-6-89		4″ × 2½″	7	15	0	,,	
			4½″ × 1¼″	7	0	0	,,	
2145	21-3-89		4½″ × ½″ × 6 feet					
			4½″ × ½″ × 4 ,, ...					
2888	26-10-89		5″ × ⅜″	9	0	0	,,	
2865	17-10-89		5″ × ½″	8	5	0	,,	
2394	8-6-89		5″ × ½″	7	15	0	,,	
1938	9-2-89		6″ × ¼″	6	15	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, flat—*concld.*					
2888	26-10-89	Iron—*contd.*	6″ × ½″	6	15	0	Ton.	
1938	9-2-89		6″ × ⅝″	6	15	0	,,	
2888	26-10-89		6″ × ¾″	6	15	0	,,	
2394	8-6-89		7½″ × ½″	8	5	0	,,	
1938	9-2-89		7½″ × ⅝″	6	15	0	,,	
2888	26-10-89		7½″ × ¾″	7	5	0	,,	
2394	8-6-89		8″ × ½″	8	5	0	,,	
			8″ × ⅝″	6	15	0	,,	
1938	9-2-89		8″ × ¾″	7	5	0	,,	
			10″ × ½″	8	15	0	,,	
2394	8-6-89		10″ × 1″	8	15	0	,,	
,,	,,		12″ × 1″	8	15	0	,,	
			Bar, half-round—					
1938	9-2-89		1½″ × ⅜″	6	15	0	Ton.	
			1½″ × ½″					
			2½″ × ½″					

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, round—					
1938	9-2-89	Iron—*contd.*	$\frac{3}{16}$″	10	0	0	Ton.	
1863	25-1-89		¼″	8	2	6	,,	
1938	9-2-89		¼″	8	10	0	,,	
2024	22-2-89		¼″	23	5	0	,,	For repairs to boilers.
2203	27-4-89		¼″	9	5	0	,,	
2394	8-6-89		¼″	9	10	0	,,	
2544	4-7-89		¼″	9	10	0	,,	
2888	26-10-89		¼″	10	15	0	,,	
1938	9-2-89		$\frac{5}{16}$″	8	0	0	,,	
2203	27-4-89		$\frac{5}{16}$″	8	15	0	,,	
2394	8-6-89		$\frac{5}{16}$″	9	0	0	,,	
2544	4-7-89		$\frac{5}{16}$″	9	0	0	,,	
2888	26-10-89		$\frac{5}{16}$″	10	5	0	,,	
1870	25-1-89		⅜″	8	0	0	,,	
1938	9 2-89		⅜″	7	10	0	,,	
2024	22-2-89		⅜″	19	5	0	,,	For repair of boilers.

C2/1112

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, round—*contd.*					
2145	21-3-89	Iron—*contd.*	½″	7	10	0	Ton.	
2203	27-4-89		½″	8	5	0	,,	
2394	8-6-89		½″	8	10	0	,,	
2422	14-6-89		½″	20	5	0	,,	Best Yorkshire iron.
2544	4-7-89		½″	8	10	0	,,	
2780	19-9-89		½″	10	15	0	,,	Best, Best, Best.
2886	26-10-89		½″	21	5	0	,,	Lowmoor, Bowling, or Farnley.
2888	26-10-89		½″	9	15	0	,,	
3079	3-12-89		½″	10	5	0	,,	
1863	25-1-89							
1938	9-2-89		⅝″	6	15	0	,,	
2033	23-2-89							
2024	22-2-89		½″	17	5	0	,,	For repair of boilers.
1870	25-1-89		½″	7	5	0	,,	
2203	27-4-89		½″	7	10	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, round—*contd.*					
2394	8-6-89	Iron—*contd.*	⅝″	7	15	0	Ton.	
2544	4-7-89							
2780	19-9-89		⅝″	10	0	0	,,	Best, Best, Best.
2886	26-10-89		⅝″	19	5	0	,,	Lowmoor, Bowling, or Farnley.
2888	26-10-89		⅝″	9	0	0	,,	
3072	29-11-89		⅝″	9	5	0	,,	
3079	3-12-89		⅝″	9	10	0	,,	
1863	25-1-89							
1938	9-2-89		⅝″	6	15	0	,,	
2203	27-4-89		⅝″	7	10	0	,,	
2394	8-6-89		⅝″	7	15	0	,,	
2780	19-9-89		⅝″	10	0	0	,,	Best, Best, Best.
2886	26-10-89		⅝″	17	5	0	,,	Lowmoor, Bowling, or Farnley.
2888	26-10-89		⅝″	9	0	0	,,	
3072	29-11-89		⅝″	9	5	0	,,	
3079	3-12-89		⅝″	9	10	0	,,	
1853	24-1-89		⅝″	17	15	10	,,	Lowmoor, for repairs to boilers.

86/1176

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, round—*contd*.					
1863	25-1-89	Iron—*contd*.	$\frac{3}{4}$″	6	15	0	Ton.	
1838	9-2-89		$\frac{3}{4}$″					
2024	22-2-89		$\frac{3}{4}$″	15	5	0	,,	For repair of boilers.
2203	27-4-89		$\frac{3}{4}$″	7	10	0	,,	
2394	8-6-89		$\frac{3}{4}$″	7	15	0	,,	
2575	9-7-89		$\frac{3}{4}$″	17	15	10	,,	Lowmoor.
2780	19-9-89		$\frac{3}{4}$″	10	0	0	,,	Best, Best, Best.
2878	25-10-89		$\frac{3}{4}$″	18	15	0	,,	Lowmoor.
2886	26-10-89		$\frac{3}{4}$″	17	5	0	,,	Lowmoor, Bowling, or Farnley.
2888	26-10-89		$\frac{3}{4}$″	9	0	0	,,	For making rivets for boiler repairing.
3061	28-11-89		$\frac{3}{4}$″	19	5	0	,,	
3072	29-11-89		$\frac{3}{4}$″	9	5	0	,,	
3079	3-12-89		$\frac{3}{4}$″	9	10	0	,,	
1853	24-1-89		$\frac{7}{8}$″	17	15	10	,,	Lowmoor, for repairs to boilers.
1938	9-2-89		$\frac{7}{8}$″	6	15	0	,,	
2024	22-2-89		$\frac{7}{8}$″	15	5	0	,,	For repairs of boilers.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, round—*contd*.					
2394	8-6-89	Iron—*contd*.	$\frac{7}{8}$″	7	15	0	Ton.	
2544	4-7-89		$\frac{7}{8}$″	7	15	0	,,	
2780	19-9-89		$\frac{7}{8}$″	10	0	0	,,	Best, Best, Best.
2878	25-10-89		$\frac{7}{8}$″	18	9	0	,,	Lowmoor.
2886	26-10-89		$\frac{7}{8}$″	17	5	0	,,	Lowmoor, Bowling, or Farnley.
2888	26-10-89		$\frac{7}{8}$″	9	0	0	,,	
3072	29-11-89		$\frac{7}{8}$″	9	5	0	,,	
3079	3-12-89		$\frac{7}{8}$″	9	10	0	,,	
2394	8-6-89		$1\frac{1}{16}$″	7	15	0	,,	
1853	24-1-89		1″	17	15	10	,,	Lowmoor, for repairs to boilers.
1863	25-1-89		1″	6	15	0	,,	
2024	22-1-89		1″	15	5	0	,,	For repair of boilers.
2145	21-3-89		1″	7	10	0	,,	
2203	27-4-89		1″	7	10	0	,,	
2394	8-6-89		1″	7	15	0	,,	
2544	4-7-89		1″					

3/11/98

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, round—*contd.*					
2780	19-9-89	Iron—*contd.*	1″	10	0	0	Ton.	Best, Best, Best.
2886	26-10-89		1″	17	5	0	,,	Lowmoor, Bowling, or Farnley.
2888	26-10-89		1″	9	0	0	,,	
3061	28-11-89		1″	19	5	0	,,	For making rivets for boiler repairing and crank pins.
3072	29-11-89		1″	9	5	0	,,	
3079	3-12-89		1″	9	10	0	,,	
1853	24-1-89		1⅛″	17	15	10	,,	Lowmoor, for repairs of boilers.
1938	9-2-89		1⅛″	6	15	0	,,	
2024	22-2-89		1⅛″	15	5	0	,,	For repair of boilers.
2145	21-3-89		1⅛″	7	0	0	,,	
2394	8-6-89		1⅛″	7	15	0	,,	
2544	4-7-89		1⅛″					
2422	14-6-89		1⅓″	16	5	0	,,	Best Yorkshire iron.
2888	26-10-89		1⅛″	9	0	0	,,	
2865	17-10-89		1⅛″	8	5	0	,,	

185

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, round—*contd.*					
3061	28-11-89	Iron—*contd.*	1⅛″	19	5	0	Ton.	For making rivets for boiler repairing and crank pins.
1853	24-1-89		1¼″	17	15	10	,,	Lowmoor, for repairs to boilers.
1938	9-2-89		1¼″	6	15	0	,,	
2024	22-2-89		1¼″	15	5	0	,,	For repairs to boilers.
2394	8-6-89		1¼″	7	15	0	,,	
2888	26-10-89		1¼″	9	0	0	,,	
3061	28-11-89		1¼″	19	5	0	,,	For making rivets for boiler repairing and crank pins.
3079	3-12-89		1¼″	9	10	0	,,	
1938	9-2-89		1⅜″	6	15	0	,,	
2024	22-2-89		1⅜″	15	5	0	,,	For repair of boilers.
2394	8-6-89		1⅜″	7	15	0	,,	
2865	17-10-89		1⅜″	8	5	0	,,	
3061	28-11-89		1⅜″	19	5	0	,,	For making rivets for boiler repairing and crank pins.
1938	19-2-89		1½″	6	15	0	,,	
2024	22-2-89		1½″	15	5	0	,,	

186

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, round—*contd*.					
2203	27-4-89	Iron—*contd*.	1½″	7	10	0	Ton.	
2394	8-6-89		1½″	7	15	0	,,	
2865	17-10-89		1½″	8	5	0	,,	
3061	28-11-89		1½″	19	5	0	,,	For making rivets for boiler reparing and crank pins.
2024	22-2-89		1⅝″	15	5	0	,,	For repair of boilers.
2394	8-6-89		1⅝″	7	15	0	,,	
2422	14-6-89		1⅝″	16	5	0	,,	Best Yorkshire iron.
1773	1-1-89		1¾″	17	6	0	,,	Lowmoor, for repairs to boilers.
2394	8-6-89		1¾″	7	15	0	,,	
2575	9-7-89		1⅞″	17	15	10	,,	Lowmoor.
2886	26-10-89		1⅞″	17	5	0	,,	Lowmoor, Bowling, or Farnley.
1773	1-1-89		2″	17	6	1	,,	Lowmoor, for repairs to boilers.
1834	29-1-89		2″	13	10	0	,,	Lord Ward's quality, for repairs of carriage and wagon couplings.
2024	22-2-89		2″	15	5	0	,,	For repairs of boilers.

187

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, round—*concld*.					
2203	27-4-89	Iron—*contd*.	2″	7	10	0	Ton.	
2394	8-6-89		2″	7	15	0	,,	
2422	14-6-89		2″	16	5	0	,,	Best Yorkshire iron.
2544	4-7-89		2″	7	15	0	,,	
2886	26-10-89		2″	17	5	0	,,	Lowmoor, Bowling, or Farnley.
2888	26-10-89		2″	9	0	0	,,	
2024	22-2-89		2¼″	15	5	0	,,	For repairs to boilers.
2394	8-6-89		2¼″	7	15	0	,,	
,,	,,		2¼″	7	15	0	,,	
2888	26-10-89		2¼″	9	0	0	,,	
3079	3-12-89		3″	9	10	0	,,	
2865	17-10-89		3½″	8	5	0	,,	
2268	17-5-89		6″	11	15	0	,,	
			Bar, square—					
2145	21-3-89		⅜″	7	10	0	Ton.	

188

101/1116

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Iron—*contd*.	Bar, square—*concld*.					
2202	27-4-89		2″					
2544	4-7-89		2″	7	10	0	Ton.	
2888	26-10-89		2″	7	15	0	,,	
2394	8-6-89		2¼″	9	0	0	,,	
2544	4-7-89		2¼″	7	15	0	,,	
2888	26-10-89		2¼″	7	15	0	,,	
1884	29 1-89		2½″	9	0	0	,,	
2394	8-6-89		2½″	13	0	0	,,	Lord Ward's quality, for repairs of carriage and wagon couplings.
2888	26-10-89		2½″	7	15	0	,,	
2394	8-6-89		3″	9	0	0	,,	
2145	21-3-89		3″	7	15	0	,,	
2865	17-10-89		3″	7	0	0	,,	
1884	29-1-89		3½″	8	5	0	,,	
2145	21-3-89		4″	13	10	0	,,	Lord Ward's quality, for repairs of carriage and wagon couplings.
2394	8-6-89		5″	8	0	0	,,	
				9	15	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Iron—*contd*.	Bar, Channel, about 5 lbs. per square foot—					
3079	3-12-89		3″ × 1½″ × ¼″	10	10	0	Ton.	
2394	8-6-89		Channel for underframes of rectangular and lowsided wagons, in dead lengths of—					
			8¼″ × 2½″ × 2½″ × ⅜″ 9 feet 1 inch long					
			8¼″ × 2½″ × ½″ × ⅜″ × 18 feet 0 inch long					
			9″ × 3″ × 3″ ⅜″ × 8 feet 7 inches long					
			9″ × 3″ × 3″ ⅜″ × 9 feet long	8	15	0	,,	
			9″ × 3″ × 3″ × ⅜″ × 18 feet long					
			9″ × 3″ × 3″ × ⅜″ × 19 feet 4 inches long					
1951	11-2-89		Gauze, galvanized—					
,,	,,		2′ 0″ wide, 10 meshes to 1″ wire, No. 22 S. W. G.	0	0	6	sq. foot.	
3126	11-12-89		2′ 0″ ,, 12 ,, 1″ ,, 23 ,, ...	0	0	6½	,,	
2355	30-5-89		2′ 0″ ,, 30 ,, 1″ ,, 32 ,, ...	0	0	4¼	,,	
			2′ 6″ ,, 30 ,, 1″ ,, 32 ,, ...	0	0	4½	,,	
3079	3-12-89		Hoop—					
2079	1-3-89		⅜″ × 15 B. W. G., thick	10	5	0	Ton.	
			½″ × 17 S. W. G.	8	5	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(4) METALS—*contd.*

Contracted for in 1889.

Contract number	and date.	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Iron—*contd.*	*Hoop—contd.*					
2079	1-3-89		1″ × 12 S. W. G.	7	15	0	Ton.	
			1″ × 14 „					
			1½″ × 14 „					
			3″ × 16 „					
2438	15-6-89		½″ × ½″	7	7	6	„	
			1″ × 1/16″					
			1″ × ⅛″					
			1¼″ × 1/16″					
			1¼″ × ⅛″					
			1½″ × ⅛″					
			2″ × 1/16″					
			2″ × ⅛″					
			2½″ × ⅛″					For cylindrical wagon underframes.
			3½″ × ⅛″					
2096	7-3-89		Pig, Gart sherrie, No. 1	3	0	6	Ton.	
2214	1-5-89		„ „ No. 1	3	4	0	„	

193

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(4) METALS—*contd.*

Contracted for in 1889.

Contract number	and date.	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2534	2-7-89	Iron—*contd.*	Pig, Gart sherrie, No. 1	3	3	0	Ton.	
2877	25-10-89		„ No. 1	4	2	0	„	
			Plate, chequered—					
2363	31-5-89		6′ 0″ × 3′ 0″ × ¼″	9	5	0	„	
2304	27-4-89		7′ 0″ × 4′ 0″ × ¼″	10	0	0	„	
2034	23-2-89		7′ 0″ × 4′ 0″ × ¼″, 7 plates	8	0	0	„	
1798	4-1-89		8′ 0″ × 4′ 0″ × ¼″, 11¼ lbs. per foot square	7	15	0	„	
2887	26-10-89		8′ 0″ × 4′ 0″ × ¼″	9	15	0	„	
			Plate, plain—					
1969	13-2-89		4′ 2″ × 4′ 2″ × ⅜″	19	5	1	„	For boiler barrel, for L class Engine.
2393	8-6-89		6′ 0″ × 2′ 0″ × 1/16″	8	12	6	„	
2888	26-10-89		6′ 0″ × 2′ 0″ × 1/16″	10	5	0	„	
2393	8-6-89		6′ 0″ × 2′ 0″ × ⅛″	8	12	6	„	
2544	4-7-89		6′ 0″ × 2′ 0″ × ¼″	9	0	0	„	
2393	8-6-89		6′ 0″ × 2′ 0″ × ¼″	8	12	6	„	
			6′ 0″ × 2′ 0″ × 5/16″	8	12	6	„	
			6′ 0″ × 2′ 0″ × ⅜″	8	12	6	„	

194

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Plate, plain—*contd.*					
2393	8-6-89	Iron—*contd.*	6′ 0″ × 2′ 0″ × ¼″	8	12	6	Ton.	
2888	26-10-89		6′ 0″ × 2′ 6″ × $\frac{1}{16}$″	10	5	0	,,	
2544	4-7-89		6′ 0″ × 2′ 6″ × ⅛″	9	0	0	,,	
2368	17-5-89		6′ 0″ × 3′ 0″ × $\frac{1}{16}$″	8	15	0	,,	
2022	22-2-89		6′ 0″ × 3′ 0″ × ⅛″	7	15	0	,,	
2166	27-3-89		6′ 0″ × 3′ 0″ × $\frac{3}{16}$″	8	0	0	,,	
2166	27-3-89		6′ 0″ × 3′ 0″ × ¼″	8	0	0	,,	
2022	22-2-89		6′ 0″ × 3′ 0″ × $\frac{5}{16}$″	7	15	0	,,	
2166	27-3-89		6′ 0″ × 3′ 0″ × ⅜″	8	0	0	,,	
2166	27-3-89		6′ 0″ × 3′ 0″ × $\frac{7}{16}$″	8	0	0	,,	
2022	22-2-89		6′ 0″ × 3′ 0″ × ½″	8	0	0	,,	
2393	8-6-89		6′ 0″ × 3′ 0″ × $\frac{9}{16}$″	7	15	0	,,	
2393	8-6-89		6′ 0″ × 3′ 0″ × $\frac{5}{8}$″	8	12	6	,,	
2393	8-6-89		6′ 0″ × 3′ 0″ × ¾″	8	12	6	,,	
2393	8-6-89		6′ 0″ × 3′ 0″ × 1″	8	12	6	,,	
1969	13-2-89		6′ 6″ × 6′ 0″ × ½″	27	1	1	,,	

195

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Plate, plain—*contd.*					
2022	22-2-89	Iron—*contd.*	6′ 6″ × 3′ 4″ × 2½ lbs. to the foot, superficial	8	15	0	Ton.	
2393	8-6-89		7′ 0″ × 2′ 6″ × $\frac{1}{16}$″	8	12	6	,,	
			7′ 0″ × 2′ 6″ × ⅛″	8	12	6	,,	
			7′ 0″ × 2′ 6″ × $\frac{3}{16}$″	8	12	6	,,	
			7′ 0″ × 2′ 6″ × ¼″	8	12	6	,,	
			7′ 0″ × 2′ 6″ × $\frac{5}{16}$″	8	12	6	,,	
			7′ 0″ × 2′ 6″ × ⅜″	8	12	6	,,	
			7′ 0″ × 2′ 6″ × ½″	8	12	6	,,	
			7′ 0″ × 3′ 0″ × $\frac{1}{16}$″	8	12	6	,,	
2888	26-10-89		7′ 0″ × 3′ 0″ × $\frac{1}{16}$″	10	5	0	,,	
2393	8-6-89		7′ 0″ × 3′ 0″ × ⅛″	8	12	6	,,	
2022	22-2-89		7′ 0″ × 3′ 0″ × $\frac{3}{16}$″	7	15	0	,,	
2393	8-6-89		7′ 0″ × 3′ 0″ × ¼″	8	12	6	,,	
2393	8-6-89		7′ 0″ × 3′ 0″ × $\frac{5}{16}$″	8	12	6	,,	
			7′ 0″ × 3′ 0″ × ⅜″	8	12	6	,,	
			7′ 0″ × 3′ 0″ × ½″	8	12	6	,,	
2888	26-10-89		7′ 0″ × 4′ 0″ × ½″	10	5	0	,,	

196

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Iron—*contd*.	Plate, plain—*contd*.					
2888	26-10-89		7′ 0″ × 4′ 0″ × $\frac{5}{16}$″	9	15	0	Ton.	
			7′ 0″ × 4′ 0″ × $\frac{3}{8}$″	9	15	0	,,	
			7′ 0″ × 4′ 0″ × $\frac{7}{16}$″	9	15	0	,,	
1863	25-1-89		7′ 0″ × 4′ 0″ × $\frac{1}{2}$″	8	2	6	,,	
2022	22-2-89		7′ 0″ × 3′ 6″ × $\frac{1}{16}$″	7	15	0	,,	
1969	13-2-89		7′ 6″ × 3′ 6½″ × $\frac{1}{16}$″	23	3	1	,,	
2108	9-3-89		5′ 0″ × 3′ 0″ × $\frac{1}{4}$″	24	2	7	,,	
2022	22-2-89		8′ 0″ × 3′ 6″ × $\frac{1}{16}$″	7	15	0	,,	
1969	13-2-89		8′ 0″ × 3′ 6½″ × $\frac{1}{16}$″	23	3	1	,,	
2888	26-10-89		8′ 0″ × 4′ 0″ × $\frac{1}{16}$″	11	5	0	,,	
2000	16-2-89		8′ 0″ × 4′ 0″ × $\frac{1}{16}$″	9	5	0	,,	
2022	22-2-89		8′ 0″ × 4′ 0″ × $\frac{1}{8}$″	7	15	0	,,	
2888	26-10-89		8′ 0″ × 4′ 0″ × $\frac{1}{8}$″	10	15	0	,,	
2022	22-2-89		8′ 0″ × 4′ 0″ × $\frac{3}{16}$″	7	15	0	,,	
2022	22-2-89		8′ 0″ × 4′ 0″ × $\frac{1}{4}$″	7	15	0	,,	
2544	4-7-89		8′ 0″ × 4′ 0″ × $\frac{1}{4}$″	8	10	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Iron—*contd*.	Plate, plain—*contd*.					
2022	22-2-89		8′ 0″ × 4′ 0″ × $\frac{5}{16}$″	7	15	0	Ton.	
2888	26-10 89		8′ 0″ × 4′ 0″ × $\frac{5}{16}$″	9	15	0	,,	
2022	22 6 89		8′ 0″ × 4′ 0″ × $\frac{3}{8}$″	7	15	0	,,	
1969	13-2 89		8′ 0″ × 4′ 0″ × $\frac{7}{16}$″	23	3	1	,,	
1969	13-2-89		8′ 0″ × 4′ 0″ × $\frac{1}{2}$″	25	2	1	,,	
2022	22-2-89		8′ 0″ × 4′ 0″ × $\frac{1}{2}$″	7	15	0	,,	
2108	9-3-89		8′ 0″ × 4′ 0″ × $\frac{1}{2}$″	26	1	7	,,	
3079	3-12-89		8′ 0″ × 4′ 0″ × $\frac{1}{2}$″	10	0	0	,,	
2022	22-2-89		8′ 0″ × 4′ 6″ × $\frac{1}{4}$″	7	15	0	,,	
1969	13-2-89		8′ 0″ × 4′ 6″ × $\frac{1}{2}$″	25	2	1	,,	
2022	22-2-89		9′ 0″ × 3′ 4″ × 2½″ lbs. to the foot	10	15	0	,,	
			9′ 0″ × 3′ 4″ × 4 lbs. ,, ...	10	10	0	,,	
			9′ 0″ × 4′ 0″ × 4 lbs. ,, ...	10	10	0	,,	
3061	28-11-89		9′ 6″ × 3′ 2″ × $\frac{3}{8}$″	22	5	0	,,	For repairing locomotive boilers.
2203	27-4-89		10′ 0″ × 3′ 0″ × $\frac{1}{16}$″	13	15	0	,,	
2000	16-2-89		10′ 0″ × 3′ 0″ × $\frac{1}{8}$″	8	5	0	,,	
2203	27-4-89		10′ 0″ × 3′ 0″ × $\frac{1}{4}$″	11	15	0	,,	

3/11
106

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Iron—*contd*.	Plate, plain—*contd*.					
2544	4-7-89		10′ 0″ × [illegible]3′ 0″ × ⅜″	9	0	0	Ton.	
2022	22-2-89		10′ 0″ × 3′ 0″ × 5/16″	7	15	0	,,	
2022	22-2-89		10′ 0″ × 3′ 0″ × ¼″	7	15	0	,,	
3079	3-12-89		10′ 0″ × 3′ 0″ × ¼″	10	0	0	,,	
,,	,,		10′ 0″ × 3′ 0″ × ⅜″	10	0	0	,,	
2268	17-5-89		10′ 0″ × 3′ 0″ × ⅜″	8	15	0	,,	
2022	22-2-89		10′ 0″ × 3′ 0″ × ½″	7	15	0	,,	
1853	24-1-89		10′ 3″ × 3′ 0″ × 5/16″, 3 plates	24	2	7	,,	Lowmoor.
2393	8-6-89		10′ 0″ × 4′ 0″ × 1/16″	8	12	6	,,	
,,	,,		10′ 0″ × 4′ 0″ × ⅛″	8	12	6	,,	
2888	26-10-89		10′ 0″ × 4′ 0″ × ⅛″	11	5	0	,,	
2022	22-2-89		10′ 0″ × 4′ 0″ × 3/16″	7	15	0	,,	
,,	,,		10′ 0″ × 4′ 0″ × ¼″	7	15	0	,,	
2393	8-6-89		10′ 0″ × 4′ 0″ × ¼″	8	12	6	,,	
3079	3-12-89		10′ 0″ × 4′ 0″ × ½″	10	0	0	,,	
2393	8-6-89		10′ 0″ × 4′ 0″ × 5/16″	8	12	6	,,	
2022	22-2-89		10′ 0″ × 4′ 0″ × ⅜″	7	15	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Iron—*contd*.	Plate, plain—*contd*.					
2393	8-6-89		10′ 0″ × 4′ 0″ × ⅜″	8	12	6	Ton.	
2108	9-3-89		10′ 0″ × 4′ 0″ × ½″	26	1	7	,,	
2393	8-6-89		10′ 0″ × 4′ 0″ × ½″	8	12	6	,,	
			10′ 0″ × 4′ 0″ × ⅝″	8	12	6	,,	
			10′ 0″ × 4′ 0″ × ¾″	8	12	6	,,	
			10′ 0″ × 4′ 0″ × 1″	8	12	6	,,	
1853	24-1-89		10′ 6″ × 3′ 6″ × ½″ 3 plates	26	1	7	,,	Lowmoor, for repair of boilers.
3066	28-11-89		11′ 0″ × 3′ 2″ × ⅜″	24	5	0	,,	For repairing locomotive boilers.
2888	26-10-89		12′ 0″ × 2′ 6″ × ⅜″	9	15	0	,,	
2022	22-2-89		12′ 0″ × 3′ 0″ × ⅛″	7	15	0	,,	
			12′ 0″ × 3′ 0″ × ¼″	7	15	0	,,	
			12′ 0″ × 4′ 0″ × ⅛″	7	15	0	,,	
			12′ 0″ × 4′ 0″ × ¼″	7	15	0	,,	
2203	27-4-89		12′ 0″ × 4′ 0″ × ⅜″	10	15	0	,,	
2022	22-2-89		12′ 0″ × 4′ 0″ × ½″	7	15	0	,,	
2780	19-9-89		12′ 0″ × 4′ 0″ × ½″	11	10	0	,,	Ship.

C01/1117

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3061	28-11-89	Iron—*contd*.	Plate, plain—*concld*.					
"	"		18′ 0″ × 1′ 0″ × $\frac{3}{8}$″	22	5	0	Ton.	For strengthening 40 feet girders.
3079	3-12-89		18′ 3″ × 1′ 0″ × $\frac{3}{8}$″	22	5	0	"	
"	"		Sheet, plain—					
			7′ × 3″ × $\frac{1}{10}$″	10	10	0	"	
2772	19-9-89		10′ × 4″ × 10″ S. W. G.	11	10	0	"	
2146	21-3-89		Sheet, galvanized—					
			8′ × 3″ × 20″ S. W. G. in the block	15	12	6	"	
3106	6-12-89		8′ × 3″ × 21″ "	12	12	7	"	
			Sheet, corrugated, galvanized—					
2146	21-3-89		6′ 0″ × 2′ 2½″ No. 23 S. W. G.	15	7	6	"	
			7′ 0″ × 2′ 2½″ No. 23 "	15	7	6	"	
1871	26-1-89		7′ 0″ × 2′ 6″ No. 21 "	7	8	5	"	
1970	13-2-89		Wire, half-round, bright, charcoal—					
2207	29-4-89		$\frac{1}{2}$″	0	17	9	Cwt.	
2473	22-6-89		$\frac{7}{16}$″	0	18	9	"	
			$\frac{3}{8}$″	1	0	0	"	
			$\frac{5}{16}$″	1	7	2	"	

201

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Iron—*contd*.	Wire, half-round, bright, charcoal—*contd*.					
2587	11-7-89		$\frac{1}{2}$″	1	8	0	Cwt.	
2948	2-11-89		$\frac{1}{2}$″	0	18	0	"	
1871	26-1-89		$\frac{9}{16}$″	0	15	3	"	
1970	13-2-89		$\frac{9}{16}$″	0	16	3	"	
2207	29-4-89		$\frac{5}{8}$″	1	0	0	"	
2056	25-2-89		$\frac{5}{16}$″	0	16	9	"	
2473	22-6-89		$\frac{5}{8}$″	1	6	8	"	
2587	11-7-89		$\frac{5}{16}$″	1	8	0	"	
2948	2-11-89		$\frac{5}{16}$″	0	18	0	"	
1871	26-1-89		$\frac{1}{4}$″	0	14	3	"	
1970	13-2-89		$\frac{1}{4}$″	0	16	3	"	
2056	25-2-89		$\frac{1}{4}$″	0	16	9	"	
2207	29-4-89		$\frac{1}{4}$″	0	18	0	"	
2473	22-6-89		$\frac{1}{4}$″	1	6	8	"	
2948	2-11-89		$\frac{1}{4}$″	0	18	0	"	
2056	25-2-89		$\frac{3}{16}$″	0	16	9	"	

202

8/1143

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Iron—*contd*.	Wire, half-round, bright, charcoal—*contd*.					
2948	2-11-89		$\frac{5}{16}$″	0	18	0	Cwt.	
2056	25-2-89		$\frac{3}{8}$″	0	16	9	,,	
2473	22-6-89		$\frac{1}{2}$″	1	6	8	,,	
,,	,,		No. 6 S. W. G.	1	6	8	,,	
2473	22-6-89		Wire, round, bright— $\frac{1}{16}$″	0	17	2	,,	
,,	,,		$\frac{1}{8}$″	0	14	2	,,	
2587	11-7-89		$\frac{1}{4}$″	1	4	0	,,	
2948	2-11-89		$\frac{1}{4}$″	1	4	0	,,	
2473	22-6-89		$\frac{5}{16}$″	0	13	8	,,	
			No. 4 S. W. G.	0	13	8	,,	
2473	22-6-89		,, 10 ,, ...	0	14	2	,,	
			,, 11 ,, ...	0	14	8	,,	
			,, 12 ,, ...	0	15	2	,,	
2391	8-6-89		Tee, $2\frac{1}{2}$″ × 2″ × $\frac{1}{4}$″	8	5	0	Ton.	
,,	,,		,, $2\frac{1}{2}$″ × $2\frac{1}{2}$″ × $\frac{1}{4}$″					

203

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3079	3-12-89	Iron—*concld*.	Tee, $2\frac{1}{2}$″ × $2\frac{1}{2}$″ × $\frac{1}{4}$″	10	5	0	Ton.	
2394	8-6-89		,, 3″ × 2″ × $\frac{1}{4}$″	8	5	0	,,	
1938	9-2-89		,, 4″ × 2″ × $\frac{13}{16}$″, parallel, unequal depth and width	7	5	0	,,	
			Yellow, bolt, selected—					
2923	30-10-89	Metals.	$\frac{3}{8}$″, $\frac{1}{2}$″, $\frac{5}{8}$″, $\frac{7}{8}$″, $1\frac{1}{8}$″, $1\frac{1}{4}$″ in lengths of 15 feet	0	0	$7\frac{1}{2}$	lb.	
				0	0	$6\frac{3}{4}$	,,	
				0	0	$6\frac{1}{4}$	,,	
1952	11-2-89	Plumbago.	Powder, in packets of 7 lbs. each	1	5	0	Cwt.	
2430	14-6-89		Special, for Foundry	0	12	6	,,	

204

6d/11/89

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number	Contract date	Articles	Details	Rate—Free on Board. Amount. £	s.	d.	Unit	Remarks
1960	12-2-89	Lead.	Black in 8-oz. packets	0	0	4	Lb.	
2227	3-5-89		,, ,, ,, ...	0	0	4½	,,	
2839	12-10-89		,, powder, Oakeys, pencil, in ½ lb. packets...	0	0	4¾	,,	
2031	23-2-89		Pig	13	13	0	Ton.	
2281	17-5-89		,, ...	12	15	0	,,	
2408	11-6-89		,, ...	13	0	0	,,	
2002	16-2-89		Piping, ¾″ bore, weighing 1½ lbs. per foot run.	0	14	0	Cwt.	
2354	30-5-89		,, ¼″ thick, 1″ outside diameter, in coils of 1 cwt.	0	13	6	,,	
,,	,,		Sheet, milled, 8 feet broad, 8 lbs. per foot superficial, in 1 roll ...	0	13	6	,,	
2789	21-9-89		Sheet, milled, 8 feet broad, 4 lbs. per square feet, in rolls of 5 cwt. ...	0	14	6	,,	
2338	28-5-89		Wire, round, ¼″ diameter, in trade coils	1	10	0	,,	
1998	16-2-89	Metals.	Babbits or white, in ingots of about 14 lbs. each	5	0	0	Cwt.	
2554	5-7-89		,, ,, ,, ...	4	10	0	,,	
2793	27-9-89		,, ,, ,, ...	4	10	0	,,	
2914	29-10-89		,, ,, ,, ...	4	10	0	,,	
3026	20-11-89		,, ,, ,, ...	97	0	0	Ton.	

205

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number	Contract date	Articles	Details	Rate—Free on Board. Amount. £	s.	d.	Unit	Remarks
1085	16-2-89	Solder.	Hard, or Spelter, for brazing brass or copper	3	17	0	Cwt.	
2400	8-6-89		,, ,, ,, ...	4	4	0	,,	
2559	5-7-89		,, ,, ,, ...	3	12	4	,,	
2849	17-10-89		,, ,, ,, ...	3	5	4	,,	
3069	29-11-89		,, ,, ,, ...	3	7	6	,,	
1957	12-2-89		Soft, tinmans	3	6	0	,,	
2400	8-6-89		,, ...	3	7	8	,,	
2559	5-6-89		,, in sticks 16″ long	3	19	4	,,	
2950	2-11-89		,, 3 to the lb.	3	15	0	,,	
3069	29-11-89		,, ...	3	15	6	,,	
2818	7-10-89	Steel.	Bar, angle bulb, in lengths of 18 feet— 5″ × 2½″ × ⅜″, with ⅝″ bulb	9	15	0	Ton.	
2461	20-6-89		Bevil, for turning tools, for tool-holder— 2¼″ × ¾″ × ⅜″	2	4	6	Cwt.	
,,	,,		3″ × ¾″ × ⅜″					

206

31/11/10

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2518	1-7-89	Steel—*contd.*	Brake block, channel bars, for bogie trucks— 3′ 9½″ × 4½″ × 2″ × ⅜″					
			Channel cross bars, 12 lbs. per foot 5′ 3″ × 7½″ × 2½″	23	2	6	Ton.	
			Channel sole bars, 14 lbs. per foot— 25 feet × 7½″ × 2½″	23	2	6	,,	
				23	2	6	,,	
2110	11-3-89		Cast, flat— 1″ × ¼″	1	19	9	Cwt.	
2890	26-10-89		1″ × ½″	2	0	0	,,	
2110	11-3-89		1″ × ⅝″	1	19	9	,,	
2890	26-10-89		1″ × ¾″	2	0	0	,,	
2461	20-6-89		1¼″ × ½″, tapering 1 in 20	0	16	6	,,	In bars of ordinary length.
2110	11-3-89		1¼″ × ⅝″	1	19	9	,,	
2890	26-10-89		1¼″ × ¾″	2	0	0	,,	
2115	12-3-89		1½″ × 5″ × 12 feet long	1	19	9	,,	
2110	11-3-89		1¾″ × 1½″	1	19	9	,,	
2890	26-10-89		1⅞″ × 1½″	2	0	0	,,	

207

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2115	12-3-89	Steel—*contd.*	Cast, flat—*contd.* 1⅞″ × 6″ × 12 feet long					
2110	11-3-89		2″ × 1½″	1	19	9	Cwt.	
2890	26-10-89		2″ × 1½″	1	19	9	,,	
2110	11-3-89		3″ × 1″	2	0	0	,,	
2890	26-10-89		3″ × 1″	1	19	9	,,	
2110	11-3-89		3½″ × 2½″	2	0	0	,,	
				1	19	9	,,	
2115	12-3-89		Cast, octagan, for smiths' tools, chisels, &c.— ¾″					
2461	20-6-89		¾″	1	19	9	Cwt.	
2115	12-3-89		⅞″	1	14	6	,,	
3067	28-11-89		⅞″	1	19	9	,,	
2115	12-3-89		1″	1	19	0	,,	
2461	20-6-89		1″	1	19	9	,,	
2779	19-3-89		1″	1	14	6	,,	
2170	28-3-89		1⅛″, in lengths of 8½ feet	1	19	6	,,	
,,	,,		1⅛″ ,, 9½ ,,	1	3	6	,,	

208

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Cast, octagon, for smiths' tools, chisels, &c.—*contd.*					
2115	12-3-89	Steel—*contd.*	1¼″	1	19	9	Cwt.	
2170	28-3-89		1¼″, in lengths of 6½ feet	1	3	6	,,	
,,	,,		1¼″ ,, 8½ ,, ...					
2115	12-3-89		1⅜″	1	19	9	,,	
2170	28-3-89		1⅜″, in lengths of 9 feet	1	3	6	,,	
2461	20-6-89		1½″	1	14	6	,,	
3067	28-11-89		1½″	1	19	0	,,	
2170	28-3-89		1½″, in lengths of 8 feet	1	3	6	,,	
			Cast, round—					
2461	20-3-89		¼″	1	16	6	,,	
2110	11-3-89		⅜″	1	19	9		
2890	26-10-89		⅜″	2	0	0	,,	
2461	20-6-89		½″	1	16	6	,,	
2110	11-3-89		½″	1	19	9	,,	
2890	26-10-89		½″	2	0	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Cast, round—*contd.*					
2110	11-3-89	Steel—*contd.*	⅝″	1	19	9	Cwt.	
2461	20-6-89		⅝″	1	16	6	,,	Best cast.
2890	26-10-89		⅝″	2	0	0	,,	
3067	28-11-89		⅝″	1	19	0	,,	
2110	11-3-89		¾″	1	19	9	,,	
2461	20-6-89		¾″	1	16	6	,,	Best cast.
2890	26-10-89		⅞″	2	0	0	,,	
2110	11-3-89		1″	1	19	9	,,	
2890	26-10-89		1″	2	0	0	,,	
3067	28-11-89		1″	1	19	0	,,	
2461	20-6-89		1⅛″	1	16	6	,,	Best cast.
2110	11-3-89		1⅛″	1	19	9	,,	
2461	20-6-89		1¼″	1	16	6	,,	Best cast.
2890	26-10-89		1¼″	2	0	0	,,	
2110	11-3-89		1⅜″	1	19	9	,,	
2890	26-10-89		1⅜″	2	6	0	,,	

51111/12

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Steel—*contd*.	Cast, round—*concld*.					
2110	11-3-89		1¾″	1	19	9	Cwt.	
2890	26-10-89		1¾″	2	0	0	,,	
2110	11-3-89		2″	1	19	9	,,	
2192	16-4-89		2″	1	13	0	,,	
2890	26-10-89		2″	2	0	0	,,	
2110	11-3-89		2¼″	1	19	9	,,	
2890	26-10-89		2¼″	2	0	0	,,	
2110	11-3-89		2½″	1	19	9	,,	
2890	26-10-89		2½″	2	0	0	,,	
2115	12-3-89		2¾″ × 5′ long	1	19	2	,,	
2110	11-3-89		2¾″	1	19	9	,,	
2192	26-4-89		2¾″	1	13	0	,,	
2890	26-10-89		2¾″	2	0	0	,,	
2115	12-3-89		3″ × 5′ long	1	19	0	,,	
			Cast, square—					
2115	12-3-89		½″	1	19	9	,,	
2110	11-3-89		½″	1	19	9	,,	

211

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Steel—*contd*.	Cast, square—*contd*.					
2115	12-3-89		¾″	1	19	9	Cwt.	
2890	26-10-89		¾″	2	0	0	,,	
2115	12-3-89		⅞″	1	19	9	,,	
2110	11-3-89		1″	1	19	9	,,	
2115	12-3-89		1″	1	19	9	,,	
2890	26-10-89		1″	2	0	0	,,	
2115	12-3-8		1⅛″	1	19	9	,,	
2523	1-7-89		1⅛″	2	0	0	,,	
2110	11-3-89		1¼″	1	19	9	,,	
2115	12-3-89		1¼″	1	19	9	,,	
2461	20-6-89		1¼″	1	16	6	,,	Best cast.
2890	26-10-89		1¼″	2	0	0	,,	
2115	12-3-89		1⅜″	1	19	9	,,	
,,	,,		1½″	1	19	9	,,	
2192	16-4-89		1½″	1	13	0	,,	
2523	1-7-89		1½″	2	0	0	,,	

212

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Steel—*contd.*	*Cast, square—contd.*					
3067	28-4-89		1¼″	1	19	0	Cwt.	
2779	19-9-89		1½″ × 1½″	1	19	6	,,	
2115	12-3-89		1¾″	1	19	9	,,	
2110	11-3-89		2″	1	19	9	,,	
2192	16-4-89		2″	1	13	0	,,	
2513	1-7-89		2″	2	0	0	,,	
2890	26-10-89		2″	2	0	0	,,	
2461	20-6-89		2¼″	1	14	6	,,	Best cast.
2115	12-3-89		2¼″	1	19	9	,,	
			2¼″	1	14	6	,,	Best cast.
2461	20-6-89		2½″	1	14	6	,,	,,
			3″	1	14	6	,,	,,
			Shear, single flat—					
2110	11-3-89		3″ × 1″	1	16	3	,,	
2890	26-10-89		3″ × 1″	2	0	0	,,	
2110	11-3-89		5″ × 1″	1	16	3	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Steel—*contd.*	*Shear, single flat—contd.*					
			5″ × 1″	2	0	0	Cwt.	
2890	26-10-89		6″ × ¾″	1	15	0	,,	
2192	16-4-89		*Sheets—*					
2053	25-2-89		6′ 6″ × 3′ 3″ × $\frac{1}{16}$″	10	4	0	Ton.	
			Side plates—					
2518	1-7-89		7′ 1¾″ × 14¾″ × ½″, for sole bars of bogie trucks	23	2	6	,,	
			Spring—					
2433	14-6-89		3″ × ⅛″, in dead lengths of 12 feet	10	15	0	,,	
1815	11-1-89		3″ × ⅜″ ,, 15 ,, ...	9	5	0	,,	
1979	15-2-89		3″ × ⅜″	8	5	0	,,	
2433	14-6-89		3″ × ⅜″, in lengths of 13 feet	8	15	0	,,	
3063	28-11-89		3″ × ⅜″	12	15	0	,,	
1979	15-2-89		3″ × $\frac{7}{16}$″, in lengths of 15 feet	8	5	0	,,	
2433	14-6-89		3″ × $\frac{7}{16}$″ ,, 13 ,, ...	8	15	0	,,	
2902	29-10-89		3″ × $\frac{7}{16}$″	12	0	0	,,	
197 9	15-2-89		3″ × ½″, in lengths of 15 feet	8	5	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Steel—*contd*.	Spring—*contd*.					
2110	11-3-89		3″ × ½″	9	5	0	Ton.	
2433	14-6-89		3″ × ½″, in lengths of 13 feet	8	15	0	,,	
2902	29-10-89		3″ × ⅜″	12	0	0	,,	
2190	10-4-89		3″ × ⅜″	9	5	0	,,	
2790	27-9-89		3″ × ⅜″	11	0	0	,,	
2885	26-10-89		3¼″ × 5/16″	9	15	0	,,	
2885	26-10-89		3¼″ × ⅜″ × 16 feet	9	15	0	,,	
2433	14-6-89		3½″ × ½″ × 16 ,, ...	8	15	0	,,	
1908	4-2-89		3½″ × 5/16″	8	0	0	,,	
1979	15-2-89		3½″ × 7/16″, in lengths of 15 feet	8	5	0	,,	
2433	14-6-89		*3½″ × 5/16″ ,, 13 ,, ...	8	15	0	,,	
1908	4-2-89		3½″ × ⅜″	8	0	0	,,	
1979	15-2-89		3½″ × ⅜″	8	5	0	,,	
2190	4-10-89		3½″ × ⅜″	9	5	0	,,	
2433	14-6-89		3½″ × ⅜″	8	15	0	,,	
2615	16-7-89		3¼″ × ½″	12	0	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Steel—*contd*.	Spring—*contd*.					
2902	29-10-89		3½″ × ⅜″ in lengths of 15 feet	12	0	0	Ton.	
2885	26-10-89		3½″ × 7/16″	9	15	0	,,	
1868	25-1-89		3½″ × ½″	9	10	0	,,	
1979	15-2-89		3½″ × ½″, in lengths of 15 feet	8	5	0	,,	
2190	10-4-89		3½″ × ½″	9	5	0	,,	
2433	14-6-89		3½″ × ½″	8	15	0	,,	
2799	27-9-89		3½″ × ½″	11	0	0	,,	
2885	26-10-89		3½″ × ½″, in lengths of 16 feet	9	15	0	,,	
1979	15-2-89		4″ × ⅜″, in lengths of 15 feet	8	5	0	,,	
2190	10-4-89		4″ × ⅜″	9	5	0	,,	
2433	14-6-89		4″ × ⅜″	8	15	0	,,	
1979	15-2-89		4″ × 7/16″, in lengths of 15 feet	8	5	0	,,	
2885	26-10-89		4″ × ⅜″ ,, 16 ,, ...	9	15	0	,,	
1868	25-1-89		4¼″ × ⅜″	9	10	0	,,	
1868	25-1-89		4¼″ × ½″	9	10	0	,,	
2885	26-10-89		4½″ × ½″, in lengths of 16 feet	9	15	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Steel—*contd.*	Wire, round—					
			No. 9 B. W. G.	1	10	0	Cwt.	
			14 „	1	18	0	„	
2471	21-6-89		¼"	1	10	0	„	
			⅛"	1	8	0	„	
2919	29-10-89		⅜"	2	5	0	„	
„	„		½"	2	5	0	„	
1980	15-2-89	Tin.	Best, refined, in ingots of about 14 lbs. each	98	0	0	Ton.	
2429	14-6-89		„ „ „	95	0	0	„	
2581	11-7-89		„ „ „	96	0	0	„	
2851	17-10-89		„ „ „	94	9	0	„	
			Plates, best, charcoal finish—					
2027	23-2-89		17" × 12½" DC	0	17	0	Box of 100 sheets.	
2349	30-5-89		25" × 17" DX	2	10	0	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Tin—*contd.*	Plates, best, charcoal finish—*contd.*					
2349	30-5-89		17" × 12½" DXX	1	9	0	Box of 100 sheets.	
„	„		25" × 17" DXX	1	9	0	„	
2027	23-2-89		17" × 12½" DXXX	1	12	0	„	
2240	10-5-89		17" × 12½" DXXX	1	8	6	„	
2349	30-5-89		17" × 12½" DXXX	1	13	0	„	
1836	17-1-89		25" × 17" DXXX	3	0	0	„	
2027	23-2-89		10" × 14" IX	1	4	0	Box of 225 sheets.	
„	„		10" × 14" IXX	0	13	0	Box of 100 sheets.	
2240	10-5-89		20" × 14" IXX	1	4	4	„	
2349	30-5-89		20" × 14" IXX	1	8	1	„	
2562	5-7-89		20" × 14" IXX	1	5	0	„	
3057	28-11-89		20" × 14" IXX	1	11	3	„	
2027	23-2-88		10" × 14' IXXX	1	14	0	Box of 225 sheets	
2912	29-10-89		20" × 14" IXXX	1	10	6	Box of 100 sheets.	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2027	23-2-89	Tin—*concld.*	Tin sheet, best, charcoal finish—					
„	„		15″ × 11″ SDX					
3057	28-11-89		20″ × 14″ SDXX	1	17	0	Box of 200 sheets.	
„	„		11″ × 15″ SDXX	1	1	0	„	
			17″ × 25″ × 24 S. W. G.	1	2	6	„	
				3	6	0	„	
2364	31-5-89	Zinc.	In slabs of about 28 lbs. each					
2561	5-7-89		„ „ „	20	0	0	Ton.	
2852	17-10-89		„ „ „	21	0	0	„	
2949	2-11-89		„ „ „	22	15	0	„	
3071	29-11-89		„ „ „	23	15	0	„	
			„ „ „	25	0	0	„	
			Zinc sheet, plain—					
2352	30-5-89		7′ × 2′ 6″ × 16 B. W. G.	26	0	0	Ton.	
			7′ × 3′ 0″ × 18 „	25	10	0	„	
1999	16-2-89		7′ × 3′ 0″ × 26 „	25	10	0	„	
			7′ × 3′ 0″ × 18 S. W. G.	23	15	0	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*concld.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3071	29-11-89	Zinc—*concld.*	Zinc sheet, plain—*contd.*					
2230	3-5-89		7′ × 3′-0″ × 18 S. W. G.	27	6	0	Ton.	
1965	12-2-89		7′ × 3′-0″ × 19 „	22	10	0	„	
1999	16-2-89		7′ × 3′-0″ × 20 „	21	0	0	„	
			7′ × 3′-0″ × 20 „	23	15	0	„	
			7′ × 3′-0″ × 21 „	23	15	0	„	
			8′ × 4′ × 16 S. W. G.	24	15	0	„	
2352			Zinc sheet, perforated—					
			8′ × 3′ × 26 S. W. G.	3	10	0	Sheet.	

3/11
119

CLASS G.

TOOLS AND STORES.

5.—Painters' Stores.

FOR 1889.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(5) PAINTERS' STORES.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2151	21-3-89	Bone, cuttle fish ...	In pieces not less than one half	0	0	8½	Lb.	
2891	26-10-89	Driers, patent.	Ground in oil	0	15	6	Cwt.	
2662	12-7-89		"	0	14	9	"	
2241	10-5-89		"	0	15	0	"	
2499	27-6-89		"	0	16	0	"	
2478	25-6-89	Lead.	Black, Oakeys, in 8 oz. packets	0	0	4½	Lb.	
2479	25-6-89		" powder, "	0	0	4½	"	
2173	29-3-89		Red, dry	0	16	3	Cwt.	
2479	4-7-89							
2241	10-5-89		"	0	16	0	"	
2489	27-6-89							
2280	17-5-89		"	0	16	6	"	
2708	5-9-89		"	0	16	9	"	

241/129

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(5) PAINTERS' STORES—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2797	27-9-89	Lead—*contd.*	Red, dry	0	17	0	Cwt.	
2939	2-11-89		"	0	17	3	"	
3056	28-11-89		"	0	17	6	"	
3093	5-12-89		"	0	18	9	"	
1869	25-1-89		White, dry	1	1	0	"	
1925	5-2-89		"	1	0	6	"	
3053	28-11-89							
2159	23-3-89		"	0	0	3½	Lb.	
2241	10-5-89		"	0	19	0	Cwt.	
2280	17-5-89		"	0	18	6	"	
2419	14-6-89		"	0	19	3	"	
2706	5-9-89		"	19	15	0	Ton.	
3104	6-12-89		"	1	1	6	Cwt.	
2174	29-3-89		" ground in oil	0	19	6	"	
2241	10-5-89		" "	0	19	9	"	
2419	14-6-89		" "	1	1	3	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(5) PAINTERS' STORES—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2706	5-9-89	Lead—*concld.*	White, ground in oil	21	0	0	Ton.	
2906	29-10-89		" "	1	2	0	Cwt.	
3053	28-11-89		" "	1	2	0	"	
3104	6-12-89		" "	1	3	6	"	
2226	3-5-89	Oil, linseed.	Raw	0	1	6½	Gal.	
2933	1-11-89		"	0	1	9¼	"	
3105	6-12-89		"	0	1	8½	"	
2075	1-3-89		Steam boiled	0	1	7¾	"	
2226	3-5-89							
2464	21-6-89		"	0	1	9¼	"	
2933	1-11-89		"	0	1	9¼	"	
3105	6-12-89		"	0	1	0¼	"	
2241	10-5-89	Paint.	Black, ground in oil	0	13	0	Cwt.	
2420	14-6-89		" "	0	11	0	"	

27/1146

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(5) PAINTERS' STORES—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2499	27-6-89	Paint—*contd*.	Black, ground in oil	0	11	6	Cwt.	
2731	12-9-89		" "	11	5	0	Ton.	
2857	17-10-89		" "	0	11	6	Cwt.	
3035	5-12-89		" "	0	12	3	"	
2241	10-5-89		Black, ivory drop, ground in oil	1	8	0	"	
2731	12-9-89		Burnt Sienna	1	19	6	"	
2891	26-10-89		" dry	0	0	4½	Lb.	
2862	17-10-89		Bronze powder, pale gold, in 2 ozs. packets	0	0	6	Packet.	
2891	26-10-89		" " "	0	10	6	Lb.	
2420	14-6-89		Blue, Prussian, dry	0	1	8	"	
2420	14-6-89		Brunswick green, ground in oil	2	3	6	Cwt.	
2175	29-3-89		Chocolate, brown, "	0	15	0	"	
2398	8-6-89		" dry, Carsons patent	0	16	6	"	
2398	8-6-89		" ground in oil, Carsons patent	1	5	6	"	
2499	27-6-89		" "	0	13	6	"	
2499	27-6-89		Chrome yellow, ground in oil	0	0	8	Lb.	

226

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(5) PAINTERS' STORES—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2731	12-9-89	Paint—*contd*.	Crimson lake	0	5	0	Lb.	
2038	26-2-89		Green Brunswick, ground in oil	20	10	0	Ton.	
2731	12-9-89		" " dry	1	12	6	Cwt.	
2499	27-6-89		" " ground in oil	1	14	6	"	
2175	29-3-89		" dry	1	4	0	"	
2857	17-10-89		" "	1	13	0	"	
2175	29-3-89		Green, ground in oil	1	8	0	"	
2241	10-5-89		" "	1	10	0	"	
2061	25-2-89							
2210	29-4-89							
2551	5-7-89		Gold, Judsons, in 2 ozs. phials	0	3	6	Phial.	
2868	19-10-89							
2891	26-10-89		Ivory, black, dry	1	10	0	Cwt.	
2175	29-3-89		Lamp "	1	0	0	"	
2420	14-6-89		" "	0	16	6	"	
1869	25-1-89		Lead colour, ground in oil	0	18	0	"	

227

211/122

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(5) PAINTERS' STORES—*contd.*

Contracted for in 1889.

Contract number	Contract date	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2420	14-6-89	Paint—*contd.*	Lead colour, ground in oil	1	0	6	Cwt.	
2175	29-3-89		Lemon, chrome, dry	0	0	6	Lb.	
2857	17-10-89		Red, dry	0	9	0	Cwt.	
2420	14-6-89		Red oxide of iron, ground in oil	0	12	6	,,	
2731	12-9-89		Scarlet lake	0	4	6	Lb.	
2420	14-6-89		Vermilion, in 1 lb. boxes	0	2	8½	,,	
2123	14-3-89		,, dry	0	2	7	,,	
2175	29-3-89		,, in 1 lb. paper boxes	0	2	9	,,	
2539	4-7-89		,, ...	0	3	1	,,	
2891	26-10-89		,, ...	0	2	10½	,,	
2731	12-9-89		,, imitation	3	8	9	Cwt.	
2499	27-6-89		White lead, ground in oil	1	1	3	,,	
2846	17-10-89		,, silicate powder	22	0	0	Ton.	
2499	27-6-89		,, lead, dry	1	0	6	Cwt.	
2420	14-6-89		,, Kremnitz, dry	2	2	0	,,	
2872	19-10-89		Yellow middle chrome quality Bergers	0	2	0	Lb.	
2420	14-6-89		,, Ochre, dry	0	9	10½	Cwt.	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(5) PAINTERS' STORES—*contd.*

Contracted for in 1889.

Contract number	Contract date	Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2175	29-3-89	Paint—*concld.*	Yellow Ochre, ground in oil	0	18	0	Cwt.	
2420	14-6-89		,, ,, ...	0	11	3	,,	
2539	4-7-89		,, ,, ...	0	15	6	,,	
2891	26-10-89		,, ,, ...	0	12	6	,,	
1925	5-2-89							
2493	27-6-89		Zinc white, ground in oil	1	2	6	,,	
2539	4-7-89							
2241	10-5-89		,, ,, ...	1	1	0	,,	
2420	14-6-89		,, ,, ...	1	2	3	,,	
2731	12-9-89		,, ,, ...	24	0	0	Ton.	
2891	26-10-89		,, ,, ...	1	5	10½	Cwt.	
2510	29-6-89	Pumice powder ...	In 1 packet	0	0	2	Lb.	
1923	5-2-89							
2143	21-3-89	Stone Pumice ...	In lumps of about 8 ozs.	1	5	0	Cwt.	
2487	7-6-89							

2111/123

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(5) PAINTERS' STORES—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Stone, Pumice.	Composition artificial, in Cwt. cases : —					
2704	3-9-89		1 I soft	1	5	0	Cwt.	
			1 II hard					
			2 I soft					
			2 II hard					
2510	29-6-89		In pieces of not less than 8 ozs. each	1	8	0	„	
2049	25-2-89	Turpentine.	American	0	2	8½	Gal.	
2148	21-3-89			0	2	10	„	
2728	10-9-89			0	2	6½	„	
3858	17-10-89			0	2	3	„	
	26-10-89			0	2	9	„	
3066	28-11-89			0	2	8	„	
3103	6-12-89			0	2	8	„	
2480	25-6-89			0	2	5½	„	
2501	27-6-89							

230

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(5) PAINTERS' STORES—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2505	28-6-89	Varnish.	Black, Japan	0	5	10	Gal.	
2582	11-7-89							
2764	18-9-89		„ finest for railway carriage work, mostly applied to iron ...	0	5	3	„	
2764	18-9-89		Black, Lacquer, quick drying, finest for railway carriage work, mostly applied to iron	0	3	3	„	
2163	25-3-89		Copal, body finish	0	9	0	„	
2505	28-6-89		„ carriage body, best	0	7	9	„	
2582	11-7-89							
2811	1-10-89		„ „	0	5	3	„	
3060	28-11-89							
2971	2-11-89		„ finest for 1st class carriages inside on wood painted white lead ...	0	7	6	„	
2971	2-11-89		Copal, finest, engine	0	5	6	„	
2971	2-11-89		„ „ pale body for finishing —— for carriages on wood painted white lead	0	7	6	„	
2163	25-3-89		Copal, pale, hard drying	0	5	9	„	
2764	18-9-89		Durable body, finest used on iron panels over white paint outside work ...	0	7	6	„	
2505	28-6-89		Elastic, best wearing body, for white work	0	7	9	„	
2505	28-6-89		French polish, Methylated, brown	0	5	5	„	

231

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3060	28-11-89	Varnish—*concld.*	French polish, Methylated, brown	0	5	0	Gal.	
2984	8-11-89		Gold size, Bronze, quick drying	0	4	0	,,	
2163	25-3-89		,, Japan	0	4	3	,,	
2505	28-6-89		,, ...	0	4	3	,,	
2582	11-7-89		,, ...	0	4	3	,,	
2764	18-9-89		,, pale, finest	0	4	0	,,	
2971	2-11-89		Hard body, finest durable — for engines out side over lead colour and green	0	7	0	,,	
2971	2-11-89		,, outside finishing for carriage iron panels, painted surface ...	0	7	0	,,	
2971	2-11-89		,, ditto for carriage wood painted surface	0	7	0	,,	
2764	18-9-89		,, finest used on iron panels over white paint outside work first coating.	0	7	0	,,	
2764	18-9-89		,, carriage, finest	0	5	3	,,	
2666	10-8-89	Whiting ...	Paris	0	3	2	Cwt.	

CLASS G.

TOOLS AND STORES.

b.—Stores.

6.—Timber.

FOR 1889.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*—(6) TIMBER.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2801	27-9-89	Boards ...	Rough, red wood 1¼" thick, 7" to 9" wide, 12 to 18 feet long, to average 15′ 0"	0	13	9	100 superficial feet.	
		Fine pitch.	In baulk scantling—					
2802	27-9-89		12" × 12" to 14" × 14", to be cut in single lengths of 18 feet and not over 20 feet.					
			12" × 12" to 14" × 14", in lengths of 25 feet and not over 35 feet ...	0	1	7½	Cubic feet.	
			15" × 15" to 17" × 17", to be cut into lengths of 25 feet and not over 28 feet.					
2991	13-11-89		12" × 17", in 15 feet lengths	0	1	10	"	

211/12

3/11/25

CLASS G.

TOOLS AND STORES.

b.—Stores.

7.—Fuel.

FOR 1889.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(7) FUEL.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1851	22-1-89	Coal.	Smithy, Tanfield Moor	0	9	6	Ton.	
2161	23-3-89		" " "	0	14	3	"	
2755	18-9-89		" " "	0	14	0	"	
3045	2[illegible]-11-89		" " "	0	12	6	"	
1851	22-1-89	Coke.	Foundry, of large size, baked in ovens for at least 98 hours	0	15	0	Ton.	
1947	9-2-89		Smithy, or soft Tanfield Moor	0	15	3	"	
2161	23-3-89		Durham foundry	1	0	3	"	
2406	11-6-89		Foundry	1	6	0	"	
2755	18-9-89		"	1	7	0	"	
1801	4-1-89	Patent Fuel ...	In blocks 11″ × 7″ × 7″ weiging about 22½ lbs.	0	9	2	Ton.	
2425	14-6-89		" 11″ × 7″ × 7″ "	0	10	4	"	

Note.—The following percentages on the free-on-board cost should be added in the case of the undermentioned stores on account of entire sea-freight to Indian Ports:
For coal 180 per cent. | Patent Fuel 220 per cent.
For coke 130 per cent. |

CLASS G.

TOOLS AND STORES.

b.—Stores.

8.—Furniture for Stations, Offices, and Refreshment Rooms.

FOR 1889.

3111/30

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(8) FURNITURE FOR STATIONS, OFFICES, AND REFRESHMENT ROOMS.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1846	19-1-89	Barrows Platform	Wheels, cast iron, with rubber tyres, 11" diameter, complete for :— ...	0	13	8	Each.	
			Cook room requisites—					
2591	12-7-89	Choppers.	Meat	0	3	0	Each.	
1968	12-2-89	Fry-Pans ...	Iron, enamelled, 12"	0	2	7	Each.	
1968	12-2-89	Gridirons.	Iron, enamelled, 12"	0	2	1	Each.	
2591	12-7-89		" " 11"	0	2	3	"	
2591	12-7-89	Kettles.	Iron, enamelled, ½ gallon	0	2	6	Each.	
1895	31-7-89		Tea, block tin, 2 quarts	0	3	7	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(8) FURNITURE FOR STATIONS, OFFICE MENT ROOMS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Cook room requisites—contd.					
2591	12-7-89	Knives.	Cooks 7″	0	2	8	Each.	
,,	,,		,, 9″	0	3	6	,,	
,,	,,		,, 11″	0	4	6	,,	
2591	12-7-89	Saucepans.	Iron, enamelled, 1 pint	0	1	0	Each.	
,,	,,		,, ,, 1 quart	0	1	3	,,	
,,	,,		,, ,, 2 ,, ...	0	1	8	,,	
2691	29-8-89		,, ,, 2 ,, ...	0	6	6	,,	
2591	12-7-89		,, ,, 3 ,, ...	0	2	2	,,	
,,	,,		,, ,, 4 ,, ...	0	2	8	,,	
,,	,,		,, ,, 6 ,, ...	0	3	4	,,	
,,	,,		,, ,, 8″	0	4	0	,,	
2591	12-7-89	Openers.	Tin	0	2	9	Each.	

236

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(8) FURNITURE FOR STATIONS OFFICES AND REFRESHMENT ROOMS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Crockery, dressing room.					
1945	9-2-89	Basins.	18″, marbled earthenware, Jenning's patent, tip up and lift out, with internal splash preventing rim in best polished marbled veined top, 2′ 9½″ × 2′ 4″ with 6″ skirtings at back and sides, recessed brush and brush trays, silver plated cam action, cold supply cork, white earthenware receiver and wood bed frame.	10	10	0	Each.	
1968	12-2-89		Washing iron, enamelled, 15″	0	2	8½	,,	
,,	,,		,, ,, 18″	0	4	3½	,,	
1983	15-2-89		,, ,, large	1	8	6	,,	
,,	,,		,, ,, small	1	8	6	,,	
1968	12-2-89	Jugs ...	Water, iron, enamelled, 2 gallons	0	7	6	Each.	
2674	13-8-89	Pans ...	Commode, iron, enamelled, with lids	0	8	6	Each.	
2149	21-3-89	Pots ...	Commode, iron, enamelled, 12 $\frac{1}{16}$″ diameter × 2′ 4″ deep	3	7	6	Each.	

237

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(8) FURNITURE FOR STATIONS, OFFICES AND REFRESHMENT ROOMS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Crockery, dressing room—concld.					
1968	12-2-89	Pots.	Chamber, iron, enamelled	0	3	0	Each.	
2625	19-7-89	Toilet set ...	Complete, each set to consist of 1 basin, wash hand, 1 ewer, 1 soap dish, with cover and drawer 1 chamber and 1 brush tray with cover.	0	13	4½	Set.	
			Crockery Table.					
2625	19-7-89	Basins ...	Slop, China	0	1	7	Each.	
2625	19-7-89	Cups and Saucers	Tea, China	0	0	10	Each.	
2625	19-7-89	Coolers ...	Butter, with stands, White, Hall shape	0	2	9	Each.	
1968	12-2-89	Dishes.	Curry, iron, enamelled, 10"	0	3	5	Each.	
"	"		Meat " 8"	0	0	8½	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(8) FURNITURE FOR STATIONS, OFFICES AND REFRESHMENT ROOMS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £.	s.	d.	Unit.	Remarks.
			Crockery table—contd.					
1968	12-2-89	Dishes—*concld.*	Meat, iron, enamelled, 12"	0	1	3	Each.	
"	"		" " 18"	0	3	0½	"	
2625	19-7-89		" oval 12"	0	1	8	"	
"	"		" " 14"	0	2	6	"	
"	"		" " 16"	0	3	6	"	
"	"		Pie " 8"	0	1	2	"	
"	"		" " 10"	0	1	11	"	
"	"		" " 12"	0	2	6	"	
"	"		Vegetable, round, with covers 10"	0	1	3	"	
1968	12-2-89	Egg cups ...	Iron, enamelled	0	0	6	Each.	
"	"	Jugs ...	Milk, iron, enamelled, 1 pint	0	1	4½	"	
2625	19-7-89	Plates.	Dessert, or pie plates (China)	0	0	4½	Each.	
"	"		Dinner (China)	0	0	5	"	
1968	12-2-89		" Iron, enamelled, 6"	0	0	6	"	
"	"		" " 10"	0	0	9½	"	

211/C32

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(8) FURNITURE FOR STATIONS, OFFICES AND REFRESHMENT ROOMS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Crockery Table—concld.					
1968	12-2-89	Plates—*contd.*	Dinner, iron, enamelled, 12″	0	1	3½	Each.	
,,	,,		Hot water ,, 10″	0	3	6	,,	
2625	19-7-89		,, white, earthenware	0	2	2	,,	
,,	,,		Soup ,, ,, ...	0	0	5	,,	
1968	12-2-89		,, iron, enamelled, 12″...	0	1	4½	,,	
2625	19-7-89		Cheese	0	0	4	,,	
2674	13-8-89	Pots ...	Drinking, iron, enamelled, 6″ deep × 3½″ inside, diameter at top ...	0	2	3	Each.	
2625	19-7-89	Tea Pots ...	(Rockingham) best quality, brown, flat shape, 3 pints	0	2	0	Each.	
			Cutlery and Plated Ware.					
2060	25-2-89	Coffee Pots ...	Electroplated, plain, special hard quality, 1 quart	1	18	0	Each.	
2060	25-2-89	Cruet stands ...	Electroplated, 6 bottles	2	5	0	Each.	

240

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(8) FURNITURE FOR STATIONS, OFFICES AND REFRESHMENT ROOMS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Cutlery and Plated Ware—concld.					
2060	25-2-89	Forks.	Dessert, electroplated	0	15	0	Doz.	
1928	5-2-89		Steel, ordinary, 3 prongs	0	1	8	Each.	
1928	5-2-89	Knives.	Table	0	2	6	Each.	
,,	,,		Knives and forks, carving, staghorn, handled	0	4	6	Pair.	
1856	24-1-89	Filters.	With latest improvements, with inner charging vessel and Asbestos bag, to hold 4 gallons.	1	17	6	Each.	Bischoff improved pattern No. 2.
,,	,,		Materials, and sufficient number of Asbestos bags for recharging each filter ...	0	3	6	,,	
,,	,,		Asbestos bags	0	1	4	,,	
1994	16-2-89		Spongy, iron, with inner vessel and Asbestos cloth, complete, to hold 4 gallons	1	17	6	,,	
,,	,,		Spare charges	0	3	6	,,	
2649	1-8-89		With latest improvements, complete, with charges in separate tins, to hold 3½ gallons	1	5	0	,,	Cheavins.
,,	,,		Charges for filtering medium, spare, each in separate tins	0	1	4	,,	

241

2111/134

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(8) FURNITURE FOR STATIONS, OFFICES AND REFRESHMENT ROOMS—*concld.*

Contracted for in 1889.

Contract number and Date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1854	24-1-89	Filters—*concld.*	Water, rapid, silicate, carbon, with moveable blocks, 2 gallon	1	4	0	Each.	
"	"		" " " 2½ "	1	10	0	"	
"	"		" " " 3 "	1	16	0	"	
"	"		" " " 4 "	2	6	0	"	
"	"		" " " 5 "	2	18	0	"	
		Tumblers.	*Glassware Table.*					
2367	1-6-89		Glass, 6" deep × 3½" inside, diameter at top	0	8	0	Doz.	
2927	31-6-89		Soda water	0	8	6	"	
3042	26-11-89	Safes.	Cash, iron, 3' × 2' 6" × 2' 6", fire resisting	16	2	6	Each.	
3150	31-12-89		" 3' × 2' 6" × 2" 0" "	15	10	6	"	
2020	21-2-89	Tubs.	Iron, galvanized, 48" long	0	15	9	Each.	Deptford pattern.
2032	27-7-89		" 48" "	0	15	9	"	Deptford pattern.

CLASS G.

TOOLS AND STORES.

b.—Stores.

9.—Cloth, Clothing and Equipment.

FOR 1889.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(9) CLOTH, CLOTHING, AND EQUIPMENT.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1875	26-1-89	Bunting.	Green, 19″ wide	0	0	3½	Yard.	
1942	9-2-89		,, ,, ,, ...	0	0	3¼	,,	
2221	3-5-89		,, ,, ,, ...	0	0	3¼	,,	
2606	12-7-89		,, ,, ,, ...	0	0	3¼	,,	
2955	2-11-89		,, ,, ,, ...	0	0	3¼	,,	
2665	9-8-89		,, 24″ ,, ...	0	0	4¼	,,	
1875	26-1-89		Red, 19″ ,, ...	0	0	3½	,,	
1942	9-2-89		,, 19″ ,, ...	0	0	3½	,,	
2221	3-5-89		,, 19″ ,, ...	0	0	3½	,,	
2606	12-7-89		,, 19″ ,, ...	0	0	3½	,,	
2955	2-11-89		,, 19″ ,, ...	0	0	3½	,,	
2665	9-8-89		,, 24″ ,, ...	0	0	3½	,,	
1875	26-1-89		White, 19″ ,, ...	0	0	4½	,,	
1942	9-2-89		,, 19″ ,, ...	0	0	3¼	,,	
2221	3-5-89		,, 19″ ,, ...	0	0	3½	,,	
				0	0	3½	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(9) CLOTH, CLOTHING AND EQUIPMENT—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2606	12-7-89	Bunting—*concld.*	White, 19″ wide	0	0	3½	Yard.	
2955	2-11-89		,, 19″ ,, ...	0	0	3¼	,,	
2612	16-7-89	Buttons.	Uniform, large, plated, B. S. R.	0	0	5	Doz.	
2985	8-11-89		,, ,, ,, ,, ...	0	0	6	,,	
2612	16-7-89		,, small ,, ,, ...	0	0	3½	,,	
2985	8-11-89		,, ,, ,, ,, ...	0	0	4	,,	
2719	6-9-89	Cloth.	Baize, fine, green, for table covers, 72″ wide	0	5	1	Yard.	
,,	,,		,, coarse ,, ,, ,, 54″ ,, ...	0	2	11½	,,	
2447	18-6-89		Brown Holland 2′ 10″ wide, for cushions	0	0	6½	,,	
2142	21-3-89		Flannel, white, 29″ wide, 5½ oz. per yard	0	0	9½	,,	
2220	3-5-89		Puggaree, marked B. S. Railway, 2¾″ wide, in pieces of 60 yards each ...	0	0	6½	,,	
2952	2-11-89		,, ,, ,, ,, ,, ...	0	0	6¼	,,	
2404	11-6-89		Satinette, dark green, 22½″ wide	0	1	0½	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(9) CLOTH, CLOTHING AND EQUIPMENT—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1930	7-2-89	Watches.	Watches, guards, keyless, with compensation balance in nickel case ...					
2100	11-3-89		,, ,, ,, ,, ,, ,, ,, ,, ...					
2568	8-7-89		,, ,, ,, ,, ,, ,, ,, ,, ...	3	10	0	Each.	
2904	29-10-89		,, ,, ,, ,, ,, ,, ,, ,, ...					
3076	30-11-89		,, ,, ,, ,, ,, ,, ,, ,, ...					
2385	3-6-89		,, ,, ,, ,, ,, ,, ,, ,, ...	2	5	0	,,	
2105	9-3-89	Watches, fittings for—	Balances	0	4	6	Each.	
			,, staffs, finished	0	1	0	,,	
			End pieces, bottom, with slippers	0	0	8	,,	
			Glasses	0	0	4	,,	
2385	3-6-89		,, plate, watch, $2\frac{2}{5}$″ bevelled edge, flat, and of special plate glass ...	0	4	0	,,	
2105	9-3-89		Hands, hour	0	3	0	Doz.	
,,	,,		,, minute	0	3	0	,,	
2385	3-6-89		,, ,, for keyless guards watches	0	3	0	,,	
,,	,,		,, second ,, ...	0	2	0	,,	
2105	9-3-89		Jewel holes (English)	0	6	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(9) CLOTH, CLOTHING AND EQUIPMENT—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2105	9-3-89	Watches, fittings for—*concld.*	Jewel holes (English), bottom	0	6	0	Doz.	
2176	29-3-89		" "	0	8	0	"	
"	"		" plates	0	8	0	"	
2105	9-3-89		Pins, ruby	0	2	0	"	
"	"		Screws, assorted, polished and blued	0	6	0	Gross.	
2176	29-3-89		" " " "	0	5	0	"	
"	"		Springs, hair	0	6	0	Doz.	
2105	9-3-89		" " and collet	0	6	0	"	
"	"		" main	0	5	0	"	
2176	29-3-89		" "	0	4	0	"	
"	"		Wheels, barrel, with arbor	0	2	3	Each.	
2176	29-3-89		Wheels, centre	0	6	0	Doz.	
2105	9-3-89		" escape with finished pinion	1	4	0	"	
2176	29-3-89		" 3rd, with pinion	0	14	0	"	
"	"		" 4th "	0	14	0	"	
"	"		Winding buttons	0	12	0	"	
2105	9-3-89		" " with crown wheels	1	4	0	"	

246

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(9) CLOTH, CLOTHING AND EQUIPMENT—*concld.*

Contracted for in 1889.

Contract number and da		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1862	24-1-89	Waterproof Clothing.	Black and white suits complete, to consist of coat, helmet, and leggings, to be sewn and also fastened down.	0	13	11	Suit.	
			" " "	0	14	6	"	
			List of sizes of Coats and Helmets—					
2937	1-11-89		Black and white coats, Black and white helmets					
			Nos. 5, 6 and 15 = 52 inches. Nos. 5 and 6 = 21½ inches ...					
			" 8, 10 and 27 = 50 " " 66 and 83 = 22 " ...					
			" 12, 15 and 36 = 48 " " 25 and 31 = 22½ " ...					
			" 25, 31 and 75 = 46 " " 4 and 5 = 23 "					
			" 50, 63 and 147 = 44 "					
2662	8-8-89		With sockets for guards belts, and nuts and screws for attachment ...	0	2	0	Set.	

247

11/42

3111
138

CLASS G.

TOOLS AND STORES.

b.—Stores.

10.—Miscellaneous.

FOR 1889.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(10) MISCELLANEOUS.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1833	17-1-89	Acid.	Carbolic, No. 5	0	1	9	Gallon.	
1865	25-1-89		,, ,, ...	0	1	9	,,	
2071	28-2-89		,, ,, ...	0	1	9	,,	
2215	1-5-89		,, ,, ...	0	1	9	,,	
2553	5-7-89		,, ,, ...	0	1	5	,,	
2936	1-11-89		,, ,, ...	0	1	6	,,	
1971	13-2-89		Hydrochloric, specific gravity, 1·56	0	0	2½	Lbs.	
2052	25-2-89		,, or muriatic, specific gravity, 1·17	0	0	3¼	,,	
2556	5-7-89		,, or ,, ,, 1·17	0	0	3	,,	
,,	,,		Jars for above, 14 lbs. each	0	2	0	Each.	
1981	15-2-89	Asbestos.	Sheet 40″ × 40″ × $\frac{1}{16}$″	2	16	0	Cwt.	
2208	29-2-89		,, 40″ × 40″ × $\frac{1}{16}$″	2	2	0	,,	
2405	11-6-89		,, 40″ × 40″ × $\frac{1}{16}$″	1	10	0	,,	
2600	12-7-89		,, 40″ × 40″ × $\frac{1}{16}$″	1	12	8	,,	
2633	27-7-89		,, 40″ × 40″ × $\frac{1}{16}$″	2	2	0	,,	
2776	19-9-89		,, 40″ × 40″ × $\frac{1}{16}$″	2	2	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(10) MISCELLANEOUS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1981	15-2-89	Asbestos—*concld.*	Sheet 40″ × 40″ × ⅛″	2	16	0	Cwt.	
2137	19-3-89		„ 40″ × 40″ × ¼″	2	16	0	„	
2208	29-4-89		„ 40″ × 40″ × ½″	2	2	0	„	
2405	11-6-89		„ 40″ × 40″ × ¼″	1	10	0	„	
2600	12-7-89		„ 40″ × 40″ × ⅛″	1	12	8	„	
2928	31-10-89		„ 40″ × 40″ × ⅛″	1	12	8	„	
„	„		„ 40″ × 40″ × ¼″	1	12	8	„	
2680	15-8-89	Benzine ...	In 1 pint tin bottles, well secured	0	0	8	Bottle.	
1804	8-1-89	Books ...	For photographs...	1	9	9	Each.	
2257	14-5-89	Back Skins ...	India rubber	1	6	0	„	
2091	4-3-89	Bricks.	Bath 6¼″ × 3½″ × 2½″, unbroken	0	6	3	%	
2479	25-6-89		„ 6½″ × 3¼″ × 2½″	0	6	0	„	
2511	29-6-89		„ 6¼″ × 3¼″ × 2½″	0	5	6½	„	
2645	1-8-89		„ 6¼″ × 3¼″ × 2¼″	0	4	9½	„	
2983	8-11-89		„ 6½″ × 3½″ × 2½″	0	6	3	„	
2796	27-9-89		„ 6½″ × 3″ × 2″	0	8	4	„	

219

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(10) MISCELLANEOUS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1912	4-2-89	Bricks—*concld.*	Fire 9″ × 4½″ × 2½″	5	2	6	%	
2932	31-10-89		„ 9″ × 4½″ × 2½″	5	0	0	„	
2757	18-9-89		„ arch and side, for locomotives, 18″ long	3	15	0	„	
„	„		„ „ „ 12″ „					
2841	15-10-89	Candles.	Sperm, carriage, in 5 lbs. packets	0	4	5	Doz. lbs.	
3037	26-11-89		Carbon, for Arc lamps, Siemens' patent, best B quality 10″ × 7/16″ diameter 10 m-m.	0	0	4½	Foot.	
„	„		„ „ „ „ „ 6″ × 7/16″ „	0	0	4½	„	
1956	12-2-89	Canvas.	Duck, 54″ wide	0	0	9½	Yard.	
2164	25-3-89		No. 6, 24″ „ common	1	6	6	Bolt.	
2415	14-6-89		No. 1, 2 ft. „ English	1	15	0	„	
„	„		„ 3 ft. „ „	2	12	6	„	
2607	13-7-89		„ 3 ft. „	0	0	10	Yard.	
2778	19-9-89		No. 6, 24″ „ English	0	0	8	„	
3050	28-11-89		No. 1, 24″ „ best hemp	0	0	9½	„	

250

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(10) MISCELLANEOUS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2350	30-5-89	Emery.	Cloth No. 1	0	15	0	Reams.	
2647	1-8-89		" "	0	15	0	"	
2786	21-9-89		" "	1	0	0	"	
2854	17-10-89		" "	0	18	0	"	
2350	30-5-89		" 2	0	16	0	"	
2647	1-8-89		" "	0	16	0	"	
2786	21-9-89		" "	1	0	0	"	
2854	17-10-89		" "	0	18	0	"	
1919	5-2-89		" " 3	0	19	0	"	
2647	1-8-89		" "	0	16	0	"	
1919	5-2-89		Powder No. 1	0	18	8	Cwt.	
2350	30-5-89		" "	0	14	0	"	
2517	1-7-89		" "	0	18	8	"	
2647	1-8-89		" "	0	15	0	"	
2931	31-10-89		" "	0	18	0	"	
1919	5-2-89		" " 2	0	18	8	"	
2350	30-5-89		" "	0	14	0	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(10) MISCELLANEOUS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Emery—*concld.*		0	18	8	Cwt.	
2517	1-7-89		Powder No. 2	0	15	0	"	
2647	1-8-89		" "	0	18	0	"	
2931	31-10-89		" "	0	18	8	"	
1919	5-2-89		" " 3	0	14	0	"	
2350	30-5-89		" "	0	14	0	"	
2647	1-8-89		" "					
2973	5-11-89	Felt.	Brown, dry, in sheets 34" × 20", hand made	0	0	6¼	Sheet.	
2667	10-8-89		Tarred, roofing, 32" wide in lengths of 25 yards	1	5	7	⅝ yards.	
2136	19-3-89	Fuze.	Blasting, dry, Bickfords patent, No. 2 in coils of 8 yards	0	0 or	4	Coil.	
				5	0	0	Barrel of 300 coils	
"	"		Tin lined cases for; packed, ready for shipment	0	6	5	Barrel.	
2350	30-5-89	Glass.	Paper No. 1	0	8	0	Ream.	
2786	21-9-89		" "	0	10	0	"	
2350	30-5-89		" " 2	0	9	0	"	
2786	21-9-89		" "	0	10	0	"	
2854	17-10-89		" " 2½	0	10	0	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(10) MISCELLANEOUS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2854	27-10-89	Glass.	Paper No. 3	0	10	0	Ream.	British polished.
2635	27-7-89		Neutral tinted, 18″ × 14″ × 3/16″	0	5	5·75	Pane.	
			,, 22″ × 14″ × 3/16″	0	6	7·54	,,	
			Plate, white, 18″ × 14″ × 3/16″	0	3	1·50	,,	
			,, ,, 22″ × 18″ × 3/16″	0	4	11·375	,,	
			,, ground, 18″ × 14″ × 3/16″ with monogram in centre	0	8	1·25	,,	
2479	25-6-89	Glue ...	China, in 1 lb. boxes	0	3	0	Lb.	
2257	14-5-89	Harness.	For a 12 hands horse	2	0	0	Each.	
,,	,,		,, 14 ,, ,, ...	2	3	0	,,	
3257	14-5-89	Hats ...	For pumping pit	0	10	0	Each.	
2342	28-5-89	Horse net ...	5 feet wide to sling a horse, 10 to 13 hands	2	11	4	Each.	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(10) MISCELLANEOUS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1778	1-1-89	Hose.	For compressed air, 1″ main fitted with brass	13	15	0	℅ L. feet	of various sizes.
,,	,,		,, ,, 1¼″ ,, fittings and clips	15	0	0	,,	
,,	,,		,, ,, 2″ ,, to stand 80 lbs. pressure	18	10	0	,,	
2095	6-3-89		Canvas, seamless, 3″ No. 1 quality, burnetized in lengths of 100 feet without couplings.	0	0	6	Foot.	
2594	12-7-89		Couplings ,, ,, ,, of 50 feet without	0	0	5½	,,	
2444	15-6-89		Couplings, for brass, male and female	0	9	10	Each.	
2479	25-6-89	Lead ...	Black, powder, in 8 oz. packets	0	0	4½	Lb.	
2931	31-10-89	,, ...	,, (in 8 oz. packets)	2	6	0	Cwt.	
2341	28-5-89	Limbers ...	To suit horses and ponies, 14 to 12 hands	1	2	9	Each	
2078	1-3-89	Mercury ...	In iron bottle	0	2	6	Lb.	
2578	11-7-89	Mugs ...	Pewter, pint	0	2	0	Each.	
2065	2-11-89	,, ...	,, ,, ...	0	2	2	,,	

3/11/143

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(10) MISCELLANEOUS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2377	3-6-89	Oil.	Benzine, in glass stoppered bottles, ½ pint each	0	1	0	Pint.	
2798	27-9-89		Neats foot, refined, in drums of 5 gallons each	0	2	9	Gallon.	
2541	4-7-89		Linseed, boiled	0	1	9½	,,	
2462	21-6-89		Rangoon	0	1	6	Cwt.	
2673	13-8-89		For watches, Ezra Kelly's	0	8	0	Dozen bottles.	
2930	31-10-89		For watches, "Senior"	0	6	0	,,	
2654	6-8-89	Packing ...	Round, with India rubber core, ½" × ⅝" × ¾" × ⅞" × 1"	0	1	3	Lb.	
2453	19-6-89	Paulins.	Wagon, white, 17' × 15' with eye lets and lashings, every 18"	3	2	0	Each.	
2579	11-7-89		,, ,, 20' × 16'	4	2	0	,,	
2979	6-11-89		,, ,, 20' × 16'	4	2	0	,,	
3070	29-11-89		,, ,, 20' × 16'	3	11	0	,,	
2441	15-6-89	Phenyle.	Soluble, fluid, (Littles')	0	4	3	Gallon.	
2646	1-8-89		,, ,, ,, ...	0	4	3	,,	
3108	7-12-89		,, ,, ,, ...	0	4	3	,,	

257

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(10) MISCELLANEOUS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2636	29-7-89	Potash.	Cyanide, of best, in jars, bunged	0	0	11½	Lb.	
2392	8-6-89		Permanganate of, in crystals, in jars	0	1	3	,,	
2636	29-7-89		Prussiate of, red, in jar, bunged	0	1	5½	,,	
,,	,,		,, of, yellow, in lined guelph casks	0	0	7½	,,	
2070	28-2-89		,, ,, ,, ,, ...	0	0	6½	,,	
2357	30-5-89		,, ,, ,, ,, ...	0	0	6½	,,	
2196	23-4-89	Powder	Compressed	1	17	0	¾ Lbs.	
2377	3-6-89	,,	Rouge in 1 lb. packets	0	1	0	Lb.	
2442	15-6-89	Rope.	Tarred, 2", hawser laid, Riga hemp, 40 thread yarn	1	18	6	Cwt.	
2652	3-8-89	Rotten stone.	In 1 lb packets	0	6	6	Cwt.	
2334	28-5-89	Scratch, Card.	For cleaning files	0	1	0	Foot.	

258

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(10) MISCELLANEOUS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on board. Amount. £	s.	d.	Unit.	Remarks.
1835	17-1-89	Signals, Fog.	In tin cases of 12	5	5	0	℅ doz.	
1896	31-1-89			5	5	0	,,	
2223	3-5-89			5	5	0	,,	
2351	30-5-89			5	7	6½	,,	
2491	27-6-89			5	5	0	,,	
2770	19-9-89			6	5	0	,,	
2945	2-11-89			5	5	0	,,	
3086	5-12-89			5	5	0	,,	
2257	14-5-89	Skull Caps.	Of sizes, to fit from a pony of 10 hands to a horse of 16 hands ...	0	2	6	℅	
2224	3-5-89	Soap.	Bar, yellow	1	0	0	Cwt.	
2409	11-6-89		,, ,, ...	0	19	9	,,	
2069	28-2-89		,, ,, ...	1	0	10	,,	
2941	2-11-89		,, ,, ...	1	0	6	,,	
2603	12-7-89		,, ,, ...	1	1	5	,,	
2224	3-5-89		Soft, in iron drums of 56 lbs. net	0	17	6	,,	
2068	28-2-89		,, ,, ,, ...	0	19	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(10) MISCELLANEOUS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2941	2-11-89	Soap—*contd.*	Soft in iron drums of 56 lbs. net	0	19	0	Cwt.	
2540	4-7-89		,, ,, ,, ...	0	18	4	,,	
2409	11-6-89		Windsor, in cakes, to the lb.	0	0	3½	Lb.	
2113	11-3-89	Soda.	Caustic, dry	8	10	0	Ton.	
2374	9-7-89		,, ,, ...	8	0	0	,,	
2082	1-3-89	Sponges.	For washing carriages, to average 3 oz. each	0	10	7½	Lb.	
2502	28-6-89		,, ,, ,, ,, ...	0	15	0	,,	
2967	2-11-89		,, ,, ,, ,, ...	0	14	0	,,	
2502	28-6-89		Cup ½ oz. each, for filters	1	15	0	,,	
2637	29-7-89		,, 2 oz. each ,, ,, ...	1	9	11	,,	
,,	,,		,, 1 ,, ,, ,, ...	1	9	11	,,	
2967	2-11-89		,, 1 ,, ,, ,, ...	1	10	0	,,	
2074	1-3-89	Sulphur.	Flour, in 7 lb. packets	0	10	6	Cwt.	
2741	13-9-89	Tape.	Black, cotton, ½" wide, in hanks of 12 yards	0	0	1½	Doz. yds	
2741	13-9-89		White, cotton, ½" .. ,, ...	0	0	1½	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(10) MISCELLANEOUS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Tape—*contd.*						
1916	4-2-89		White, cotton, ½" wide, in hanks of 12 yards	0	1	2½	Doz. yds.	
"	"		" " ¾" " "	0	1	7½	"	
		Tar.						
2076	1-3-89		Coal	0	0	2½	Gal.	
2152	21-3-89		Stockholm	0	0	9½	"	
		Thread.						
			Cotton, sewing, on reels of 400 yards each—					
2964	2-11-89		" Black No. 16	1	5	0	Gross.	
2740	13-9-89		" " " 25	1	3	0	"	
"	"		" Green " 12	1	8	0	"	
"	"		" red, " 50	1	3	0	"	
1940	9-2-89		" white, " 8, 10 & 20	1	3	0	"	
2740	"		" " " 18, 24 & 30	1	3	0	"	
"	"		" yellow, No. 29	1	3	6	"	

261.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(10) MISCELLANEOUS—*contd.*

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Thread—*concld.*						
3022	22-11-89		Flax, shoemakers', in 2 oz. balls	0	0	10¾	Lbs.	
			Linen, 2 oz. reels					
			" yellow, 3 cord, No. 25	0	3	5	Doz.	
1939	9-2-89		" black 4 " " 18	0	2	10½	"	
			" " 4 " " 20	0	2	11½	"	
			" " 3 " " 40	0	3	7	"	
1941	9-2-89		Silk, white, on 2 oz. reels, No. 10	1	6	0	Lbs.	
		Tickets.						
2676	13-8-89		Card, Railway, Crimson, return, intermediate class, with black diagonal line.	0	0	8½	%	
2459	20-6-89		Card, Railway, Crimson with letters, N. W. R., on the back, and a broad diagonal black line on one-half of the face Return intermediate class).	0	0	7½	"	
2806	30-9-89		Card, Railway, green with a red mark diagonally on one-half ...	0	0	7	"	
2459	20-6-89		Card, Railway, green, (Return 2nd class) with letters, N. W. R., on the back, and a red diagonal line on one-half of the face.	0	0	7½	"	
2459	20-6-89		Card, Railway, green, (2nd class) with letters, N. W. R., on the back ...	0	0	7½	"	
2806	30-9-89		Card, Railway, white	0	0	7	"	

262.

211/48

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(10) MISCELLANEOUS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2806	30-9-89	Tickets—*concld.*	Card, Railway, yellow, with a red mark diagonally on one-half ...	0	0	7	%	
2087	2-3-89		Card, Railway, yellow, single journey	0	0	6½	,,	
2459	20-6-89		Card, Railway, yellow, 3rd class	0	0	7¼	,,	
3149	28-12-89							
2072	28-2-89	Twine.	English, sailmakers, seaming 800 yards to the lb., breaking strain 35 lbs. ...	0	1	0	Lb.	
2140	18-3-89		,, ,, ,, ,, ,, ,, ,, ...	0	1	2	,,	
2452	19-6-89		,, ,, ,, ,, ,, ,, ,, ...	0	0	10	,,	
2042	2-11-89		,, ,, ,, ,, ,, ,, ,, ...	0	0	10½	,,	
2179	4-4-89	Wedges ...	Mining, to suit a drill hole, 4¼" diameter	14	0	0	Each.	
2377	3-6-89	Whiting ...	In lumps, loose	0	1	6	Cwt.	
1961	12-2-89	Wool.	Berlin, for syphons	0	2	3½	Lb.	
2228	3-5-89		,, ,, ...	0	2	3½	,,	
2583	11-7-89		,, ,, ...	0	2	2½	,,	
2956	2-11-89		,, ,, ...	0	2	3½	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(10) MISCELLANEOUS—*concld*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1961	12-2-89	Wool—*concld.*	Worsted, for syphons	0	1	6½	Lb.	
2228	3-5-89		,, ,, ...	0	1	9	,,	
2583	11-7-89		,, ,, ...	0	1	5	,,	
2664	9-8-89		,, ,, superior, for trimming locomotive engines ...	0	1	9½	,,	
2956	2-11-89		,, ,, ...	0	1	6½	,,	
2986	8-11-89		,, ,, 4, threads	0	2	3½	,,	
3052	28-11-89		,, ,, ...	0	1	3½	,,	

3121
648

CLASS G.

TOOLS AND STORES.

b.—Stores.

II.—Stationery.

FOR 1889.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(11) STATIONERY.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
2298	21-5-89	Paper ...	Pellet patent, prepared paper (in rolls 64 feet long) 32 inches wide ...	1	1	0	Roll.	

34/89

3117
L50

CLASS G.

TOOLS AND STORES.

b.—Stores.

12.—Drawing, Mathematical and Surveying Instruments.

FOR 1889.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(12) DRAWING, MATHEMATICAL AND SURVEYING INSTRUMENTS.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1775	1-1-89	Hedley dial.	Davis' improved 6" Hedley dial with improved arc, and tip covering the vernier ring complete, fitted with Hoffman's patent head, with telescope and sights interchangeable, parallel plates.	23	0	0	Each	
"	"		Extra set of legs, with one set of joints and cup for lamp for fast needle dialling.	2	2	0	"	
"	"		Jees pit levelling staff, 9 feet, closing down to 3' 6"	3	0	0	"	
"	"		Leather case for 6" dial	1	5	0	"	
1777	1-1-89	Level.	Dumpy or Gravatt level 16" improved construction, two eye pieces and stand fitted with Hoffman's patent head.	25	0	0	Each	
"	"		Leather sling case for ditto	1	5	0	"	
1931	7-2-89	Straight edges ...	Steel, 6 feet, in plain deal cases	1	6	0	Each	
1870	9-1-89	Strain Indicators...	Stromeyers, for reading strains on bridges	5	0	0	Each	

CLASS G.

TOOLS AND STORES.

b.—Stores.

13.—Printing Press and Materials.

FOR 1889.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(13) PRINTING PRESS AND MATERIALS.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1892	31-1-89	Types for Printing Press.	Great Primer, No. 10, 1 fount	0	1	0	Lb.	
,,	,,		,, ,, Elongated...	0	1	9	,,	
,,	,,		,, ,, Italic	0	1	0	,,	
,,	,,		Pica, Roman, No. 17	0	0	10	,,	
,,	,,		,, Italic	0	0	10	,,	
,,	,,		Small Pica, Roman, No. 19...	0	0	11	,,	
,,	,,		,, ,, Italic	0	0	11	,,	
,,	,,		Bourgeois, Roman, No. 17	0	1	2	,,	
,,	,,		,, Italic	0	1	2	,,	
,,	,,		Nonpareil, Roman, No. 18	0	1	2	,,	
,,	,,		,, Italic	0	1	2	,,	
,,	,,		Pica, Ionic, No. 3	0	1	2	,,	
,,	,,		Small Pica, Antique or Ionic	0	1	3	,,	
,,	,,		Nonpareil	0	2	6	,,	
,,	,,		Brevier, Ionic, No. 3	0	1	8	,,	
,,	,,							

3111
63

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(13) PRINTING PRESS AND MATERIALS—*contd*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1892	31-1-89	Types for Printing Press—*contd*.	Four line Bourgeois, upper case	0	1	0	Lb.	
,,	,,		Heading founts, as detailed below, 1 dozen of sorts 2 lines pearl, 2 selected founts.	0	2	3	,,	
,,	,,		Two line Nonpareil, No. 2	0	2	0	,,	
,,	,,		,, Brevier, No. 2	0	1	6	,,	
,,	,,		,, Bourgeois, No. 2, ...	0	1	4	,,	
,,	,,		,, Long Primer, No. 1	0	1	4	,,	
,,	,,		,, Small Pica, No. 1					
,,	,,		,, Pica, No. 1	0	1	1	,,	
,,	,,		,, Great Primer, No. 1	0	1	0	,,	
,,	,,		Extra Great Primer, No. 10 A to Z, Capital	0	1	0	,,	
,,	,,		,, ,, ,, ,, Figures 0 to 9	0	1	0	,,	
,,	,,		,, ,, ,, Italic ,, ...	0	1	0	,,	
,,	,,		,, ,, ,, Elongated No. 10, A to Z, Capital	0	1	9	,,	
,,	,,		,, ,, ,, ,, ,, Figures 0 to 9	0	1	9	,,	
,,	,,		Extra Pica, No. 17, A to Z, Capital	0	0	10	,,	

269

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(13) PRINTING PRESS AND MATERIALS—*concld*.

Contracted for in 1889.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
1892	31-1-89	Types for Printing Press—*concld*.	Extra Pica, No. 17, Figures 0 to 9	0	0	10	Lb.	
,,	,,		Small Pica, No. 19, A to Z, Capital	0	0	11	,,	
,,	,,		,, ,, ,, Figures 0 to 9	0	0	11	,,	
,,	,,		Extra Bourgeois, No. 17, A to Z, Capital	0	1	2	,,	
,,	,,		,, ,, ,, Figures 0 to 9	0	1	2	,,	
,,	,,		Extra Brevier, No. 9, Ionic A to Z, Capital		1	8	,,	
,,	,,		,, ,, ,, ,, Figures 0 to 9		1	8	,,	
,,	,,		,, Nonpareil, No. 18, A to Z, Capital			10	,,	
,,	,,		,, ,, ,, Figures 0 to 9			10	,,	
,,	,,		Thick space, Pica			0	,,	
,,	,,		,, ,, Small Pica				,,	
,,	,,		Extra Pica Leaders	0			,,	
,,	,,		,, Small Pica Leaders	0	0		,,	
,,	,,		Zinc Lined Cases	2	5	0	Each.	

270

FROM

THE DIRECTOR GENERAL
OF RAILWAYS,

3111
155

TO

ircular No. 14.

Dated Simla, 18th July 1891.

Received

RATE LIST FOR CLASS G, STATE RAILWAY STORES.

"Tools and Stores" for 1889.

G. C. Press, Simla.—No. 1291 P. W. D.—29-7-91—1,100.

For General Distribution.]

3111

Circular No. 14.

FROM

THE DIRECTOR GENERAL OF RAILWAYS,

To

THE MANAGER, NORTH WESTERN RAILWAY.
THE MANAGER, OUDH AND ROHILKHAND RAILWAY.
THE SUPERINTENDENT OF WORKS, CHAMAR EXTENSION
THE ENGINEER-IN-CHIEF, MU VALLEY RAILWAY
THE SUPERINTENDENT OF WORKS, HYDERABAD-
THE ENGINEER-IN-CHIEF, EAST COAST RAILWAY.
THE ENGINEER-IN CHIEF, KISTNA BRIDGE.
THE ENGINEER-IN-CHIEF, MOGUL SERAI-HOWRAI
THE ENGINEER-IN-CHIEF, MOGUL SERAI-DALT
SERAI-HOWRAH RAILWAY SURVEY.
THE ENGINEER-IN-CHIEF, FRONTIER RAILWAY S
THE ENGINEER-IN-CHIEF, KASHMIR RAILWAY SU
THE ENGINEER-IN-CHIEF, ZHOB VALLEY RAILY
THE ENGINEER-IN-CHIEF, JEYPORE-CHUMBAL R
THE ENGINEER-IN-CHIEF, GOONA-BINA RAILWA
THE ENGINEER-IN-CHIEF, UJAIN-BHOPAL RAIL
THE PORT STOREKEEPER, STATE RAILWAY DEPA

OF RAILWAY.

SURVEY.

SECTION OF THE MOGUL

Y.

RVEY.

LCUTTA.

Rate List for Class G—State Railway "Tools and Stores" for 1889.

---

the 18th July 1891.

SIR,

I have the honour to forward, for information and guidance, a printed statement showing the actual *free on board* English rates for G Class State Railway Stores—"Tools and Stores," contracted for by the India Office during 1889.

2. An allowance of 10 per cent. on the original cost of "Tools and Stores" should be made for entire sea-freight to the several Indian Ports, and four-fifths thereof should be entered in Indents as payable in England. The stores for which there are special rates of sea-freight are Patent fuel, Portland cement, Smithy coal, and Foundry coke. The allowances that should be made for sea-freight in these special cases are noted at the foot of pages 234 and 251 of the Rate List forwarded herewith.

3. In order to arrive at the total cost of materials landed at port, an insurance charge of one per cent. on the *free on board* cost, plus the entire sea-freight, should be added in addition to any other incidental charges, exchange being calculated at the official rate for the

I have the honour to be,

SIR,

Your most obedient Servant,

R EAUNT, Lieut.-Col., R.E.,
fg. Director General of Railways.

Documents accompanying.
Rate List, Class G—"Tools and Stores" for 1889.

The Secretaries to the G[illegible]nents of [illegible]al, the North-Western Provinces and Oudh, [illegible]he Punjab, [illegible] Works Department.
The Secretaries to the Chief Commissio[illegible]e Central Provinces, Burma, and Assam, Public Work[illegible] Departme[illegible]
The Secretaries to the Resi[illegible]ts at H[illegible]d and Mysore, Public Works Department.
The Secretaries to the Agents [illegible]o the [illegible]or Gen[illegible]al Rajputana and Central India, and Baluchistan, Publi[illegible] Departi[illegible]ent.
The Superintendent of Port B[illegible]r and [illegible] Commissioner, Andaman and Nicobar Islands.
The Director General of Teleg[illegible]
The Director General of Milit[illegible]
The Accountant General, Publi[illegible] Department.
The Comptroller General.
The Accountant General, Beng[illegible]
The Consulting Engineers for R[illegible]ays, Madras and Bombay.
The Consulting Engineers to the Government of India for Railways, Calcutta, Lucknow, and Central Divisi[illegible]
The Agent and General Manag[illegible] Assam Railway and Trad[illegible] Company, Limited.

Copy forwarded to the Local Governments, Administrations, and Officers [illegible] the margin.

January to November 1876

R. A. SARGEAUNT, Lieut.-Col., R.E.,
Offg. Director General of Railways.

Comd & Engrs Officers of the P.W. Dept for information

Sd/ J. S.
D.

(156)

Dept. 19.12.71

C.E. Wa & Chennai Div. Do Cbr Pulakad
C.E. 2 do do
Supt. of Wks. P. Project
C.E. 2 do do
for S - 2 do do
Exr. P.W. A 2 do do