

- (1) பக்கங்களின் எண்ணிக்கை 8
 (2) புதுக்கித் திருப்பிய நாள் 8/90
 (3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் 10/90

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

(41)

PWD துறை

அரசாணை எண். மு. கோப்புத் தாள் எண்.	955	அச்சகம் பலவகை
நாள் :	6-4-1891	198

மடிக்கவேண்டிய கையாளலோ கூடாது

20/9

45 sheets

ஆவணக் கா-1-18,006-15-6-87.

955/1
Copy of letter No. 5113 dated
13th March 1891 from J. E. Laminie Esq.
Executive Engineer Bellary Division
to the Asst Engineer 3rd class Bellary

With reference to your endorsement
No. 3282 dated 14 February 1891
on terms from the Chief Engineer to
B.E. dated 4th Idem, I have the honor
to inform you that one of the two
clerks alluded to therein is G. Rama
Row supernumerary clerk of the
Kurnool Division ordered to do duty
in the Bellary Division by G. O. No. 2011 W
of 23rd July 1890, on the representation
of Mr Russell the then Executive
Engineer, that additional clerks
were wanted to cope with the work.
This clerk may be taken to your
Office in place of P. Parthasarathy
Puntulu clerk 4th class 2nd grade who
retires from service in next month.
If then, the clerk may be allowed
to work in this office.

See conclusion of
last para in
reference.

2 The other clerk is the extra clerk sanctioned in G. O. No. 343 W dated 31st March 1885 on the recommendation of Col. Clarke. As the then Executive Engineer of the Division that the clerical work in this office was so heavy on account of the many estimates and extra correspondence and that if any one of the establishment falls sick or requires any leave of absence, it is found impossible to keep the work of the office from falling into arrears.

The Division comprises 2 collecting parties Kachary & Anantapur which entail greater correspondence than in most divisions.

3 The status of this division has been raised from 3rd to 2nd class division in G. O. No. 305 W dated 17 November 1890 but the numerical strength remains the same. The number of

In future one will suffice.

955/2
Clerks sanctioned being four including the Head clerk. Of the three Assistant clerks, two clerks are almost entirely employed in assisting the accountant and the third will be engaged in registering letters received and despatched and is in charge of the records. Thus it will be seen that no one will be available for fair copying letters & estimates & for accompanying the Executive Engineer on tour if the extra clerk alluded to in para 2 above is given up.

I request therefore you will be good enough to move the Chief Engineer to obtain sanction of Government for retention of this extra clerk in addition to the scale sanctioned in G. O. No. 305 W dated 17 November 1890 or the super-numerary clerk Kancha Rao may remain attached to this division and the clerk alluded to in para 2 may be employed in your office or

absorbed in this division as a Sub
Division clerk.

3560

Forwarded to the Chief Engineer
P. H. Dept. with reference to his memo
= paragraph 613 C dated 4th Feb 1891.

The Supt Engineer supports the
Executive Engineer's recommendation.
P. Parthasarathy Sauttoslos of this office
will retire from the service on the 14th
April 1911 and G. Rama Rao will be
taken into this office from that date.
Permission is requested for his retention
in the Deputy Executive Engineer's
office till then.

H. Smalley

Chk

Supt Engineer

3/11/11

Supt Eng's office 2

Secy 16 March 1911 3

955/3

17. 11. 90. 3056 ✓
23. 7. 90. 2011 ✓
31. 3. 85 - 803 ✓
4. 2. 91 - 613 C

P.W.C. No. 3074
From,
The Superintending Engineer,
IIIrd Circle,
Bellary.

To,
The Chief Engineer
P.W. Dept
Bombay

Dated 16 }
Received 18 } March 1891.

Enclosures.

No. 3560

Subject.

Suppose the Chief
Engineer's recommendation
for the retention of the
extra establishment
of Bellary division notices
by the Examiner P.W. at

For orders, with
reference to the Hon.
Member's note of
31.1.91, on the draft
order attached to
memo: No. 613 C dated
4.11.91. Special
attention is invited
over to the last
19.3.91 sentence of
para 2, and the
first of para 3 of the
Executive Engineer's letter.
It is well known that
correspondence is greatly
increased here (as in
Coimbatore & Bellary) a
division covers more than
one Collectorate.

Sd/-
W

R 22/iii

955/4

P.W.D.

955/4

Read Current No. 1017 &
3074/1891

Order

The Govt. understands
the Super Engineer's proposal
to be that one clerk
shall be allowed for
the Bellary division office
in addition to the scale
functioned in G.O. No.
3056 W of 17 Nov 1890,
& that the retention of
the second extra clerk
is required only until
the 14th April 1891, when
he will be absorbed
in the Super Engineer's office.
These arrangements are
functioned.

Sd/- III Circle
Sd/-

955/4
24.3.91 Sd/-

Handwritten text, possibly a title or header, mostly illegible due to fading.

Extensive handwritten text in the left column, mostly illegible due to fading.

No 955 Sept 6 April 1891

Handwritten initials or signature, possibly "W".

Handwritten circled number "4".

Handwritten text, possibly "are 9/11".

Handwritten text, possibly "9/10/14".