(1) பக்கங்களின் எண்ணிக்கை 20

(2) புதுக்கித் திருப்பிய நாள் OCT 1990

(3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் Lens

தமிழ்நாடு ஆவணக் காப்பகம்.

(192)

தமிழ்நாடு அரசு

P.W.D துறை

அரசாணை எண். — 2302 அச்சகம்
மு. கோப்புத் தாள் எண். பலவகை

நாள் : 26-8-1891 198 .

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

1D. Sheets +

ஆவண. கா-1—18,000—15-6-87.

93302
T

RATE LIST.

CLASS F.

STATION MATERIALS AND FENCING

FOR 1890.

Enclosure to Director General of Railways' Circular No. 13 of 1891.

Statement showing the latest average rates per ton for entire sea-freight on F. Class stores,—Station materials and Fencing,—sent out from England to the several ports in India.

—	Port of Bombay.	Port of Calcutta.	Port of Karachi.	Port of Madras.	Port of Rangoon.	
	£ s. d.	£ s. d.	£ s. d.	£ s. d.	£ s. d.	
Cranes, water, pillar, long neck, complete	...*	0 16 0	0 11 9	...*	1 15 0	* None shipped to these ports in 1890 and 1891.
Fencing wire, materials for—	...	0 12 3	0 12 0	...	1 12 0	
Piping, iron, cast, and connections for—	...	...	1 0 0	...	1 7 6	
Ditto wrought ditto	...	0 12 0	...	...	1 3 6	
Pumps	...	0 17 6	...	...	1 5 0	
Roofing, iron	...	...	0 17 0	...	1 0 0	
Signals	...	0 12 6	0 14 0	...	1 2 6	
Turntables, engine...	...	...	0 12 0	...	1 5 0	
Weigh bridges	...	1 7 6	...	...*	1 10 0	
Weighing machines	0 14 9	0 10 6	0 13 11	...	1 10 0	

2392

5/5305

CLASS OF STORES. F.—STATION MATERIALS AND FENCING.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on board. Amount. £	s.	d.	Unit.	Remarks.
3406	10-4-90	Clocks.	Station, in teak cases, 4′ long, with 24 hour dial, 14″ diameter	8	1	0	Each.	
3935	13-10-90		,, ,, ,, ,, ,, ,, ...	8	9	0	,,	
3995	21-10-90		,, ,, ,, ,, ,, ,, ...	8	11	0	,,	
4038	28-10-90		Office, not striking, with 12″ dials, in ordinary round teak case... ...	8	3	6	,,	
3293	27-2-90	Cranes, Water, or water Columns.	Pillar, long neck, with pipes, &c., complete	30	12	0	Each.	Approximate weight 20 cwt. each.
3812	9-9-90		,, ,, ,, ,, ...	38	5	0	,,	With valves to resist frost.
3970	17-10-90		,, ,, ,, ,, ...	30	15	0	,,	
3853	23-9-90	Fencing, Wire, &c.—Materials for—	Bases, cast iron	4	7	6	Ton.	
4000	23-10-90		,, ,, ...	4	5	0	,,	
3189	24-1-90		Bolts, eye, straining, galvanized, with nuts and washers	20	15	0	,,	
4002	23-10-90		,, ,, ,, ,, ,, 1′ 7½″ long ...	20	15	0	,,	Weight 3·133 lbs. each.
4018	23-10-90		,, ,, ,, ,, ,, ...	22	0	0	,,	
3848	19-9-90		,, ,, ,, ,, ,, ...	22	10	0	,,	

3/361

CLASS OF STORES. F.—STATION MATERIALS AND FENCING—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on board. Amount. £	s.	d.	Unit.	Remarks.
3852	23-9-90	Fencing Wire; Materials for—*contd.*	Posts, iron, intermediate	8	15	0	Ton.	
4000	23-10-90		„ „	7	15	0	„	
3852	23-9-90		„ stiffening	10	0	0	„	
4000	23-10-90		„ „	9	0	0	„	
3852	23-9-90		„ straining	4	17	6	„	
4000	23-10-90		„ „	4	15	0	„	
3614	26-6-90		Staples, galvanized, for 4 barbed wire fencing	12	0	0	„	
3424	1-5-90		Wedges, wrought iron	16	0	0	„	
3852	23-9-90		„ „	16	0	0	„	
4000	23-10-90		„ „	15	10	0	„	
3211	30-1-90		Wire, iron, galvanized, No. 6 S. W. G., solid	18	0	0	„	1 lb. wire in the black is to weigh 502 lbs. per mile.
3614	26-6-90		„ barb, „ „ 12 „ in reels of 533 yards, 4 barbed ...	16	11	0	„	1 Reel=1 cwt. or 533 yards=112 lbs.
3855	26-9-90		„ strand, galvanized, in coils of 450 yards each, 14 S. W. G. ...	15	0	0	„	
3998	21-10-90		„ „ „ „ „ „	15	10	0	„	154 lbs. per coil.
4001	23-10-90		„ „ „ „ „ „	14	7	6	„	
3823	11-9-90	Fountains ...	Drinking, with 4 cocks to each	10	14	0	Each.	

CLASS OF STORES. F.—STATION MATERIALS AND FENCING—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on board. Amount. £	s.	d.	Unit.	Remarks.
3713	16-7-90	Hydrants.	With stand pipes, twin, 2½″ bore	8	7	6	Each.	
3811	9-9-90		With a small tap on each, for drinking water	8	4	0	„	Tracings £1.
4201	31-12-90		„ „ „ with two hose connections	8	13	6	„	Photos. £1.
3934	11-10-90	Pipes, Iron, Cast.	Double flanged, 9 feet long, 9″ bore, $\frac{5}{16}$″ thick	5	7	8	Ton.	Weight of 1 pipe = 528 lbs.
„	„		„ 9 „ 6″ „ ¼″ „	5	7	6	„	„ „ = 319 „
3681	7-7-90		„ 9 „ 6″ „ $\frac{7}{16}$″ „	6	9	6	„	„ „ = 259 „
3581	16-6-90		„ 9 „ 4″ „ ¾″ „	7	12	6	„	„ „ = 160 „
3681	7-7-90		„ 6 „ 6″ „ $\frac{7}{16}$″ „	6	9	6	„	„ „ = 186 „
3581	16-6-90		Spigot and socket, 9 „ 4″ „ ¾″ „	5	12	6	„	„ „ = 160 „
3581	16-6-90	Pipes, Iron, Cast; Connections for—	Bends, 90° for 4″ bore spigot and socket pipes	10	5	0	Ton.	One bend = 84 lbs.
			„ 90° „ 6″ „ „					„ „ = 153 „
			„ 45° „ 6″ „ „	8	17	6	„	„ „ = 144 „
			„ 45° „ 9″ „ „					„ „ = 252 „
3934	11-10-90		Bolts and nuts, ⅝″ for sluice valves	28	0	0	„	One bolt = 1·375 lbs.
			Breeches, 45°	8	17	6	„	One breech = 322 lbs.
			Collars, 9″ bore	8	17	6	„	One collar = 112 lbs.
„	„		„ 6″ „	8	17	6	„	„ „ = 56 „

CLASS OF STORES. F.—STATION MATERIALS AND FENCING—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on board. Amount. £	s.	d.	Unit.	Remarks.
3581	16-6-90	Pipes, Iron, Cast; Connections for—*contd.*	Flanged spigot, 4" bore, for spigot and socket pipes	10	5	0	Ton.	One spigot = 238 lbs.
3934	11-10-90		„ „ 6" „	9	17	6	„	„ = 79 „
„	„		„ sockets 6" „	8	17	0	„	„ = 77 „
3683	7-7-90		Bolts and nuts, black, for flanges, 3/4" underhead × 1" diameter ...	17	0	0	„	
3581	16-6-90		Flanged sockets, 4" bore for spigot and socket pipes	10	5	0	„	One spigot = 12 lbs.
3934	11-10-90		Tees, 6" bore	8	17	0	„	One Tee pipe = 238 lbs.
3581	16-6-90		„ for 4" „ spigot and socket pipes	10	3	0	„	„ = 319 „
3934	11-10-90		Valves, sluice, 6" bore „	3	10	0	Each.	
3581	16-6-90		„ „ 4" „	1	15	0	„	
„	„		Keys for valve 4" T handled, 3 feet long	0	5	0	„	
3934	11-10-90		„ „ 6" „ „	0	15	0	„	
3503	24-5-90	Pipes, Iron, Wrought.	Gas, butt welded, with screwed ends and couplings— 1" internal diameter; 1¼" „ „; 1¾" „ „; 2" „ „ } In lengths of 10 feet	0	0	6¼	Foot.	

CLASS OF STORES. F.—STATION MATERIALS AND FENCING—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on board. Amount. £	s.	d.	Unit.	Remarks.
3216	1-2-90	Pipes, Iron, Wrought—*contd.*	Lap welded, with screwed ends and couplings— Galvanized 2" internal diameter } In lengths of 15 feet	0	0	10½	Foot.	
3682	7-7-90		„ 2½" „ „ }	0	1	1	„	
3578	14-6-90		With sockets and screwed ends— 1¼" „ „ } In straight lengths of 12 feet ...	0	0	4	„	
„	„		„ 3" „ „ }	0	1	0½	„	
3722	18-7-90		1" diameter }	0	0	2½	„	
			2" „ } In lengths of 10 feet	0	0	6	„	For hydraulic pumps.
			3" „ }	0	1	3½	„	
			4" „ }	0	2	0	„	
3578	14-6-90	Pipes, Iron, Wrought; Connections for—	Bends, 90°, for 1¼" pipes, with sockets	0	0	6½	Each.	
„	„		„ 90°, „ 3" „ „	0	3	9½	„	
3218	1-2-90		„ 90°, „ 2" „ „	0	2	2	„	
3682	7-7-90		„ 90°, „ 2½" „ galvanized	0	2	7½	„	
3683	7-7-90		Galvanized bolts and nuts for flanges 1¾" underhead × ½" diameter ...	0	0	7	lb.	
3583	16-6-90		Cocks, ball, screwed, for 3" pipes, with copper ball complete ...	3	19	6	Each.	
3218	1-2-90		Couplings or joint pieces 2", in lengths of 12", with socket and back nut, one side of each faced.	0	2	6	„	
„	„		Elbows, 2" bore	0	1	9	„	

CLASS OF STORES. F.—STATION MATERIALS AND FENCING—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Fees on Board. Amount. £	s.	d.	Unit.	Remarks.
3682	7-7-90	Pipes, Iron, Wrought, Connections for—*contd.*	Galvanized Clamps, 6½" diameter, each drilled for 4 bolts ¾" diameter, diameter of bolt circle 5"	0	1	4	Each.	
3583	16-6-90		Cocks, stop round way iron with brass plugs, screwed, for 1½" pipes	0	11	3	"	
"	"		" " " " " 2" "	0	7	0	"	
3218	1-2-90		Tee pieces, 2" bore	0	2	9	"	
3578	14-6-90		" 1½" out of 3"	0	2	0	"	
3583	16-6-90		T keys, for 1½" cocks	0	2	6	"	
"	"		" " 2" "	0	4	9	"	
3767	6-8-90	Presses, Dating.	Tape, inking, for—to be inked, and in rolls of 60 yards each	0	2	0	¼ yds.	
3199	25-1-90		Ticket (press only)	1	4	0	Each.	
3213	30-1-90		" " and inking	1	10	0	"	
3793	28-8-90		" with type complete	2	5	0	"	
3324	7-3-90		" to print date, with a set of type complete	2	5	0	"	
3653	3-7-90		" " " " "	3	5	6	"	
3862	2-9-90		" " " " "	3	0	0	"	
3199	25-1-90		Type, spare, in boxes, for above	0	13	0	Box.	
3213	30-1-90		" " " "	0	15	0	"	
3653	3-7-90		" " " "	0	9	3	"	
3862	2-9-90		" " " "	0	12	0	"	

CLASS OF STORES. F.—STATION MATERIALS AND FENCING—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Fees on Board. Amount. £	s.	d.	Unit.	Remarks.
3794	28-8-90	Pump ...	Pulsometer, No. 4, with foot and back pressure valves	31	10	0	Each.	
4125	7-11-90	Pumps, deep well ,,	Treble barrels, single acting, each 7" diameter and 18" stroke, with guide rods, girders, top and bottom frames, main shaft (from well to tank) with 5 feet diameter gearing wheels, couplings and plummer blocks, supply service and overflow pipes, bends, and all other fittings complete.	315	0	0	Each.	Approximate weight 14¼ tons.
3969	17-10-90	Pumps, Steam.	6 H. P. engines and boilers, with suitable pumps for supplying water for use of Locomotives from wells 100 feet deep, with piping. Each pump is to have 27 feet of suction and 99 feet of pleliverry pipes. *Dimensions of Engines, Boilers and Pumps.* Diameter of steam cylinder ... 9 inches. Length of stroke ... 10 inches. Diameter of boiler ... 3 feet 2 inches. Height of boiler ... 7 feet 0 inches. Number of conical water tubes, in ditto—two. Diameter of pump barrel, 6 inches. Stroke of pumps (double acting) 12 inches, changeable to 8 inches. Number of pumps (double acting)—two.	320	0	0	Each.	Photos. £7-10-0. The engines are supplied with duplicate parts.

2302
6

CLASS OF STORES. F.—STATION MATERIALS AND FENCING—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on board. Amount. £	s.	d.	Unit.	Remarks.
3584	10-6-90	Pumps, Steam —*contd.*	Special, with vertical boiler, mounted on cast iron bed plate, with duplicate parts, &c. The water is to be forced 100 feet high.	175	15	0	Each.	3 sets tracings and 6 photos. 2-1-15-0.
3850	23-9-90		6 H. P. with boiler complete, for station wells	285	10	0	„	
4080	4-11-90	Roofing, Iron, complete.	Ungalvanized wrought iron work, for roofing of Engine Shed for two bays, each 120 feet long by 36 feet wide, with all bolts, nuts, washers and rivets, &c., complete.	340	0	0	Shed.	Estimated weight T. c. qr. lbs. 20 11 0 14
4097	6-11-90		Galvanized wrought iron work for ditto	340	0	0	„	„ „ 20 12 2 12
			Cost of 1 roof of Engine Shed complete	685	0	0	Total.	Total weight of roof ... 42 10 3 6
			For detailed rates see below :—					
4080	4-11-90		For all wrought iron work except bolts and nuts	12	15	8	Ton.	
			„ „ „ „ „ in bolts and nuts	22	0	0	„	
4097	6-11-90		„ galvanized wrought iron corrugated sheets, with rivets, burrs, and clips, &c.	16	10	0	„	
3153	2-1-90	Roofing, Iron; Spare parts of—	Galvanized wrought iron plain sheets	16	15	0	Ton.	
3162	8-1-90		„ „ „ corrugated sheets	16	2	6	„	
„	„		„ „ „ „ „ curved	17	2	6	„	
3153	2-1-90		„ „ „ bolts and nuts with washers	0	3	0	Gross.	

CLASS OF STORES. F.—STATION MATERIALS AND FENCING—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on board. Amount. £	s.	d.	Unit.	Remarks.
3162	8-1-90	Roofing, Iron; Spare parts of—*contd.*	Galvanized wrought iron clips, for sheets	30	2	6	Ton.	
3153	2-1-90		„ „ „ gutters	20	2	6	„	
			„ „ „ ridge plates	20	2	6	„	
			„ „ „ rivets and burrs	27	2	6	„	
			„ „ „ wind ties	17	2	6	„	
3709	12-7-90	Safes, Cash.	Iron, 3′ 0″ × 2′ 6″ × 2′ 0″	16	4	0	Each.	See also under G-5. (8).
3996	21-10-90		„ 3′ 0″ × 2′ 6″ × 2′ 0″ outside diameter Fire proof	15	10	0	„	By Hobb's Hart and Company, Powder proof lock with 4 Keys.
3947	15-10-90		„ 2′ 0″ × 1′ 6″ × 1′ 6″ „ „ „	9	2	0	„	Do. do. do. do.
4175	1-11-90		„ 1′ 6″ × 1′ 0″ × 1′ 0″ „	11	18	6	„	
		Signals, Semaphore.	Wrought iron, lattice, standards, with fittings, complete—					
3532	3-6-90		Distant, 28′ high from ground to centre of spectacle	21	15	0	Set.	
			„ 30′ „ „ „ „	22	5	0	„	£ s. d.
			Main, 28′ „ „ „ „	21	15	0	„	6 unmounted photos. and 3 sets hand-made tracings ... 12 0 0 Lot.
			„ 39′ „ „ „ „	26	0	0	„	

CLASS OF STORES. F.—STATION MATERIALS AND FENCING—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on board. Amount. £	s.	d.	Unit.	Remarks.
		Signals, Semaphore—*contd.*	Fittings for, in sets—					
3824	11-9-90		Distant, complete, with lamps but without posts	16	0	0	Set.	Lamps to burn petroleum as on North Western Railway. Extra for North Western Railway Lamps, 21-15-0.
3861	29-9-90		,, ,, except lamps and posts	10	8	0	,,	
,,	,,		Station, ,, ,, ,, ,, ...	6	10	0	,,	
3824	11-9-90		,, with lamps but without posts	8	0	0	,,	
3628	30-6-90		Distant, complete, except posts	8	0	0	,,	
,,	,,		Station, ,, ,, ,, ...	14	0	0	,,	
3861	29-9-90	Signals, Semaphore; Spare parts of—	Lamps, semaphore, signal, distant	1	1	0	Each.	
3628	30-6-90		,, ,, ,, station	1	3	4	,,	
,,	,,		,, ,, ,, ,, ...	1	10	0	,,	
3861	29-9-90		,, burners ,, distant	0	10	3	,,	
,,	,,		,, glasses ,, ,, ...	0	3	0	Set.	
,,	,,		,, ,, ,, station	0	5	3	,,	
3758	6-8-90	Signal Apparatus ...	Interlocking, with points, complete, with iron signal posts of the double lattice type and fittings, complete.	439	13	1	Set.	

10

CLASS OF STORES. F.—STATION MATERIALS AND FENCING—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on board. Amount. £	s.	d.	Unit.	Remarks.
3486	22-5-90	Shutters ...	Revolving, steel, for workshop doors, about 16′ 6″ × 13′ 0″ or thereabout, to fit archways.	35	12	6	Each.	
3810	9-9-90	Turntable Engine.	50 feet diameter, 5′ 6″ gauge	44	2	0	Each.	
4165	19-11-90		Centre pillar, for engine turntable metre gauge—36 feet diameter, as supplied on Contract 3122 of 11th February 1889.	12	2	11	,,	
3730	19-7-90	Valves ...	India-rubber, red, for air pump, 6″ diameter × ⅜″ thick × 1″ hole, for 30 H. P. surface condensing engine	0	2	9	Each.	
3759	6-8-90	Valves, Steam ...	Stop, flanged, 3″ diameter, bodies to be made of cast iron with gun metal valves and seats, and best mild steel spindle. To be tested by hydraulic pressure to 300 lbs. per square inch.	1	4	9	,,	
4049	30-10-90	Weigh Bridge ...	Platform 16 feet long, to weigh up to 20 tons or 544½ maunds, with steel yard, graduated for the English weights. Rails of platform to be of steel vignoles section and to weigh 75 lbs. per yard.	138	0	0	Each.	
3822	11-9-90	Weighing Machines.	Platform, with steel yards, graduated for Indian and English weights, to weigh up to 28 maunds.	13	0	0	Each.	
,,	,,		Platform, with steel yards, graduated for Indian and English weights, to weigh up to 14 maunds.	10	10	0	,,	
4091	5-11-90		Platform to weigh up to 20 maunds or 15 cwts. with steel yards, graduated for Indian and English weights.	12	16	0	,,	

11

5356/5

CLASS OF STORES. F.—STATION MATERIALS AND FENCING—*concld.*

Contracted for in 1890

Contract number and date.	Articles.	Rate—Free on board.			Remarks.
		Amount.		Unit.	
		£	s.	d.	
	Weighing Machines—*concld.*				
3168 18-1-90	Platform, with steel yards, graduated for Indian weights to weigh up to 14 maunds.	10	2	0	Each.
3510 24-5-90	Duplex patent for weighing mulli coal, with 24" dial, graduated for Indian and English weights, to weigh up to 10 cwt.	21	0	0	For Warora Colliery
3560 21-6-90	Hydrostatic, Druckhaus's suspended and self indicating, to weigh up to 3 tons.	90	0	0	"
3552 6-6-90	Self indicating, for weighing coal tubs on pit bank of colliery platforms, 9' 6" × 8' 6" graduated for Indian and English weights.	40	0	0	Holgreen and Steade's patent.

R. A. SARGEAUNT Lieut.-Col. R.E.,
Offg. Director General of Railways.

2302/10 9

Circular No. 13.

FROM

THE DIRECTOR GENERAL OF RAILWAYS.

TO

THE MANAGER, NORTH WESTERN RAILWAY.
THE MANAGER, OUDH AND ROHILKHAND RAILWAY.
THE SUPERINTENDENT OF WORKS, CHAMAN EXTENSION.
THE SUPERINTENDENT OF WORKS, HYDERABAD-UMARKOT RAILWAY.
THE ENGINEER-IN-CHIEF, MU VALLEY RAILWAY.
THE ENGINEER-IN-CHIEF, EAST COAST RAILWAY.
THE ENGINEER-IN-CHIEF, KISTNA BRIDGE.
THE ENGINEER-IN-CHIEF, MOGHAL SARAI-HOWRAH RAILWAY SURVEY.
THE ENGINEER-IN-CHIEF, MOGHAL SARAI-DALTONGUNGE SECTION OF THE MOGHAL SARAI-HOWRAH RAILWAY SURVEY.
THE ENGINEER-IN-CHIEF, FRONTIER RAILWAY SURVEY.
THE ENGINEER-IN-CHIEF, KASHMIR RAILWAY SURVEY.
THE ENGINEER-IN-CHIEF, ZHOB VALLEY RAILWAY SURVEY.
THE ENGINEER-IN-CHIEF, JEYPORE-CHUMBAL RAILWAY SURVEY.
THE ENGINEER-IN-CHIEF, GOONA-BINA RAILWAY SURVEY.
THE ENGINEER-IN-CHIEF, UJAIN-BHOPAL RAILWAY SURVEY.
THE PORT STOREKEEPER, STATE RAILWAY DEPARTMENT, CALCUTTA.

Rate List, Class F.—"Station materials and Fencing" for 1890.

Simla, the 15th July 1891.

SIR,

I have the honour to forward herewith, for information and guidance, a printed statement showing actual rates free on board in England for Class F. stores "Station materials and Fencing" contracted for by the Stores Department of the India Office for State Railways from January to December 1890.

2. A table giving the average rates of sea-freight for F. Class stores is prefixed to the Rate List.

I have the honour to be,

SIR,

Your most obedient Servant,

R. A. SARGEAUNT, Lieut.-Col., R.E.,
Offg. Director General of Railways.

Documents accompanying.

(1) Table of sea-freight.
(2) Rate List, Class F.—"Station materials and Fencing" for 1890.

The Secretaries to the Governments of Madras, Bengal, the North-Western Provinces and Oudh, and the Punjab, Public Works Department.
The Secretaries to the Chief Commissioners of the Central Provinces, Burma, and Assam, Public Works Department.
The Secretaries to the Residents, Hyderabad and Mysore, Public Works Department.
The Secretaries to the Agents to the Governor General, Rajputana and Central India, and Baluchistan, Public Works Department.
The Superintendent of Port Blair and Chief Commissioner, Andaman and Nicobar Islands.
The Director General of Telegraphs.
The Director General of Military Works.
The Accountant General, Public Works Department.
The Comptroller General.
The Accountant General, Bengal.
The Consulting Engineers for Railways, Madras and Bombay.
The Consulting Engineers to the Government of India for Railways, Calcutta, Lucknow, and Coast, Quetta.
The Agent and General Manager, Assam Railways and Trading Company, Limited.

Copy forwarded to the Local Governments, Administrations and Officers noted in the margin, for information.

Lieut-Col., R.E.,
Offg. Director General of Railways.

The Joint Secretary to the Government of Madras (Railway Branch) Public Works Department.

2302/10

P. W. CURRENT No. 59 Simla

FROM

THE DIRECTOR GENERAL
OF RAILWAYS,

To

Circular No. 13.

Dated Simla, 15th July 1891.

Received

INDIAN STATE RAILWAYS.

Rate List, Class F.—"Station materials and Fencing" for 1891.

G. C. Press, Simla.—1655 P. W. D.—23-7-91—1,100.

Communicated to officers of the Public Works Dept. for information, in continuation of No. 2301 W. dated 26th August 1891.