(1) பக்கங்களின் எண்ணிக்கை 20

(2) புதுக்கித் திருப்பிய நாள் [illegible] 92.

(3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம்

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

PWD துறை

93

அரசாணை எண்.
மு. கோப்புத் தாள் எண். 2051

அச்சகம்
பலவகை

நாள் : 23-7-1892 198 .

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

9 Sheets
/10

ஆவண. கா-1—18,006—15-6-87.

Mil No/1

First Circle

Report of Ancient Architectural Remains for the year ending 31st March 1892 as per list sent with G. O No 2437 W. dated the 10th September 1891.

District	No & page of the list sent with G O No 2437 W. dated 10-9-91.	Serial number in the list	Remarks. 20/1
Ganjam.	6	1	An estimate for Rs 20 for preserving these inscriptions has been sanctio-ed, and the work will be put in ha shortly.
Godavari Western Dn	6	2	Steps will be taken to conserve thes rock-cut caves.

Supdg Engrs office 1st Circle
Dowlaishwaram
13th May 1892.

Supdg Engineer 1st Circle.

To,
The Chief Engineer
P. W. Department

dated 14th } May 1892
despd. 16th }

Report of Ancient
architectural Remains for the year
ending 31st March 9

No 490.

P. W. D.

Report of Ancient Buildings of Historic or Architectural interest in the 3rd Circle for the year 1891.

Ref to printed list of ancient monuments Page	District. items	Taluk.	Village.	Name or Description of Buildings.	Remarks.
18 Bellary	63 & 70	Hospett	Vijayanagar &c	Hampi Ruins & Temples	Two watchmen were entertained to look after these buildings and to cut trees and growths which destroy the temple walls roofs &c.

2 51/3

H. W. Martin
Superintending Engineer,
3rd Circle

Station Bellary
Dated 9th May 1892

5·3

P. W. CURRENT No. 4968

7/67/92

From

The Supt. Engineer
3 Circle
Bellary

To

The Chief Engineer
P. W. Deptt
Madras

Dated 9th } May 1892
Received 11th }

No 490

Report of Ancient Buildings of Historic or Architectural interest in the 3rd Circle for the year 1891–92.

1892
Pub
3
1727

Complete
O.O.W.
5
Oct 14/9/92

Enclo 263/3

IV Circle

North Arcot Division

205/4

Annual Report of Ancient Architectural Remains in the North Arcot Division for the year ending 31st March 92.

A descriptive account of Monuments situated in the Division, is given at pages 8, 9 & 14 to 21 of the revised list circulated with G.O. No 2437 W of 10th September 1891.

×No G.O. on Pub Recs 8/24/11/91 No 621
×not recd in Pub Deptt

The suggestions for the conservation of the Monuments as contained in the list are receiving attention and in the case of Delhi Gate item 84, the necessary repairs at the estimated cost of Rs 540 have been carried out and a watcher employed to look after the building from June 1891 as directed in G.O. No 1378 W dated 20th May 1891.

not recd

N.A.D. Office }
31 March 92 }

Major R.E.
Executive Engineer

To
The Superintending Engr.
IV Circle

4

P. W. CURRENT No. ~~3827~~/E2

SUPG. ENGINEER'S OFFICE
-4 APR. 92
FOURTH CIRCLE

IV

From,

Executive Engineer
North Arcot Dt.

No. 980 ~~E~~

Dated 31st of March/92
Madras

Recd 8-4-92

Annual Report
Ancient Architectural
Remains in the North Arcot
Dt. for the Year ending
31st March/92 –

No. $\frac{162}{IV}$ of 7-4-92

Forwarded to the Chief
Engineer, P. W. Department
for information.

Lt. Col. R.E.
Supg. Engineer 4th Circle

Compile

Pub: 149 8/92
3

5

FROM P. W. CURRENT No. ~~8345~~

G. D. Wyborow Esquire

~~THE~~ SUPERINTENDING ENGINEER

1167/52

FIRST CIRCLE.

TO,

THE CHIEF ENGINEER

FOR IRRIGATION.

MADRAS.

DATED 16th }

DESPATCHED 16th } May 1892.

RECEIVED 20th }

~~NO.~~

ENCLOSURES.

SUBJECT.

Report of Ancient Architectural remains for the year ending 31st March 1892 as per list sent with G. O. No. 2437W d/ 10th Septr /91

No. 529 W of 16-2-88
„ 1651 W „ 24-6-89
„ 2523 W „ 11-9-89
„ 1270 C „ 8-3-90
„ 1373 W „ 16-5-90
„ 1208 W „ 30-4-91
„ 186 W „ 20-1-91
„ 244 W „ 26-1-91
„ 1076 W „ 18-4-91
„ 1378 W „ 20-5-91
„ 1347 W „ 29-5-84
„ 2569 W „ 1-10-86
„ 59 W „ 7-1-88
„ 529 W „ 16-2-88
„ 1664 W „ 24-6-89
„ 1574 W „ 9-6-91
„ 1576 W „ 10-6-91
„ 2437 W „ 10-9-91

Gl 2

4

1724

Pub: 14/9/92
1

36/4

VI Circle. P.W.D.

Report on the monuments selected for conservation in the 6th Circle. P.W.D. for the year 1891-92.

Division	Serial number in list of monuments (G.O. No 2437W 10.9.91)	Reference to Vol. I. Sewell's List of antiquities	Remarks No 5/16
Trichinopoly	30	264	Front tower is in very bad state and needs repairs, but vegetation all round is being removed.
	88	268, 269	In good condition, but the inscriptions through wear & tear are being obliterated.
Madura	41	298 & II 273	In good order. Maintained by Zemindar of Ramnad.
	42	do	In good order. The temple possesses large landed estate under the management of the Zemindar.
	43	300, 301	In good order. It is maintained by Poojaries, natives of Rameswaram, out of the income received from Pilgrims. Weeds & grass growing over it are removed by the Poojaries.

Division	in list of monu-ments (G.O. No 2437 W) 10.9.91	Reference to Vol I. Sewell's list of anti-quities	Remarks
Madura	44	295	Kept in fair o the temple aut
	61	The Jaina Cave at Yanamalai	In good orde
	62	Sculptures & inscriptions on the rock of Yanamalai	In good orde
	74	289	Kovilpatty te the report of the Officer is awai
	75	The temple with two tanks on the hill at Allagar Koil	In fair orde are occasion out by the Deva Committee. attention shou paid to the rem vegetation from t
	89	289	Fort itself is muc grown with gras & walls are being by trees growing in much of the carving temple has been apparently by re the flooring stones a a large peepul tr taken root in the m

Division	Serial number in list of monu-ments (G.O. No 2437 W) 10.9.91	Reference to Vol I Sewell's list of antiquities	Remarks 205/6
Madura			The Tahsildar of Dindigul has been addressed regarding the clearing of the roots and bushes.
	90	The fort at Allagar Koil	vide remarks against serial No 75
	101	292	In good order. Under the charge of Govt.
	102	Tirumala Naick's Palace at Allagar Koil	vide remarks against serial No 75

A. Smith Lieut Col R.E.

Supdg Engineer 6 Circle

11th May 1892

078/-

To

The Chief Engineer

P.W.D.

G.S.

P. W. CURRENT No. ~~5442~~ E-1

16/7/92

~~From~~

~~The Supdt. Engineer~~
~~Madras~~

To

~~The Chief Engineer~~
~~P.W.D.~~

No. 218w
Dated 11th } May 1892
Despd. 13th }
Recd. 16.5.92

Report on the monuments selected for conservation for the year 1891-92.

1892
Pub 2
Dept.
727

ORB
16.5.92

Pub: 1498/92
4

Public Department.

2051

PROCEEDINGS OF THE MADRAS GOVERNMENT.

READ the following paper :—

From the Superintendent, Archaeological Survey, Madras, dated 29th June 1892, No. 265:—

With reference to G. O. dated 17th June 1892, No. 417, Public, and current enclosures herewith returned, I have the honour to state that the small sum required to remove the shrubs from the Kovilpati temple might be just now sanctioned from the current year's budget grant. These plants are ver destructive, and, if suffered to remain, might caus damage which it would afterwards be more cos-ly to repair.

2. If the simple stoppage of the leaks is necessa to the preservation of the building, the cost of doin so might be met from the conservation grant. the expenditure on this item would probably be small. Any conveniences added or maintained solely on account of travellers, would have to be met from other funds.

Apparently from Local Funds

Order, 7th July 1892, No. 477.

Communicated to the Public Works Department

Department with reference to G.O. dy. 8th June 1892, No 1711 W, with the request that the necessary orders may be issued and funds provided.

(True Extract)

Ag. Asstt. Secretary.

To

The Public Works Deptt. (with 4 enclosures).
" Supdt. Archaeological Survey.

N.P.

P. W. CURRENT No. 7167

[0]

Govt. of {18 } Madras.

To

The Public Works Dept.

Fo. B No 1347 W d 29·5·84
" " " 2569 W d 1·10·86
" " " 59 W d 7·1·88
" A " 529 W d 16·2·88
" B " 1664 W d 24·6·89
" " " 1574 W d 9·6·91
" " " 1576 W d 10·6·91
" " " 2437 W d 10·9·91
" " " 1711 W d 8·6·92
" " " 1734 W d 1·6·92

Enclos 4

Recd: 12 VII 92

Proceedings, dated 7th July 1892,
No. 477.

Subject.

Preservation of the Kovilpati temple – Madura District.

No 2051 W d/23-7-92

No 2051 W d/23rd July 1892

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

READ the following

Proceedings of Govt Public Dept. M. G. No 477 d/7-7-92

25/9/10

Communicated to the Supdg: Engineer VI Circle with reference to his letter No 213 W. D. dated 4th June 1892.

HCS
19 July

2. The sum of ₨2— required for removing the shrubs and trees growing on the roof and walls of the Kovilpati Temple is allotted from the reserve with the Government for the conservation of archæological works.

3. The Supdg: Engineer will report whether

stoppage of the leaks is
necessary ~~to~~ for the
preservation of the
building, and if so, will
apply for the requisite
funds

J.W.B.
13-7-92

No. 2051 W.a / 23rd July 1892

%1

The Supdg. Engineer
VI Circle

Examiner P.W. Accoun

L.S. 3-7
H.M. 18-7.
M 20/7

J. 20/7