

- (1) பக்கங்களின் எண்ணிக்கை 4
 (2) புதுக்கித் திருப்பிய நாள் 3/52
 (3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் 3/

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

73

சு.ம.ந. துறை

அரசாணை எண். 2234 அச்சகம்
 மு. கோப்புத் தாள் எண். பலவகை

நாள் : 13 — 8 — 1892 198 .

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

2 Sheets

ஆவண, கா-1-18,006-15-6-87.

Letter from the Executive Engineer, Kurnool Dist.
No 285 dated 25th July 1892 to the Assty. Engineer
Mr. C. B. Bellay.

22-34

With reference to your No 1072 of 29th July/92
communicating for early report Proceedings of the
Madras Government No 1945W of 6th July 1892
I have the honor to inform you that my statement
of Famine tools printed in G.O. No 1145W of 6th
April is perfectly correct.

With regard to the first, second and
third items, in the letter from the President District
Board Kurnool no remark is required as the
quantities agree with those shown in my statement.

Regarding the sledge hammers and crowbars
and which the President of the District Board
Kurnool states that 200 of the former and 100 only
of the latter were received, I beg to state that

2	Sledge hammers issued on receipt No 103 of	10-12-91.
100	do do do	" 7 of 4-1-92
47	do do do	" 8 of 7-1-92
100	do do do	" 122 of 12-2-92
Total 249		

200	crowbars issued on receipt No 7 of 4-1-92	
100	do do do	122 of 12-2-92
Total 300		

100- Cast iron hammers issued on receipt

N^o 3 of 7-1-92.

The original receipts are with the Examiner
P. W. Accounts Madras who will be able to
verify my statements.

¹³³⁵
N^o 1125 of 5-2-92

Copy forwarded to the Chief
Engineer P. W. D. with reference to G. O. N^o 1943W
Dated 6th July 1892.

Atmaver
Col. R. E.
Offg. Supt. Engrs. Circle.

2234
2

CURRENT No. 7986

P. 13 no 1945 w 30.7.92
" " 1145 w 30.7.92

N^o 2234 w. 13 Aug 1892
P

From
The Supt Engineer, 3rd
Circular Bellary
To
The Chief Engineer
M. S. S.
Madras

Dated 5th August
1892
Received by

1335
H. 25

Sanmudra
Informing that the statement
of Annual Division is
correct.

Communicated to
The Local S. & A. Dept with
reference to the
No. 479 of 2 July 1892
1892.

over
9.8.92

S. 100

Copy (2)
S

12.8.92
L. 2 L. 13/8
L. 9. 9. 13/8

17/8. F. 15/8. 11. 83-8
11. 10-8