

- (1) பக்கங்களின் எண்ணிக்கை 8
 (2) புதுக்கித் திருப்பிய நாள் 1/2
 (3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் [Signature]

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

PWD துறை

118

அரசாணை எண். மு. கோப்புத் தாள் எண்.	<u>2299</u>	அச்சகம் பலவகை
நாள் :	<u>18-8-1892</u>	198 .

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

3 Sheet 3+1-(4) 11

TR

N^o 2311.

Immunely Division Office
6th July 1892.

From

Colonel. A. J. Fraser. R.E.
Executive Engineer
Immunely Division.

To

The Superintending Engineer
Bt Circle 9/11

Sir,

I have the honor to mention
with regard to your N^o 307. J. N. of
the 1st Instant that I find the makers
supply a stand for Dredges Omni-
telemeter for 34/- but I intend
only getting them to send out the
brass work and have the wooden
legs fitted at the P.W. Workshops
as it cannot be had from the Calcutta
Depot.

I have &c

/signed/ A. J. Fraser Col. R.E.
Executive Engineer.

N^o 337. J. N. 14th July 1892.

The course proposed by the
Executive Engineer is likely to cause
much correspondence & waste of time.
He will be good enough to ascertain
whether

whether the stand cannot be made in the P.W. Workshops Madras completely. His attention is also drawn to para 2 of his No. 1567 d/ 7th May 1892.

/Signed/ A. C. Smith. Lt Col Rb.
Dypty Engineer Bt. Bt. Bt.

Copy of letter from the Executive Engineer, Tinnevely Division to the Dypty Engineer, Bt. Bt. Bt., No. 2461 d/ 19th July 1892.

I have the honor to mention with reference to your No. 337. S. N. d/ 14th July 1892 from being aware to letting them meddle with the adjustments of the Omni-Levometer at Madras, and not having seen the stand unable to give a drawing of the best form, I had previously ordered out the head from the makers.

2. There will I think be no difficulty in the Workshop taking it over with the invoice

Please see
The Sheet
NO 22

12241
7880
2299⁵
For orders. 2299
The procedure adopted by the Govt. in the Tinnevely division in obtaining the stand direct from the makers in England is in contradiction of para 2, Appendix, Vol I, P.W. Code, and is doubtful whether the Govt. can sanction the charge.

The cost of the stand has not been reported.

Rs
3.8.52

As his circumstances under which the brass work of the stand was ordered direct from his makers

Including what I pray mate for a stand complete, will be much cheaper they could make up, expenditure seems involved between myself and the

2299⁵

is submitted to the officer, P.W.D., with reference to No. 3219.C d/ 27th

course adopted by the Engineer in ordering out for the Omni-Levometer from in England direct is but as he appears to have a convenience sake, it is that it may, under the circumstances explained in para 1 of his No. 1. d/ 29th July 192, be approved & sanctioned.

A. C. Smith Lt Col Rb.
Dypty Engineer, Bt. Bt. Bt.

P. H. CURRENT NO. 7880

Memos 321908 27.6.92 ✓
" 25900 18.5.92 ✓
" 25900 18.5.92 ✓
" 4524500 27.1.72 ✓
P. B. 15714 27.6.91 ✓
" 150.44 17.1.91 ✓
Memos 53350 27.12.90 ✓
P. B. 111 12.1.92 ✓

From
The Supt. Engineer
Minds.
To
The Chief Engineer
P. W. D.

No 386-TN.
Dated 29 July 1892
Recd 1/8.
Recd 3.8.92

Mini. Scales:-
Requesting to sanction
the cost of scales, ordered from
the makers in England
for the —

2 18.8.92

N^o 2299. W of 18 August 1892

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Read the following

From the S.E. VI (Cable) (H.C. N^o 3862. W. of July 29. 92)

2/3

The course
adopted by the
Executive Engineer
is irregular and
opposed to the rules
on the subject of
English supplies. He
must therefore bear
the cost himself,
the Government
being unable to sanction it.

& vide paras 2 & 3 of the
Resolution printed in the
Appendix O, Volume I
of the P. W. Code

S.E. VI (Cable) 18/8
" III - do -

just 100/40

N^o 2299. w. 10th August 1892