

- (1) பக்கங்களின் எண்ணிக்கை 10
 (2) புதுக்கித் திருப்பிய நாள் March 90
 (3) ஆதரங்குறிப்பவர் கருக்கொப்பம் 10/3

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

பெரியலங்கு துறை

அரசாணை எண். மு. கோப்புத் தாள் எண்.	2748	அச்சகம் பலவகை
நாள் :	17-10-1890	198

5
மடிக்கவோ கண்டபடி கையாளவோ கூடாது

செ. 6

2748

Read the following:—

Office note from the Joint Secretary to Govt. P.W.D.
 Irrigation Branch / No. 201 dated 30 Sept. 1890.

FOR ORDERS.

The undersigned concurs in the opinion of the Chief Engineer for Irrigation as to the incompetence and want of both energy and judgment displayed by Mr. Rathnam Subhapathy Pillay, but considers that instead of reducing him a definite number of steps, which would probably turn out to be practically no penalty at all, as it must in any case be some years before he could rise to Executive Engineer 3^d grade, he should
 revert

revert to his permanent
rank of Assistant Engineer
1st grade, leaving his future
promotion to be dealt
with according to his
future conduct.

At present he is in
the opinion of the under-
signed entirely unfit
for the position of an
Executive Engineer.

S

W.

W.

approved

J.H.S.

13/10/20

C

W.H.S.

2748

2

FOR ORDERS.

~~Not
in order~~

No 2748 14/1/17 - X - 70

circ 7-x-70

Ch

420
circ 7-x-70

For order - Rest

The medical
concerns in the opinion
of the C.E. J. as to
the incompetency ²⁷⁴⁸ and
want of both ³ energy
and judgment displayed
by Dr. Katerbach in the
Pills, but concluding
that instead of
reducing him a
definite number of
steps, which would
probably turn out to
be practically no
reduction at all, as it
must in any case be
some years before he
could rise to E.E.
grade, he should
be sent to Dispen-
sary with a
constant guard of
men, being his future
promotion be dealt
with according to his

further constant -
 As found to be in
 the opinion of the
 undesignated water project
 further provision of
 an irrigation system

S. 7/10

+ Remitt -

See pages 6, 7, 8 & 9
 of Letter 1472 24/8/90
 from Supt. L. 3rd Canal
 (Remitt with enclosure).

enc 7-x-90

PUBLIC WORKS DEPARTMENT,

IRRIGATION BRANCH.

2748

30/9/90

Read the following:-

No 201. Encl. two letters
 from Kante Sars.

Office note

FOR ORDERS.

From "I"

To "W"

1. In the shop-note of the
 Lanters L. Kuroool
 received with enclosure
 1177 21/7/99 of Supt.
 L. 3rd Canal was
 brought to notice
 serious leakage in the
 "part" of M. Patnamatha
 pati Pillai - Asst. L.
 in connection with injury
 to the Adinamapalli
 Canal. - River Kaveri.
 Kurnool Cuddalore
 Canal.

2. On the 7th day the
 owner reported to that
 officer a most alarming
 crack in the masonry the
 Assistant L. did not
 report this to the Lanters
 L., who was sick, but
 had not gone on leave,
 and did nothing about
 the matter till 23rd June

which tends the injury,
which weight has been
assisted by timely measures,
but considerably increased,
what he then did was
simply fatuous.

3- Mr. Ratnasabhapati
Pillai's explanation
(letter 283-7/8/90) is
not worthy of the
honour and it
is recommended that he
be put down five
places in the
gradation list.

For
"j"

P.W. C. No. 9420

FOR ORDERS

Oct 6-10-90

Inc 17 (1st copy)

No. 27480/17-8-90

For
Orders

No. 27480/17-8-1890

PUBLIC WORKS DEPARTMENT.

2748

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Read the following

Note by the Chief Engineer for Irrigation No. 201.
d/ 30th Sept 1890.

Note by the Chief Engineer, P.W.D. d/ 6th Oct 1890.

That the Governor
in Council approves
the recommendation
of the Chief Engineer
P.W. Department and
directs that Mr. N.
Ratnasabhapati
Pillai ~~be~~ revert
to his permanent
rank of Assistant
Engineer 1st Grade,
leaving his ^{further} future
promotion to be
dealt with according

to his future conduct.

hms
15.10.90

S
16.10

Do The Chief Engineer
for design
with origl papers.

" S.E. III Civil ✓

No 2748 was 17 Oct 1870
+ 18 Oct 1870

E
S.E.

As

24/10

15/10