

- (1) பக்கங்களின் எண்ணிக்கை 8
 (2) புதுக்கித் திருப்பிய நாள் 2/9/2
 (3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் Q

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

P. Wi துறை

அரசாணை எண். மு. கோப்புத் தாள் எண்.	<u>3062</u>	அச்சகம் பலவகை
நாள் :	<u>8-11-1892</u>	198 .

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

4

Q

No. 3498

Superintending Engineer's Office,

II CIRCLE, *Bengal*

Dated 22nd October 1891

From,

J. W. Martin Esquire,

Superintending Engineer,

II Circle.

To,

The Chief Engineer,

P.W. Department,

Madras.

Enclosure
One list

at city

Sir,

With reference to para 1 of
your memo no 155 D. of the 11th August
I have the honor to inform you
that the fact that the Chief
Engineer for Irrigation had
negatived a proposal to purchase
2 new levelling instruments in
November last was by an over-
sight not brought to your notice,
as the estimate formerly submitted
was cleared under Irrigation.

2. A statement showing how the 81 (not 64 as mentioned in the above quoted memo) levelling instruments in this Circle are distributed is herewith sent, from which it will be seen - that there are 6 surplus instruments, all in good order, in the Nkore Division - 3 belonging to Famine & 3 the stock in the Division. These latter are required,

- 1 For Executive Engineer
- 1 Sub Division Officer, Lyndin
- 1 District Superintendent, Nkore

There are also 9 instruments in stock in the Kishu Western Division as follows.

- 1 Repairable
- 1 sent to P.W. Shops, Madras to be repaired
- 4 Obtained under the authority of G.O. No 1642 W of the 30.5.92 but kept in store pending final orders

$$\begin{array}{r} 6 \\ 3 \text{ in good order} \\ \hline \text{Total } 9 \end{array}$$
 23/3

3. The Executive Engineer, Kishu Western Division requires as per enclosed distribution statement 20 instruments. These will be arranged for by this office. The 4 instruments obtained under the authority of G.O. No 1642 W of the 30.5.92 with notice ordered to be returned to the P.W. Stores. In these circumstances, I think the sanction conveyed in G.O. No 1642 W of 30.5.92 may be cancelled.

I have the honor to be,
 Sir,
 Your most obedient servant

W. Mactie
 Supt. Engineer
 If circle

Munsho 1558 of 11.8.92.
1642 W of 30-5-92
8348 of 27-11-91.

From
The Supt Engineer
200 of mile

From,
The Superintending Engineer,
II Circle

To,
The Supt Engineer
P. W. Dept
Madras.

Dated

Received

Date 22nd October 1892
Recd 25.10.92

No. 3494

Encls. One.

Enclosures.

NO.

SUBJECT.

Leveling Instruments
in the 200 of mile - Submits
a list showing how they
are distributed.

2/10/92

24.11.92

B

3062 W of 30th November 1892
PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

3062
4

Read the following

From the S. E. II circle (H. No. 837 H. S. of 29 June 1892)
— do — do — do — (" " 349 G. L. of 22 October 92)

Under the circum-
stances now explained,
the sanction accorded in
G. O. 1642 W dated 30 May
1892 for the supply of
4 Levelling instruments
for use in the Krishna
Western Division is
cancelled & the instru-
ments already obtained
under that order being
returned to store.

Also
1 Nov

S. E. II circle
S. E. II circle
Ex. P. W. Accts

28.11.92

R. S.

110

3062 W 8th November 1897

X

W

8.1.181-10
Hou 31-10
m 2-11

12/11

J.C. 10/11