4 sheets

(1) பக்கங்களின் எண்ணிக்கை 8

(2) புதுக்கித் திருப்பிய நாள் 9/94

(3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம்

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

PW துறை

அரசாணை எண். ~~மு. கோப்புத் தாள் எண்.~~ 3219—20 அச்சகம் புலவகை

நாள் : 22. 11. 1892 198 .

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

DV

ஆவண. கா-1—18,000—15-6-87.

No. 3836

Executive Engineer's Office,
Coimbatore Division,
27th October 1892

3219-20
1

From J. C. Larminie Esq
Supg ~~Executive~~ Engineer,
in ch. of Coimbatore Division.

To The Superintending Engineer
Fourth Circle
Coimbatore

Sir,

Enclosures.

With reference to your endorsement No 516 C/ dated 10th instant, I have the honor to state that the Municipal Engineer, Calcutta, informs that he has no use for the water closet fittings and therefore to request that they may be returned to England as suggested in my letter No 2933 of 11th August last.

I have the honor to be
Sir
Your most obedt servant

J C Larminie
Supg Engineer in ch of
Coimbatore Division

No 452/W
Submitted to the Chief Engineer, P.W.D. with reference to his Memorandum No 516 D of 8th October 1892

J C Larminie
Superintending Engineer 4th Circle

3219-20
2

P. W. D.

SUPT. ENGINEER'S OFFICE P.W.D.
No. 139 C.
28 OCT. 92
Encls.
FOURTH CIRCLE.

From

The Executive Engineer,

Coimbatore Division.

To

The Supg. Engineer
4th Circle

Dated 27*
Despatched 28* October 1892.
Received

No. 3836

Enclosures

SUBJECT.

Water closet fittings
Requests that the —
may be returned to Englan
as suggested in this offic
No. 2933 of 11th August 1892

Within

P. W. CURRENT No. 10803

Memorandum D 8.10.92

From

The Supdg Engineer,
Fourth circle.

No 3051-2 W 14-11-91
" 1269 C - 13-3-92
" 2362 W - 25-8-92
" 5108 - 8-10-92.

dated 28-10-92.

No: 452
W

Water closet fittings
Govt: House Coorg:-

Submitting letter
of Ex: Engineer Coorg
before Govt: requesting that the — may
be returned to England

O/Ltr
R 14.11.92

P. W. DEPARTMENT.

3219-20
3

READ the following:—

From the Superintending Engineer IV circle
No 452 W dated 28. October 1892.

FOR ORDERS.

Efforts to dispose of
the fittings at Calcutta
have failed. But even
if returned to England,
the manufacturers are
not likely to be willing
to receive the fittings back,
and the onus of disposing
of them can hardly be
thrown on the Director
General of Stores. Perhaps
that officer might be
first communicated
with, and asked if
he will make arrangements
to

Original
ACS
5.11.92

to dispose of the fittings if they are returned.

PUBLIC WORKS DEPARTMENT

No. 3219 W, dated 22nd November 1892.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

3219-20

READ the following

From the S.E. IV Circle (H.C. No. 452 W) dated October 28

Inquiry will be made of the Director General of Stores, India Office, if the water closet fittings in question may be returned to England for disposal and meanwhile the same should be retained in store in the Nilgiri Subdivision.

S.E. IV Circle. M. 12.

(H.C. No. 3220 W dated 22 Nov. 92)

To, The Director-General of Stores, India Office, London.

Sir, I am directed

to report that the
four sets of water
closet fittings supplied
by you on the indent
forwarded with this
office letter No. 3052 W
dated 14th Nov. 1891 are
not now required in
this country, and to
inquire whether you
can make arrangements
to dispose of them
if they are returned
to England.

2. Efforts have been
made to dispose of the
fittings at Calcutta,
but without success.

I have &c.,

Secretary of State for India

No. 3219-20 W. of 22 Nov. 92

S. 28/11

S.C. 26/11