

(1) பக்கங்களின் எண்ணிக்கை

12

(2) புதுக்கித் திருப்பிய நாள்

1972

(3) ஆதரவ் குறிப்பவர் சுருக்கொப்பம்

3

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

P. W.

துறை

அரசாணை எண்.

மு. கோப்புத் தாள் எண்.

3371

அச்சகம்

பலவகை

நாள் :

8/12/1852

199

மடிக்கவோ தண்டபடி கையாளவோ கூடாது.

ஆவண. கா. 1-18,006-6-9-90.

Statement of Proposition for revision of Establishment.

3371
1

Order Sanctioning present Establishment.		Office to which the proposition refers.	NATURE OF CHANGE.												PROPOSITION.						Remarks by Local Government.
Government of Department.			Present Scale.						Proposed Scale.						Permanent.		Temporary.				
No.	Date.		No.	Designation.	Minimum.	Increment.	Maximum.	Average or Fixed.	No.	Designation.	Minimum.	Increment.	Maximum.	Average or Fixed.	Increase per month.	Decrease per month.	Increase per month.	Decrease per month.			
														Amount.	Amount.	Period.	Amount.	Period.	Amount.		
		Chingdeput Division	1	Sub. Overseer 1 st grade	50	10	70	60	1	Sub Overseer 1 st grade	50	10	70	60	-	-	-	-	-	-	
		Public Works Workshop	1	Do Do	50	10	70	60	1	Do Do	50	10	70	60	-	-	-	-	-	-	
		Small Sewer Division	1	Sub. Overseer 2 nd grade	35	5	45	40	1	Sub Overseer 2 nd grade	35	5	45	40	-	-	-	-	-	-	
									1	Do 1 st grade	50	10	70	60	-	-	-	-	-	-	
		Tanjore Division	1	Sub. Overseer 3 rd grade	25	5	35	30	1	Do 3 rd grade	25	5	35	30	-	-	-	-	-	-	
			4					190	5					250	60						

27 October 1892.

W. H. Hughes
Supt. Engineer & Clerk

No. 466 W

SUPERINTENDING ENGINEER'S OFFICE,

V Circle, Madras,

Chepak, 28th October 1892.

From

W. Hughes Esquire

SUPERINTENDING ENGINEER, V CIRCLE,

To

The Chief Engineer

P.W. Department

3371
✓

Sir,

In the Budget for 1892-93 there are four Sub Overseers allowed to this circle

Enclosures.

viz:-

1. Sub Overseer 1st grade for Chingleput
1. — do. — do. — for Workshops
1. — do. — 2nd grade for South Arcot
1. — do. — 3rd grade for Tanjore
- Megapalam - none.

These four Sub Overseers are employed in the circle at present.

2. According to the present sanctioned scale of establishment as per G.O. No 3304 W d/12th December 1890, the South Arcot Division establishment is

1. Assistant Engineer
8. Upper Subordinates.

3. In 1889 the strength of establishment was the same as at present including the one sub overseer when the necessity of three more sub overseers was brought forward in the statement submitted to the Chief Engineer with this office letter 7c 2899 of 30 July 1889; it was explained in that statement that for want of subordinates little or nothing had been done towards improving tanks or existing distributaries under the Pelandorai Ancient system; that the three extra sub overseers asked for were put down at the minimum, and that proper supervision was impossible with less establishment.

4. The present strength of establishment including the sub Overseer is distributed as follows:-

(1) Chidambaram Sub Division

Hon. Asst. Engineer Mr. Legge in charge with two subordinates.

This sub Division though consisting of one Talug, has the Lower Coleroon ancient system, the Pelandorai Ancient system and the Shattatope ancient system, all lying within it, and the 2 subordinates are not in excess of requirements.

(2) Indivanam Sub Division

3371
Mr. Kothandaram Madeligar Sub-Engineer in charge with three subordinates. This sub Division, consisting of Indivanam, Tiruvannamalai and Villupuram Talugs, is 2,332 square miles in extent, and it gives full employment to the sub Divisional officer and three subordinates, each subordinate having charge of one talug; in one of these talugs, Villupuram Tank Restoration Scheme Works are in progress, and these in themselves give occupation to one subordinate the other two subordinates are in charge of Indivanam and Tiruvannamalai Talugs.

(3) Vriddhachellam Sub Division, consisting

of two Talugs Vriddhachellam and Kallacurichi is in charge of Supervisor Mr. Abdul Latif Sahib with one sub-Overseer.

(4) Head Quarter Sub Division consisting of Cuddalore and Tirukoiler Talugs is in charge of Overseer V. Govindaswami Madeligar.

The Executive Engineer states, that with the present strength of establishment no other arrangement than that shown above is possible.

5. The necessity for an additional subordinate is very much felt and the Executive Engineer asks that an additional Sub-overseer 1st grade may be sanctioned permanently for his Division to be attached to the Head Quarters Sub Division, and to be available for transfer from time to time to any other Sub Division, where extra assistance might be required. Considering that whilst three additional Temporary Overseers were given to the Chingleput Division on account of execution of Tank Restoration Works as shown by the List appended to G.O. No. 1234 W dated 28th April 1890, no such concession has been allowed to South Arcot, where Tank Restoration Works are also under execution, the Executive Engineer's request

request if acceded to would not at all raise the strength of the Establishment to more than is necessary. I have the honor therefore to recommend that the additional Sub Overseer 1st grade asked for may be sanctioned; The usual proposition statement is enclosed.

I have the honor to be
Sir

Your most obedt. Servt.

W. H. J. J.
Suptg Engineer, South Arcot.

P. W. CURRENT No. 10844

From

THE SUPERINTENDING ENGINEER,

V CIRCLE,

To

THE

Chief Engineer
P. W. Department.

Dated 28

Recd.

October 1892.
22/11/92

ENCLOSURES. /

No. 466 W

Sub Overseer 1st Grade

Requests that an
additional — may
be sanctioned to the
South Area Division
as per reasons stated
within —

3.0 12.32 12.12.70
P. W. 3304 W 12.12.70
M. W. 20/1000 2.90
P. W. 1720 W 1.7.87
M. W. 1800 C 2.6.87
P. W. 2037 C 2.4.87
P. W. 1503-40 2.5.88
M. W. 4777 C 16.8.92

No. 4777 Cd/16 November 1892

To E.I.

For favour of
opinion as to the necessity
for the additional sub
overseer, who is asked for
chiefly on account of P. W.
works in South Area.

10/13
15.11.92
E.I.

No 339

W.

I consider that taking into
account the large extra expenditure
under P. W. works and the
difficulty that has clearly been
experienced in dealing with it
owing to short handed establish-
ment the suboverseer asked for
may be granted as a temporary
measure for 2 years.

Ordered
21/11
92
04/12/92
E.I.
S.W.

PUBLIC WORKS DEPARTMENT,
IRRIGATION BRANCH.

Read the following:—

H. M. queries on draft
order sanctioning a temporary
1st grade Sub. Overseer for
South Area Division

Office Note

FOR ORDERS.

To E.I.

The amount of Y. R. S. estimate
sanctioned up to date in
South Area = Rs 2,33,513
Expenditure to end
of September 1892 = Rs 7,47,36
Balance to be worked
out = Rs 1,58,777

466
1/12/92

To W.

The above is the infor-
mation asked for by
H. M.

Ordered
3/12
92

W^o 3371. D of 8th December 1892
PROCEEDINGS OF THE MADRAS GOVERNMENT.

Read the following

Letter from S. E. T. Circle (H.E. N^o 466. W d/28th October 1892)
Office Note from the C.E. for Engrs (H.E. N^o 339 d/21st November 1892)

In the circumstances
stated, the employment
of a temporary 1st grade
suboverseer in the South
Arcot Division is
sanctioned for a period
of two years.

2. This sanction has
been registered as Prov.
N^o 63 W of 1892-93 and
classified as Established
Temporary.

What is the amount of I.R. works
sanctioned for execution in S. Arcot

See
25/11/92

+ Please see statement for
P.E. on Office with limits
of 1892/93

20

S. E. T. Circle
Examine P. & A. C. S.

2/11/92

Cu

for 21/11/92

23/11/92

H. W.
~~W. W.~~

To

E. B.

Please reply to
the H. W.'s question

will
28/10/12

cf.
28/10/12
W

W. 3371. W. of 8-12-72

W. W. W. W.
28/10/12
2.7.12

28/10/12
W. 3371. W. of 8-12-72

28/10/12