

(4)

- (1) பக்கங்களின் எண்ணிக்கை 8  
(2) புதுக்கித் திருப்பிய நாள் 10/10  
(3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் leg

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

PWD துறை

(3)

|                                       |          |                  |
|---------------------------------------|----------|------------------|
| அரசாணை எண்.<br>மு. கோப்புத் தாள் எண். | 663      | அச்சகம்<br>பலவகை |
| நாள் :                                | 1-3-1892 | 190.             |

மடிக்கலோ கண்டபடி கையாளலோ கூடாது

4 Shells 8M.

STATEMENT of rainfall in inches—Bellary District.

| Recording station. | Year.             | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Total. |
|--------------------|-------------------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|--------|
| District average.  | 1870              | ..       | ..        | 0.38   | 0.21   | 1.38 | 5.08  | 2.84  | 4.47    | 2.22       | 4.87     | 0.43      | ..        | 21.88  |
|                    | 1871              | 0.35     | ..        | ..     | 0.42   | 3.20 | 2.81  | 1.57  | 3.09    | 4.44       | 3.79     | 0.88      | ..        | 20.55  |
|                    | 1872              | ..       | ..        | 0.01   | 0.89   | 1.09 | 2.99  | 3.95  | 2.74    | 8.15       | 7.34     | 0.37      | 1.46      | 29.03  |
|                    | 1873              | ..       | 0.01      | ..     | 0.96   | 1.85 | 0.46  | 0.99  | 3.02    | 3.15       | 7.57     | 0.29      | ..        | 18.30  |
|                    | 1874              | ..       | 0.05      | ..     | 0.24   | 0.12 | 1.49  | 2.58  | 3.01    | 3.36       | 4.64     | 2.95      | ..        | 35.62  |
|                    | 1875              | ..       | ..        | ..     | 0.35   | 0.21 | 0.41  | 3.38  | 1.29    | 1.12       | 1.62     | 0.21      | 0.23      | 18.39  |
|                    | 1876              | ..       | ..        | ..     | 0.02   | 0.88 | 1.57  | 3.74  | 2.41    | 2.04       | 6.76     | 8.05      | 0.72      | 8.82   |
|                    | 1877              | ..       | ..        | ..     | 0.02   | 0.82 | 2.40  | 2.60  | 4.23    | 6.44       | 5.21     | 4.65      | 1.86      | 1.35   |
|                    | 1878              | ..       | ..        | ..     | 0.35   | 0.47 | 4.07  | 2.20  | 5.66    | 4.57       | 2.46     | 1.97      | 0.88      | 27.54  |
|                    | 1879              | ..       | 0.24      | ..     | 0.26   | 0.74 | 1.94  | 4.23  | 2.13    | 2.96       | 4.90     | 9.31      | 2.11      | 0.09   |
|                    | 1880              | ..       | ..        | ..     | 0.36   | 0.60 | 2.28  | 2.05  | 0.49    | 2.07       | 4.87     | 2.06      | 2.01      | 22.88  |
|                    | 1881              | ..       | ..        | ..     | 0.03   | 0.07 | 2.27  | 1.54  | 2.94    | 5.87       | 5.28     | 2.23      | 4.24      | 0.02   |
|                    | 1882              | 0.32     | ..        | ..     | 0.48   | 0.76 | 1.29  | 1.67  | 2.68    | 6.02       | 0.70     | 5.93      | 1.31      | 16.78  |
|                    | 1883              | 0.01     | ..        | ..     | 0.02   | 0.35 | 0.74  | 0.84  | 1.07    | 2.24       | 1.56     | 4.38      | 0.22      | 20.85  |
|                    | 1884              | 0.45     | ..        | ..     | 0.14   | 0.11 | 2.10  | 1.96  | 2.33    | 1.30       | 8.28     | 8.19      | 0.73      | 12.28  |
|                    | 1885              | ..       | ..        | ..     | ..     | 0.19 | 2.30  | 4.08  | 2.74    | 3.16       | 2.95     | 5.60      | 0.87      | 0.49   |
|                    | 1886              | ..       | ..        | ..     | ..     | 0.78 | 1.02  | 3.45  | 1.40    | 5.88       | 4.31     | 3.13      | 2.15      | 0.25   |
|                    | 1887              | ..       | ..        | ..     | ..     | 1.09 | 3.05  | 1.27  | 1.83    | 2.42       | 5.50     | 0.81      | 4.02      | 22.14  |
|                    | 1888              | 0.06     | 0.08      | ..     | ..     | 1.22 | 1.09  | 3.51  | 3.97    | 2.36       | 10.76    | 6.40      | 0.58      | 20.13  |
|                    | 1889              | ..       | ..        | ..     | ..     | ..   | ..    | ..    | ..      | ..         | ..       | ..        | ..        | 29.89  |
|                    | Average—1870—89.. | 0.06     | 0.02      | 0.13   | 0.55   | 2.00 | 2.65  | 2.05  | 3.42    | 4.93       | 4.85     | 1.21      | 0.22      | 22.70  |
| Yemmiganur.        | 1890              | ..       | ..        | 0.32   | 1.59   | 1.14 | 1.94  | 1.91  | 3.45    | 4.82       | 2.99     | 5.59      | 0.70      | 24.45  |
|                    | 1891              | ..       | ..        | 0.14   | 0.44   | 0.53 | 2.00  | 1.15  | 2.07    | 1.06       | 2.05     | 0.59      | ..        | 10.03  |
|                    | 1892              | ..       | ..        | ..     | ..     | ..   | ..    | ..    | ..      | ..         | ..       | ..        | ..        | ..     |
|                    | 1893              | ..       | ..        | ..     | ..     | ..   | ..    | ..    | ..      | ..         | ..       | ..        | ..        | ..     |
|                    | 1894              | ..       | ..        | ..     | ..     | ..   | ..    | ..    | ..      | ..         | ..       | ..        | ..        | ..     |
|                    | 1880              | ..       | ..        | ..     | 1.30   | 1.30 | 2.80  | 2.60  | 3.90    | 4.65       | 6.70     | 0.80      | 0.15      | 24.20  |
|                    | 1881              | ..       | ..        | 0.22   | 0.50   | 0.65 | 3.20  | 0.55  | 1.25    | 7.05       | 1.95     | 1.15      | ..        | 16.52  |
|                    | 1882              | ..       | ..        | ..     | 0.20   | 1.60 | 1.10  | 3.87  | 3.20    | 4.90       | 2.75     | 3.35      | ..        | 20.97  |
|                    | 1883              | ..       | ..        | 0.35   | 0.60   | 0.65 | 5.35  | 3.60  | 6.73    | 1.50       | 4.90     | 0.50      | ..        | 24.68  |
|                    | 1884              | 0.90     | ..        | ..     | ..     | 1.42 | ..    | 1.65  | 4.22    | 1.75       | 6.30     | ..        | 0.30      | 16.54  |
| Addni.             | 1885              | ..       | ..        | ..     | ..     | 1.55 | 3.55  | ..    | 11.63   | 4.62       | 1.85     | 0.60      | ..        | ..     |
|                    | 1886              | ..       | ..        | ..     | ..     | 2.55 | 2.50  | 2.75  | 3.90    | 0.42       | 9.92     | 1.30      | 0.80      | 24.14  |
|                    | 1887              | ..       | ..        | ..     | ..     | 1.80 | 7.35  | 2.30  | 7.87    | 6.10       | 0.80     | 2.07      | ..        | 28.29  |
|                    | 1888              | ..       | ..        | ..     | 0.37   | 3.15 | 1.27  | 2.15  | 4.35    | 5.37       | 0.60     | 3.27      | ..        | 21.03  |
|                    | 1889              | ..       | ..        | ..     | 0.75   | 0.45 | 5.90  | 6.10  | 4.20    | 6.50       | 4.30     | 0.75      | ..        | 28.95  |
|                    | Average—1880—89.. | 0.09     | ..        | 0.15   | 0.42   | 1.51 | 3.30  | 2.84  | 4.40    | 4.99       | 4.28     | 1.50      | 0.19      | 23.67  |
|                    | 1890              | ..       | ..        | 0.42   | 0.77   | 0.30 | 4.63  | 2.13  | 5.57    | 5.55       | 2.65     | 2.42      | 1.02      | 25.46  |
|                    | 1891              | ..       | ..        | ..     | 0.50   | 0.13 | ..    | 0.68  | 2.22    | 1.52       | 1.27     | ..        | ..        | 6.32   |
|                    | 1892              | ..       | ..        | ..     | ..     | ..   | ..    | ..    | ..      | ..         | ..       | ..        | ..        | ..     |
|                    | 1893              | ..       | ..        | ..     | ..     | ..   | ..    | ..    | ..      | ..         | ..       | ..        | ..        | ..     |
| Addni.             | 1870              | ..       | ..        | ..     | 0.42   | 2.99 | 5.50  | 4.35  | 2.67    | 3.75       | 0.60     | 0.90      | ..        | 33.08  |
|                    | 1871              | ..       | ..        | ..     | 0.90   | 1.03 | 5.46  | 4.15  | 2.20    | 9.72       | 5.30     | ..        | 0.55      | 21.18  |
|                    | 1872              | ..       | ..        | ..     | 0.52   | 0.75 | 0.65  | 1.90  | 4.70    | 2.58       | 5.67     | ..        | ..        | 29.31  |
|                    | 1873              | ..       | ..        | ..     | ..     | 5.00 | 5.45  | 9.50  | 3.72    | 12.67      | 8.20     | ..        | ..        | 16.77  |
|                    | 1874              | ..       | ..        | ..     | 0.35   | 0.87 | 5.17  | 5.47  | 8.01    | 5.90       | 7.96     | ..        | ..        | 44.54  |
|                    | 1875              | ..       | ..        | ..     | ..     | 5.27 | 1.79  | 2.95  | 1.14    | 0.10       | ..       | ..        | ..        | 33.72  |
|                    | 1876              | ..       | ..        | ..     | 0.50   | 1.62 | 1.87  | 2.60  | 2.97    | 7.02       | 7.29     | 1.50      | ..        | 11.25  |
|                    | 1877              | ..       | ..        | ..     | 0.89   | 2.71 | 3.55  | 7.70  | 12.60   | 7.75       | 6.67     | 0.80      | ..        | 25.37  |
|                    | 1878              | ..       | ..        | ..     | 1.00   | 2.20 | 4.62  | 4.17  | 6.30    | 2.82       | 1.15     | 1.15      | ..        | 42.37  |
|                    | 1879              | ..       | ..        | ..     | 1.37   | 3.30 | 6.78  | 5.10  | 3.95    | 5.89       | 10.10    | 1.05      | ..        | 1.15   |
|                    | 1880              | ..       | ..        | 0.15   | 0.80   | 0.57 | 3.67  | 0.30  | 3.25    | 8.60       | 3.60     | ..        | ..        | 22.81  |
|                    | 1881              | ..       | ..        | 0.15   | ..     | 0.77 | 1.07  | 4.80  | 5.28    | 7.70       | 0.37     | 2.77      | ..        | 37.45  |
|                    | 1882              | ..       | ..        | 0.22   | 1.00   | 0.12 | 1.90  | 3.47  | 7.08    | 2.14       | 5.05     | 0.72      | ..        | 20.44  |
|                    | 1883              | ..       | ..        | 0.10   | 1.80   | 0.27 | 1.30  | 1.47  | 4.52    | 3.00       | 3.00     | 0.01      | 0.12      | 26.21  |
|                    | 1884              | 1.15     | ..        | ..     | 0.12   | 3.91 | 3.05  | 4.72  | 2.72    | 6.73       | 4.12     | 0.71      | 0.22      | 21.70  |
|                    | 1885              | ..       | ..        | ..     | 0.05   | 2.00 | 6.87  | 4.49  | 7.17    | 1.63       | 10.70    | 0.82      | 0.27      | 16.74  |
|                    | 1886              | ..       | ..        | ..     | 0.55   | 2.35 | 6.19  | 1.92  | 6.25    | 6.80       | 1.15     | 1.48      | 0.15      | 26.30  |
|                    | 1887              | ..       | ..        | ..     | 1.15   | 0.45 | 3.52  | 3.12  | 1.75    | 4.05       | 0.20     | 3.80      | ..        | 34.00  |
|                    | 1888              | ..       | ..        | ..     | 2.75   | 0.40 | 6.80  | 6.80  | 3.20    | 6.22       | 7.70     | 0.30      | ..        | 18.04  |
|                    | 1889              | ..       | ..        | ..     | ..     | ..   | ..    | ..    | ..      | ..         | ..       | ..        | ..        | 33.17  |
|                    | Average—1870—89.. | 0.06     | ..        | 0.03   | 0.67   | 1.57 | 4.21  | 4.10  | 5.29    | 5.46       | 4.80     | 0.81      | 0.07      | 27.07  |
| Addni.             | 1890              | ..       | ..        | 0.05   | 1.80   | 0.95 | 3.95  | 2.72  | 9.55    | 6.65       | 1.27     | 3.15      | 3.10      | 35.19  |
|                    | 1891              | ..       | ..        | 0.30   | 0.20   | ..   | 2.00  | 1.85  | 4.17    | 2.80       | 2.18     | 0.20      | ..        | 13.70  |
|                    | 1892              | ..       | ..        | ..     | ..     | ..   | ..    | ..    | ..      | ..         | ..       | ..        | ..        | ..     |
|                    | 1893              | ..       | ..        | ..     | ..     | ..   | ..    | ..    | ..      | ..         | ..       | ..        | ..        | ..     |
|                    | 1894              | ..       | ..        | ..     | ..     | ..   | ..    | ..    | ..      | ..         | ..       | ..        | ..        | ..     |

663  
1



Statement of rainfall in inches—cont.

| Recording station. | Year.     | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Total. |
|--------------------|-----------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|--------|
| Hospet             | 1870      | ..       | ..        | 0.25   | 0.20   | 1.50 | 6.65  | 2.55  | 3.10    | 0.85       | 4.50     | 0.80      | ..        | 20.40  |
|                    | 1871      | ..       | 0.25      | ..     | 0.45   | 1.70 | 1.35  | 1.60  | 3.45    | 2.50       | 3.80     | 0.25      | ..        | 15.35  |
|                    | 1872      | ..       | ..        | ..     | 0.41   | 0.27 | 3.30  | 8.80  | 11.35   | 8.10       | 9.35     | ..        | 2.65      | 44.23  |
|                    | 1873      | ..       | ..        | ..     | ..     | 2.15 | 0.30  | 1.15  | 2.60    | 3.03       | 5.55     | ..        | ..        | 14.78  |
|                    | 1874      | ..       | ..        | ..     | 0.05   | 2.60 | 3.70  | 7.60  | 5.75    | 20.70      | 6.65     | 0.85      | ..        | 47.90  |
|                    | 1875      | ..       | ..        | 0.10   | 0.20   | 0.75 | 2.10  | 4.75  | 2.95    | 4.10       | 0.75     | ..        | ..        | 15.70  |
|                    | 1876      | ..       | ..        | 0.25   | 0.20   | 0.90 | 3.35  | 1.45  | 2.10    | 1.55       | 0.72     | ..        | ..        | 10.32  |
|                    | 1877      | ..       | ..        | ..     | 1.00   | 2.90 | 5.10  | 5.42  | 1.10    | 4.87       | ..       | ..        | ..        | 24.16  |
|                    | 1878      | ..       | ..        | ..     | 0.35   | 2.20 | 2.50  | 4.26  | 6.22    | 7.50       | 5.65     | 1.07      | ..        | 29.75  |
|                    | 1879      | ..       | 0.20      | 0.60   | 0.40   | 5.00 | 5.20  | 6.30  | 6.65    | 5.05       | 3.00     | 0.70      | ..        | 33.00  |
|                    | 1880      | ..       | ..        | 0.40   | 0.10   | 1.80 | 6.85  | 1.85  | 3.35    | 7.52       | 8.50     | 2.80      | 0.30      | 33.47  |
|                    | 1881      | ..       | ..        | 0.10   | 0.28   | 2.92 | 3.85  | 0.65  | 2.60    | 4.60       | 2.80     | 5.45      | ..        | 23.25  |
|                    | 1882      | ..       | 0.15      | ..     | ..     | 2.27 | 2.55  | 1.75  | 9.80    | 4.07       | 2.65     | 0.80      | ..        | 30.04  |
|                    | 1883      | ..       | ..        | ..     | ..     | 0.12 | 0.52  | 3.98  | 3.75    | 0.17       | 5.80     | 1.95      | ..        | 16.29  |
|                    | 1884      | ..       | ..        | 0.10   | 0.65   | 0.20 | 2.20  | 0.75  | 4.45    | 3.15       | 7.15     | ..        | 1.40      | 20.05  |
|                    | 1885      | ..       | ..        | 0.30   | ..     | 1.40 | 1.77  | 3.10  | 1.12    | 9.18       | 7.05     | 0.10      | 1.12      | 25.14  |
|                    | 1886      | ..       | ..        | ..     | ..     | 5.40 | 4.70  | 2.42  | 2.85    | 5.55       | 5.92     | 0.87      | 0.67      | 28.38  |
|                    | 1887      | ..       | ..        | ..     | 1.62   | 0.27 | 2.00  | 1.03  | 8.80    | 5.83       | 4.42     | 1.87      | 0.30      | 26.14  |
|                    | 1888      | ..       | 0.05      | ..     | ..     | 2.53 | 4.10  | 2.55  | 4.16    | 7.07       | 3.17     | ..        | ..        | 26.84  |
|                    | 1889      | ..       | ..        | ..     | 0.40   | 1.55 | 3.87  | 5.07  | 2.65    | 8.85       | 8.35     | 1.25      | ..        | 31.99  |
| Average—           | 1870—89.. | 0.02     | 0.01      | 0.12   | 0.44   | 2.00 | 3.22  | 3.35  | 4.43    | 5.70       | 5.28     | 1.40      | 0.40      | 26.36  |
|                    | 1890      | ..       | ..        | 0.35   | 0.30   | 0.45 | 1.33  | 3.30  | 6.70    | 4.05       | 3.45     | 6.85      | 0.10      | 26.88  |
|                    | 1891      | ..       | ..        | 0.20   | 1.57   | 0.33 | 7.33  | 1.83  | 2.17    | 3.20       | 3.80     | 0.20      | ..        | 20.63  |
|                    | 1892      | ..       | ..        | ..     | ..     | ..   | ..    | ..    | ..      | ..         | ..       | ..        | ..        | ..     |
|                    | 1893      | ..       | ..        | ..     | ..     | ..   | ..    | ..    | ..      | ..         | ..       | ..        | ..        | ..     |
| Kudlighi           | 1870      | ..       | ..        | 0.20   | ..     | 0.70 | 4.02  | 2.61  | 4.49    | 1.90       | 2.30     | ..        | ..        | 16.22  |
|                    | 1871      | ..       | 0.35      | ..     | 0.42   | 2.85 | 2.10  | 3.18  | 6.19    | 4.83       | 6.25     | 1.10      | ..        | 27.27  |
|                    | 1872      | ..       | ..        | ..     | ..     | 0.50 | 3.50  | 4.20  | 0.60    | 12.98      | 7.07     | 0.10      | 0.90      | 29.55  |
|                    | 1873      | ..       | ..        | ..     | ..     | 0.50 | 3.22  | 3.65  | 7.00    | 0.07       | ..       | ..        | ..        | 17.91  |
|                    | 1874      | ..       | ..        | ..     | 2.40   | 1.07 | ..    | 0.50  | 3.22    | 3.65       | 7.00     | 0.07      | ..        | 17.91  |
|                    | 1875      | ..       | ..        | ..     | 1.00   | 4.85 | 1.77  | 5.75  | 3.15    | 14.65      | 5.30     | 0.15      | 0.40      | 37.02  |
|                    | 1876      | ..       | ..        | 0.30   | ..     | 1.30 | 2.05  | 2.50  | 3.10    | 7.60       | 1.95     | ..        | ..        | 18.80  |
|                    | 1877      | ..       | ..        | ..     | ..     | ..   | 5.90  | 2.30  | 1.67    | 1.50       | ..       | ..        | ..        | 11.37  |
|                    | 1878      | ..       | ..        | ..     | 0.70   | 1.50 | 4.45  | 2.27  | 1.61    | 7.62       | 8.15     | 0.84      | 0.57      | 27.71  |
|                    | 1879      | ..       | ..        | ..     | 0.45   | 4.05 | 0.95  | 2.22  | 6.81    | 4.04       | 5.12     | 0.05      | ..        | 23.69  |
|                    | 1880      | ..       | ..        | ..     | ..     | 5.50 | 1.22  | 5.42  | 6.81    | 4.04       | 5.12     | 0.05      | ..        | 21.38  |
|                    | 1881      | ..       | ..        | 0.10   | 0.80   | 3.20 | 3.90  | 1.80  | 3.20    | 7.50       | 16.00    | 1.15      | ..        | 37.65  |
|                    | 1882      | ..       | 0.45      | ..     | 0.25   | 5.87 | 3.85  | 0.93  | 3.13    | 1.55       | 2.03     | 2.75      | ..        | 20.76  |
|                    | 1883      | ..       | ..        | ..     | ..     | 1.97 | 2.20  | 3.90  | 10.00   | 4.92       | 3.05     | 5.55      | ..        | 32.04  |
|                    | 1884      | ..       | ..        | ..     | 1.50   | 2.77 | 1.23  | 1.88  | 3.75    | 0.17       | 7.47     | 1.42      | ..        | 20.19  |
|                    | 1885      | ..       | ..        | ..     | ..     | 0.20 | ..    | 2.65  | 1.75    | 0.80       | 0.10     | 0.30      | 0.45      | 15.25  |
|                    | 1886      | ..       | ..        | ..     | 0.42   | 3.20 | 0.90  | 3.12  | 1.60    | 11.10      | 7.03     | 0.30      | 0.45      | 28.12  |
|                    | 1887      | ..       | ..        | ..     | ..     | 3.72 | 4.55  | 4.00  | 1.62    | 3.80       | 2.52     | 1.05      | 0.20      | 21.46  |
|                    | 1888      | ..       | ..        | ..     | 1.05   | 0.77 | 2.30  | 1.07  | 6.35    | 2.97       | 3.57     | 1.95      | ..        | 20.93  |
|                    | 1889      | ..       | ..        | ..     | 1.70   | 2.60 | 0.62  | 2.47  | 4.45    | 4.40       | 2.25     | 7.00      | ..        | 25.49  |
| Average—           | 1870—89.. | 0.04     | ..        | 0.05   | 0.61   | 2.44 | 2.40  | 2.80  | 3.65    | 5.54       | 5.03     | 1.24      | 0.13      | 23.93  |
|                    | 1890      | ..       | ..        | 0.27   | 1.45   | 0.85 | 1.67  | 1.90  | 0.67    | 2.47       | 5.33     | 3.32      | 0.05      | 17.98  |
|                    | 1891      | ..       | ..        | ..     | 0.47   | ..   | 2.08  | 2.08  | 1.45    | 0.07       | 2.85     | 0.60      | ..        | 9.60   |
|                    | 1892      | ..       | ..        | ..     | ..     | ..   | ..    | ..    | ..      | ..         | ..       | ..        | ..        | ..     |
|                    | 1893      | ..       | ..        | ..     | ..     | ..   | ..    | ..    | ..      | ..         | ..       | ..        | ..        | ..     |

Statement of rainfall in inches—concluded.

| Recording station.    | Year.                 | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Total. |
|-----------------------|-----------------------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|--------|
| Harpana-<br>dalli.    | 1870                  | ..       | ..        | 0.40   | 0.55   | 2.10 | 3.75  | 3.40  | 3.50    | 2.30       | 4.00     | ..        | ..        | 20.00  |
|                       | 1871                  | ..       | 0.70      | ..     | 1.30   | 3.30 | 1.00  | ..    | 4.50    | 7.90       | 3.10     | ..        | ..        | 21.80  |
|                       | 1872                  | ..       | ..        | 0.10   | 0.75   | 2.20 | 1.72  | 4.25  | 4.15    | 5.30       | 11.20    | 0.40      | 2.90      | 32.97  |
|                       | 1873                  | ..       | ..        | ..     | 2.15   | 1.60 | 0.75  | 1.25  | 3.40    | 1.55       | 6.75     | 0.30      | ..        | 17.75  |
|                       | 1874                  | ..       | ..        | 0.05   | 0.35   | 5.32 | 1.33  | 4.85  | 2.42    | 8.65       | 6.30     | 0.65      | ..        | 29.94  |
|                       | 1875                  | ..       | ..        | ..     | 0.40   | 2.00 | 1.22  | 2.85  | 2.05    | 2.97       | 1.40     | ..        | ..        | 12.89  |
|                       | 1876                  | ..       | ..        | ..     | 0.70   | 0.30 | 0.55  | 2.45  | 2.40    | 0.35       | 1.80     | ..        | 1.70      | 10.05  |
|                       | 1877                  | ..       | ..        | 0.10   | 0.72   | 3.12 | 4.34  | 0.82  | 1.75    | 7.92       | 6.55     | 1.42      | 5.40      | 32.14  |
|                       | 1878                  | ..       | ..        | ..     | 0.25   | 1.52 | 3.05  | 2.90  | 0.21    | 4.02       | 4.80     | 4.30      | ..        | 27.05  |
|                       | 1879                  | ..       | ..        | ..     | 0.25   | 4.70 | 2.07  | 4.20  | 4.12    | 1.95       | 2.17     | 1.85      | 0.05      | 21.36  |
|                       | 1880                  | ..       | ..        | 1.80   | 0.20   | 3.05 | 2.83  | 3.15  | 2.55    | 8.12       | 10.32    | 3.20      | ..        | 35.22  |
|                       | 1881                  | ..       | ..        | ..     | 0.97   | 3.20 | 1.67  | 1.00  | 1.75    | 1.78       | 0.90     | 1.40      | ..        | 12.67  |
|                       | 1882                  | ..       | 0.05      | ..     | 0.15   | ..   | 4.87  | 3.40  | 4.25    | 10.48      | 4.80     | 0.92      | 3.18      | 32.10  |
|                       | 1883                  | ..       | ..        | ..     | 2.50   | 0.64 | 2.38  | 2.33  | 6.10    | 0.54       | 8.50     | 1.95      | ..        | 24.94  |
|                       | 1884                  | ..       | ..        | 0.02   | 0.45   | 0.87 | 0.60  | 1.60  | 1.55    | 1.25       | 4.73     | 0.22      | 0.50      | 11.79  |
|                       | 1885                  | ..       | ..        | 0.10   | 0.55   | 3.03 | 1.70  | 1.44  | 0.91    | 5.03       | 7.07     | 1.35      | 0.25      | 21.43  |
|                       | 1886                  | ..       | ..        | ..     | 0.47   | 2.60 | 3.05  | 3.85  | 2.02    | 5.17       | 3.17     | 0.77      | 0.15      | 21.25  |
|                       | 1887                  | ..       | ..        | ..     | 0.52   | 0.65 | 0.50  | 1.95  | 5.55    | 3.05       | 7.70     | 2.02      | ..        | 21.94  |
|                       | 1888                  | ..       | ..        | 0.87   | 1.25   | 5.27 | 2.32  | 2.70  | 2.57    | 4.65       | ..       | 6.65      | ..        | 26.28  |
|                       | 1889                  | ..       | ..        | ..     | 2.52   | 2.16 | 2.27  | 2.52  | 1.80    | 15.02      | 2.17     | 0.30      | ..        | 28.75  |
| Average—<br>1870—89.. | 0.04                  | 0.05     | 0.17      | 0.82   | 2.62   | 2.12 | 2.59  | 3.39  | 4.69    | 4.59       | 1.58     | 0.46      | 23.12     |        |
| 1890                  | ..                    | ..       | ..        | 1.05   | 1.73   | 2.15 | 2.23  | 3.05  | 1.40    | 3.67       | 3.62     | 6.05      | 1.10      | 25.95  |
| 1891                  | ..                    | ..       | ..        | ..     | 0.82   | 0.08 | 2.40  | 1.77  | 1.75    | 0.10       | 2.55     | 0.75      | ..        | 10.22  |
| 1892                  | ..                    | ..       | ..        | ..     | ..     | ..   | ..    | ..    | ..      | ..         | ..       | ..        | ..        | ..     |
| 1893                  | ..                    | ..       | ..        | ..     | ..     | ..   | ..    | ..    | ..      | ..         | ..       | ..        | ..        | ..     |
| 1894                  | ..                    | ..       | ..        | ..     | ..     | ..   | ..    | ..    | ..      | ..         | ..       | ..        | ..        | ..     |
| Huvinsha-<br>dagalli. | 1870                  | ..       | ..        | 2.17   | 0.90   | 3.90 | 4.41  | 2.80  | 3.12    | 2.10       | 6.22     | ..        | ..        | 26.62  |
|                       | 1871                  | ..       | 0.85      | ..     | ..     | 3.03 | 2.32  | 1.44  | 3.90    | 3.80       | 6.70     | 0.15      | ..        | 22.18  |
|                       | 1872                  | ..       | ..        | ..     | 0.93   | 1.05 | 2.30  | 1.83  | 0.45    | 4.90       | 6.75     | 0.10      | 3.45      | 21.76  |
|                       | 1873                  | ..       | 0.07      | ..     | 0.60   | 3.42 | 0.15  | 0.60  | 3.50    | 5.60       | 7.35     | 0.20      | ..        | 21.49  |
|                       | 1874                  | ..       | 0.32      | ..     | 0.12   | 3.72 | 2.27  | 5.32  | 3.95    | 12.47      | 4.55     | 0.77      | 0.02      | 33.51  |
|                       | 1875                  | ..       | ..        | 0.52   | ..     | 2.82 | 2.77  | 2.52  | 1.83    | 4.08       | 2.67     | ..        | ..        | 17.21  |
|                       | 1876                  | ..       | ..        | 0.44   | 0.47   | ..   | 1.62  | 1.70  | 0.65    | 1.30       | 0.85     | ..        | ..        | 6.43   |
|                       | 1877                  | ..       | ..        | ..     | 1.53   | 2.54 | 6.27  | 2.34  | 1.37    | 8.83       | 8.22     | ..        | 1.75      | 32.84  |
|                       | 1878                  | ..       | ..        | ..     | 0.94   | 1.95 | 2.67  | 3.10  | 5.17    | 4.40       | 2.75     | 1.25      | ..        | 22.23  |
|                       | 1879                  | ..       | ..        | ..     | 0.22   | 5.87 | 1.80  | 1.50  | 5.00    | 0.30       | 1.65     | 0.70      | ..        | 19.36  |
|                       | 1880                  | ..       | 0.20      | 2.22   | 0.52   | 5.87 | 1.80  | 1.50  | 5.00    | 0.30       | 1.65     | 0.70      | 0.20      | 28.06  |
|                       | 1881                  | ..       | ..        | 0.52   | 0.35   | 1.48 | 3.73  | 0.65  | 2.60    | 6.55       | 10.28    | 2.70      | ..        | 15.70  |
|                       | 1882                  | ..       | ..        | ..     | 1.45   | 2.10 | 2.95  | 1.05  | 1.82    | 4.60       | 0.95     | 0.78      | ..        | 23.83  |
|                       | 1883                  | ..       | ..        | ..     | ..     | 3.40 | 3.32  | 3.88  | 2.98    | 4.50       | 1.65     | 2.80      | ..        | 21.40  |
|                       | 1884                  | ..       | 1.30      | ..     | ..     | 1.60 | 3.90  | 1.00  | 0.70    | 7.25       | 0.40     | 5.15      | 1.40      | 8.24   |
|                       | 1885                  | ..       | ..        | ..     | 0.12   | 1.10 | 0.95  | 0.52  | 1.65    | 0.45       | 3.20     | 0.10      | 0.10      | 22.76  |
|                       | 1886                  | ..       | 0.05      | ..     | 0.30   | 0.07 | 1.20  | 1.85  | 1.92    | 1.22       | 5.70     | 9.55      | 0.50      | 18.46  |
|                       | 1887                  | ..       | ..        | ..     | 0.10   | 2.65 | 3.50  | 3.87  | 0.57    | 3.70       | 3.57     | 0.50      | ..        | 23.49  |
|                       | 1888                  | ..       | ..        | ..     | 3.23   | 0.57 | 1.30  | 1.90  | 3.92    | 3.07       | 5.65     | 3.85      | ..        | 17.81  |
|                       | 1889                  | ..       | 0.67      | ..     | ..     | 4.95 | 0.90  | 1.20  | 2.37    | 3.70       | 0.80     | 3.22      | ..        | 28.31  |
| Average—<br>1870—89.. | 0.14                  | 0.03     | 0.30      | 0.75   | 2.50   | 2.37 | 2.06  | 2.68  | 4.88    | 4.52       | 1.00     | 0.30      | 21.53     |        |
| 1890                  | ..                    | ..       | ..        | ..     | 3.63   | 0.90 | 0.93  | 1.22  | 2.55    | 4.20       | 1.10     | 9.05      | 0.75      | 24.33  |
| 1891                  | ..                    | ..       | ..        | ..     | 0.37   | 1.25 | 0.95  | 0.70  | 0.95    | ..         | 1.48     | 1.35      | ..        | 7.05   |
| 1892                  | ..                    | ..       | ..        | ..     | ..     | ..   | ..    | ..    | ..      | ..         | ..       | ..        | ..        | ..     |
| 1893                  | ..                    | ..       | ..        | ..     | ..     | ..   | ..    | ..    | ..      | ..         | ..       | ..        | ..        | ..     |
| 1894                  | ..                    | ..       | ..        | ..     | ..     | ..   | ..    | ..    | ..      | ..         | ..       | ..        | ..        | ..     |
| Raman-<br>durg.       | 1870                  | ..       | ..        | 0.40   | 0.25   | 2.10 | 6.09  | 6.35  | 9.50    | 4.85       | 6.30     | 1.30      | ..        | 37.05  |
|                       | 1871                  | ..       | 0.35      | ..     | 0.10   | 6.65 | 6.35  | 0.70  | 8.70    | 6.65       | 4.90     | 1.80      | ..        | 42.25  |
|                       | 1872                  | ..       | ..        | ..     | 0.30   | 1.20 | 3.80  | 12.44 | 5.90    | 14.25      | 7.45     | 1.25      | 1.73      | 48.32  |
|                       | 1873                  | ..       | ..        | ..     | 1.27   | 2.27 | 0.60  | 1.40  | 4.62    | 5.73       | 5.29     | 0.17      | ..        | 21.36  |
|                       | 1874                  | ..       | ..        | ..     | 0.37   | 4.80 | 3.31  | 13.22 | 11.10   | 24.60      | 9.85     | 0.57      | ..        | 67.82  |
|                       | 1875                  | ..       | ..        | ..     | 1.34   | 2.86 | 8.20  | 3.70  | 3.24    | 2.42       | ..       | ..        | ..        | 22.83  |
|                       | 1876                  | ..       | ..        | 1.07   | ..     | 1.02 | 5.04  | 1.62  | 2.62    | 1.43       | 0.50     | ..        | ..        | 15.50  |
|                       | 1877                  | ..       | ..        | 1.00   | 2.27   | 2.75 | 2.78  | 5.54  | 2.84    | 12.22      | 12.59    | 0.35      | 0.50      | 41.61  |
|                       | 1878                  | ..       | 0.07      | ..     | 1.37   | 7.43 | 1.65  | 5.73  | 12.46   | 11.52      | 9.90     | 1.15      | ..        | 51.35  |
|                       | 1879                  | ..       | ..        | ..     | 1.51   | 7.43 | 1.65  | 5.73  | 12.46   | 11.52      | 9.90     | 1.15      | ..        | 51.35  |
|                       | 1880                  | ..       | ..        | ..     | 0.40   | 8.10 | 7.17  | 9.65  | 10.65   | 6.37       | 2.52     | 0.85      | ..        | 45.61  |
|                       | Average—<br>1870—79.. | 0.04     | 0.01      | 0.25   | 0.78   | 3.77 | 3.96  | 7.08  | 7.21    | 9.08       | 6.17     | 0.74      | 0.22      | 39.31  |

Pu 81  
2110/2

Memorandum  
(Revenue Settlements, Land Records and Agriculture)  
Dated 23rd Feb 1892

667/x No 297 Revenue

The accompanying tabulated statements of the rainfall recorded at all stations in the Be. M. district since 1870 will be distributed as follows:-

|                                                |               |
|------------------------------------------------|---------------|
| Government Revenue Department                  | - - 10 copies |
| " P. W. Department                             | - - 10 "      |
| Commissioners of Land Revenue                  | - - 10 "      |
| Commissioners of Salt & Akbari Rev.            | - - 5 "       |
| Conservation of Forests - Each 2.              | - - 6 "       |
| Collectors for land and all Revenue            | } - 34        |
| officers of the grade of Deputy                |               |
| Subsidiaries and upwards. <del>two</del> each  |               |
| Meteorological Reporters to the Govt of Madras | - - 5 "       |

Boards Reserve - - - 40  
150

M. J. S. Secretary

To  
The Officers Concerned

P. W. CURRENT No. 2110 ✓

✓  
Ad 26-2-92

Enc 1 (2950)

No. 663. Waf 1<sup>st</sup> March  
1892

(4)  
Communicated to  
officers of the Public  
Works Dept. concerned  
for disposal.

(2)

over  
wip

C. E. 21 26

C. E. 21 26

S. E. 111 Kitch 23/3

R. S. 26 26 to only 7-57 J. C. 3/3 24/3