

- (1) பக்கங்களின் எண்ணிக்கை 10
(2) புதுக்கித் திருப்பிய நாள் 10/09
(3) ஆதாரங்குறிப்பவர் கருக்கொப்பம் for

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

PWD துறை

(4)

அரசாணை எண். மு. கோப்புத் தாள் எண்.	664	அச்சகம் பலவகை
நாள் :	1-3-1892	198

மடிக்கலோ கண்டயடி கையாளலோ கூடாது

5 Sheets

முகவ. கர-1-18,006-75-6-87.

STATEMENT of Rainfall in inches.—Tinnevely district.

Recording station.	Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
District Average.	1870	3.14	0.03	1.55	0.74	0.34	0.88	0.11	0.84	1.51	2.48	6.86	1.68	20.16
	1871	8.74	2.39	1.35	1.84	0.62	0.66	0.59	0.34	0.51	4.44	8.38	1.64	31.50
	1872	..	0.96	1.10	2.00	1.46	0.51	0.23	0.55	2.63	2.05	8.81	2.87	23.27
	1873	..	3.68	2.39	2.06	3.21	0.66	0.49	1.55	0.49	2.12	5.03	1.17	22.85
	1874	..	0.14	2.00	0.41	1.12	1.34	1.25	0.71	0.51	3.17	11.13	1.91	23.85
	1875	..	0.21	0.14	0.03	2.22	0.90	0.42	0.46	0.57	0.64	7.06	4.18	19.68
	1876	..	..	1.15	2.05	1.27	0.12	0.48	0.26	0.56	4.16	3.66	1.16	14.87
	1877	..	0.01	0.18	2.25	1.55	1.14	1.75	0.19	0.57	2.10	7.58	12.47	15.29
	1878	..	1.83	0.18	3.67	2.13	2.00	0.86	1.57	1.88	3.28	3.73	1.84	22.97
	1879	..	0.01	0.92	5.17	0.49	4.34	0.15	2.45	0.47	2.07	5.34	4.54	3.18
	1880	..	0.96	0.62	1.08	2.07	1.18	0.23	0.41	1.03	0.54	3.77	12.97	3.43
	1881	..	1.06	0.08	2.27	0.45	0.89	0.24	0.89	0.89	0.30	3.29	9.07	3.75
	1882	..	2.37	0.76	0.47	1.53	1.47	2.67	1.28	1.69	0.51	4.50	5.49	3.54
	1883	..	0.30	3.46	1.25	0.67	5.60	1.18	1.46	1.41	0.08	7.37	6.17	4.10
	1884	..	0.50	..	0.98	1.57	1.03	0.39	0.17	0.47	0.94	8.97	13.36	5.59
	1885	..	0.09	0.09	0.56	0.50	2.18	2.10	0.12	0.83	1.46	5.21	7.66	6.16
	1886	..	0.80	0.14	0.91	0.46	1.54	0.78	1.11	2.52	2.01	5.76	4.53	0.94
	1887	..	0.02	0.78	1.04	4.50	0.55	0.40	0.66	1.02	0.57	9.49	8.52	7.71
	1888	..	0.03	..	1.03	1.38	2.37	0.77	0.21	0.29	1.61	12.45	7.61	5.98
	1889	..	0.20	0.04	2.59	2.53	2.50	0.24	0.94	0.64	2.96	3.13	3.72	2.84
	Average—1870—89..	1.02	0.61	1.44	1.67	1.80	0.87	0.63	0.91	1.23	5.28	7.40	3.84	26.90
Watrap ..	1890	..	0.18	1.53	1.28	2.23	0.62	0.72	1.14	0.47	5.52	2.65	2.00	18.61
	1891	..	0.57	2.50	3.66	1.86	1.23	1.02	0.25	0.72	14.78	7.72	3.49	38.05
	1892	..	..	..	..	..	..	..	..	..	..	..	..	..
	1893	..	..	..	..	..	..	..	..	..	..	..	..	..
	1894	..	..	..	..	..	..	..	..	..	..	..	..	..
	1880	..	..	2.65	..	2.20	0.20	..	1.65	3.45	6.95	9.30	3.50	..
	1881	..	0.90	0.30	3.60	4.15	1.50	..	1.72	3.80	6.70	7.80	0.90	25.37
	1882	..	3.15	0.30	0.50	5.00	1.80	..	3.85	1.90	5.60	13.25	2.70	40.00
	1883	..	..	2.58	1.95	2.10	..	..	2.30	..	11.30	6.40	0.70	30.25
	1884	..	..	1.20	..	4.10	0.85	..	0.65	0.45	15.50	16.02	5.60	44.85
Srivilliputtur.	1885	..	..	3.00	..	1.70	..	1.75	4.30	4.00	4.70	5.95	..	26.00
	1886	..	0.60	0.95	6.60	1.45	..	..	3.05	0.70	8.45	4.15	7.45	34.85
	1887	..	..	0.30	1.40	2.80	..	..	0.90	4.60	11.35	4.60	2.90	28.55
	1888	..	..	1.70	1.90	2.55	..	0.30	1.85	5.05	1.70	7.50	1.00	23.55
	1889	..	..	..	..	..	..	..	..	..	..	..	..	..
	Average—1880—89..	0.52	0.46	1.44	1.76	2.69	0.44	0.20	2.07	2.61	8.27	8.17	2.83	31.46
	1890	..	0.40	1.70	2.00	3.45	1.75	1.10	1.70	1.15	13.00	3.25	0.80	30.30
	1891	..	0.40	3.05	2.90	2.30	1.25	0.70	0.15	0.05	9.88	3.19	..	24.27
	1892	..	..	..	..	..	..	..	..	..	..	..	..	..
	1893	..	..	..	..	..	..	..	..	..	..	..	..	..
Srivilliputtur.	1894	..	..	0.20	0.40	1.40	..	..	0.75	2.25	2.85	4.90	1.40	15.35
	1870	..	1.20	2.05	1.20	0.62	0.70	0.60	2.50	1.30	8.95	11.08	0.55	41.55
	1871	..	9.45	0.35	0.33	1.28	3.23	0.65	0.50	0.65	3.60	0.59	5.55	19.26
	1872	..	..	2.50	1.40	1.57	..	0.75	3.73	1.45	2.78	3.44	2.50	22.63
	1873	..	..	1.48	..	0.35	0.87	0.85	3.05	1.08	4.22	5.68	1.98	19.46
	1874	..	..	..	4.60	1.05	..	..	2.15	..	10.70	3.30	0.95	23.35
	1875	..	0.60	..	..	3.95	..	..	..	0.63	4.60	0.40	..	9.93
	1876	..	..	0.35	..	1.50	0.85	0.15	0.35	6.10	5.90	7.32	8.77	35.64
	1877	..	..	1.50	5.37	2.60	0.97	2.70	1.35	2.40	6.95	4.25	1.10	28.66
	1878	..	0.97	..	..	2.00	..	0.44	0.20	3.73	5.18	4.76	3.13	30.46
Srivilliputtur.	1879	..	0.60	4.52	..	1.89	0.55	..	2.95	0.55	7.45	7.10	4.15	27.86
	1880	..	0.15	1.13	0.60	1.34	..	0.32	1.60	2.15	3.60	7.47	1.40	19.99
	1881	..	0.30	..	1.90	..	1.25	..	2.31	1.35	6.25	0.90	3.10	30.13
	1882	..	2.95	..	..	1.65	3.12	2.25	1.48	..	12.50	7.95	5.50	38.95
	1883	..	0.95	1.16	0.55	0.18	7.35	0.64	0.75	0.75	13.40	18.85	4.95	45.00
	1884	..	0.50	..	4.10	0.50	1.25	0.70	..	0.55	2.80	8.65	6.45	5.20
	1885	..	..	0.20	1.05	4.20	0.70	..	4.90	2.00	1.75	4.60	0.60	20.70
	1886	..	..	1.20	0.10	2.40	0.60	2.50	0.70	1.32	6.71	4.35	8.30	28.71
	1887	..	0.05	..	2.67	2.90	0.20	..	..	2.92	7.90	4.54	5.55	31.20
	1888	..	..	4.30	3.30	2.27	0.42	..	0.40	3.85	5.88	3.80	2.20	24.67
Srivilliputtur.	1889	..	..	1.00	2.77	3.15	..	1.62	..	..	..	..	..	..
	Average—1870—89..	0.56	0.48	1.29	1.62	2.43	0.50	0.82	1.48	2.01	6.35	6.13	3.19	27.16
	1890	..	0.45	1.20	0.70	1.10	3.40	1.20	1.15	0.65	6.50	1.10	1.00	18.45
	1891	..	0.05	4.05	3.20	2.15	2.30	..	0.05	0.20	10.65	2.40	0.38	25.43
	1892	..	..	..	..	..	..	..	..	..	..	..	..	..
	1893	..	..	..	..	..	..	..	..	..	..	..	..	..
	1894	..	..	..	..	..	..	..	..	..	..	..	..	..

* Figures not available.

664
T

STATEMENT of Rainfall in inches.—Tinnevely district.

STATEMENT OF RAINFALL															
Recording station.	Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	
District Average.	1870	3.14	0.03	1.55	0.74	0.34	0.88	0.11	0.84	1.51	2.48	6.86	1.68	20.16	
	1871	8.74	2.39	1.35	1.84	0.62	0.66	0.59	0.34	0.51	4.44	8.38	1.64	31.50	
	1872	..	0.96	1.10	2.00	1.46	0.51	0.23	0.55	2.63	2.05	8.91	2.87	23.27	
	1873	..	3.68	2.39	2.06	3.21	0.66	0.49	1.55	0.49	2.12	5.03	1.17	22.55	
	1874	..	0.14	2.00	0.41	1.12	1.34	1.25	0.16	0.71	0.51	3.17	11.13	1.91	23.85
	1875	..	0.21	0.14	0.93	2.22	0.90	0.42	0.46	0.57	0.64	7.06	4.18	1.95	19.68
	1876	..	..	1.15	2.05	1.27	0.12	0.48	0.26	0.56	4.16	3.66	1.16	14.87	
	1877	..	0.01	0.18	2.28	1.55	1.14	1.75	0.19	0.57	2.10	7.58	12.47	15.29	46.11
	1878	..	1.83	..	0.18	3.67	2.13	2.00	0.86	1.57	1.88	3.28	3.73	1.84	22.97
	1879	..	0.01	0.02	5.17	0.49	4.34	0.15	2.45	0.47	2.07	5.34	4.54	3.18	20.13
	1880	..	0.96	0.62	1.08	2.07	1.18	0.23	0.41	1.03	0.54	3.77	12.97	3.43	28.29
	1881	..	1.06	0.08	2.27	0.45	0.89	0.24	0.30	0.89	0.96	3.29	9.07	3.75	23.25
	1882	..	2.37	0.76	0.47	1.53	1.47	2.67	1.28	1.69	0.51	4.50	5.49	3.54	26.25
	1883	..	0.30	3.46	1.25	0.67	5.60	1.18	1.46	1.41	0.08	7.37	6.17	4.10	33.05
	1884	..	0.50	..	0.98	1.57	1.03	0.39	0.17	0.47	0.94	8.97	13.36	5.69	33.97
	1885	..	0.09	0.09	0.56	0.50	2.18	2.10	0.12	0.83	1.46	5.21	7.66	6.16	26.96
	1886	..	0.80	0.14	0.91	0.46	1.54	0.78	1.11	2.52	2.01	5.76	4.53	0.94	21.50
	1887	..	0.02	0.78	1.04	4.50	0.55	0.40	0.66	1.02	0.57	9.49	8.52	7.71	35.26
	1888	..	0.03	..	1.03	1.38	2.37	0.77	0.21	0.29	1.61	12.45	7.61	5.98	33.73
	1889	..	0.20	0.04	2.59	2.53	2.50	0.24	0.94	0.64	2.96	3.13	3.72	2.84	22.33
District Average.	Average—1870—89..	1.02	0.81	1.44	1.67	1.80	0.87	0.63	0.91	1.23	5.28	7.40	3.84	26.90	
	1890	0.18	1.53	1.28	2.23	0.62	0.72	0.27	1.14	0.47	5.52	2.65	2.00	18.61	
	1891	0.57	2.50	3.66	1.86	1.23	1.02	0.25	0.25	0.72	14.78	7.72	3.49	38.05	
	1892	..	..	..	..	..	..	..	..	..	..	..	..	..	
	1893	..	..	..	..	..	..	..	..	..	..	..	..	..	
	1894	..	..	..	..	..	..	..	..	..	..	..	..	..	
District Average.	1880	..	..	2.65	..	0.90	0.20	..	1.65	3.45	6.95	9.30	3.50	..	
	1881	0.90	..	0.30	3.60	4.15	1.50	..	1.72	3.80	6.70	7.80	0.90	25.37	
	1882	3.15	..	0.30	0.50	5.00	1.80	..	3.85	1.90	5.60	13.25	2.70	40.00	
	1883	..	1.95	0.30	1.95	2.10	..	..	2.30	..	11.30	6.40	0.70	30.25	
	1884	..	..	2.58	1.95	2.10	..	..	0.65	0.45	15.50	16.02	5.60	44.85	
	1885	..	..	4.10	0.85	..	..	..	0.40	2.15	10.45	6.70	3.60	29.45	
	1886	0.60	..	1.20	..	1.70	..	1.75	4.30	4.00	4.70	5.95	..	26.00	
	1887	..	2.15	0.95	6.50	1.45	..	..	3.05	0.70	8.45	4.15	7.45	34.85	
	1888	..	..	0.30	1.40	2.80	..	..	0.90	4.60	11.35	4.60	2.90	28.85	
	1889	..	..	1.70	1.90	2.65	..	0.30	1.85	5.05	1.70	7.50	1.00	23.55	
	1890	..	..	..	..	..	..	..	..	..	..	..	..	..	
	1891	..	..	..	..	..	..	..	..	..	..	..	..	..	
	1892	..	..	..	..	..	..	..	..	..	..	..	..	..	
	1893	..	..	..	..	..	..	..	..	..	..	..	..	..	
	1894	..	..	..	..	..	..	..	..	..	..	..	..	..	
District Average.	Average—1880—89..	0.52	0.46	1.44	1.76	2.69	0.44	0.20	2.07	2.61	8.27	8.17	2.83	31.46	
	1890	0.40	1.70	2.60	3.45	1.75	1.10	..	1.70	1.15	13.00	3.25	0.80	30.30	
	1891	0.40	3.05	2.90	2.30	1.25	0.70	0.15	0.05	0.40	9.88	3.19	..	24.27	
	1892	..	..	..	..	..	..	..	..	..	..	..	..	..	
	1893	..	..	..	..	..	..	..	..	..	..	..	..	..	
	1894	..	..	..	..	..	..	..	..	..	..	..	..	..	
District Average.	1870	1.20	..	0.20	0.40	1.40	..	..	0.75	2.25	2.85	4.90	1.40	15.35	
	1871	9.45	2.05	2.55	1.20	0.62	0.70	0.60	0.50	2.50	1.30	8.95	0.55	41.55	
	1872	..	0.35	0.33	1.28	3.23	0.65	0.50	0.65	3.60	0.59	5.55	2.53	19.26	
	1873	..	2.50	1.40	2.51	1.57	..	0.75	3.73	1.45	2.78	3.44	2.50	22.63	
	1874	..	1.48	..	0.35	0.87	0.85	..	3.05	1.08	4.22	5.68	1.98	19.46	
	1875	..	..	4.60	1.05	..	..	..	2.15	..	10.70	3.30	0.95	23.35	
	1876	0.60	..	..	..	3.95	..	..	0.63	4.60	0.40	..	..	9.93	
	1877	..	..	0.35	3.20	1.50	0.85	0.15	0.35	6.10	5.90	7.32	8.77	35.64	
	1878	..	..	1.50	5.37	2.60	0.97	2.70	1.35	2.40	6.95	4.25	1.10	28.66	
	1879	0.97	..	..	2.00	..	..	6.44	0.20	3.73	5.18	4.76	3.13	30.46	
	1880	..	0.50	4.52	..	1.89	0.55	..	2.95	0.55	7.45	7.10	4.15	27.86	
	1881	..	1.13	0.60	1.34	1.89	0.55	..	1.60	2.15	3.60	7.47	1.40	19.99	
	1882	0.15	..	..	..	1.25	..	..	0.32	1.60	2.15	3.60	7.47	1.40	
	1883	0.30	..	1.90	..	3.12	2.25	0.25	2.31	1.35	6.25	6.90	3.10	30.13	
	1884	2.95	..	..	1.65	3.12	2.25	0.25	1.48	..	12.60	7.95	5.50	38.95	
	1885	0.95	1.15	0.55	0.18	7.35	0.64	0.60	0.75	13.40	18.85	4.95	45.00		
	1886	..	..	4.10	0.50	1.25	0.70	..	..	2.80	8.65	6.45	5.20	29.80	
	1887	0.50	..	0.20	1.05	4.20	0.70	..	0.55	2.00	1.75	4.60	0.60	20.70	
	1888	..	..	1.20	0.10	2.40	0.60	2.50	0.70	1.32	6.71	4.35	8.30	28.71	
	1889	0.05	0.43	1.13	2.67	2.90	0.20	..	0.70	2.92	7.90	4.54	5.55	31.20	
District Average.	Average—1870—89..	0.86	0.48	1.29	1.62	2.43	0.50	0.82	1.48	2.01	6.35	6.13	3.19	27.16	
	1890	0.45	1.20	0.70	1.10	3.40	1.20	..	1.15	0.65	6.50	1.10	1.00	18.45	
	1891	0.05	4.05	3.20	2.15	2.30	..	..	0.05	0.20	10.65	2.40	0.38	25.43	
	1892	..	..	..	..	..	..	..	..	..	..	..	..	..	
	1893	..	..	..	..	..	..	..	..	..	..	..	..	..	
	1894	..	..	..	..	..	..	..	..	..	..	..	..	..	

Watrap ..

Srivilliputtur.

* Figures not available.

* Figures not available.

664
T

STATEMENT of rainfall in inches—cont.

Recording station.	Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Virudapati.	1882	..	..	..	..	..	..	..	..	..	..	..	..	..
	1883	..	..	..	..	..	..	..	..	..	..	..	..	..
	1884	..	2 00	..	0 10	8 10	0 80	0 70	2 80	0 50	4 80	3 70	2 30	24 35
	1885	..	..	..	2 52	0 40	0 45	1 25	1 24	5 09	9 44	4 00	2 30	26 69
	1886	..	..	..	..	2 93	0 88	..	..	1 90	10 50	7 00	4 50	27 71
	1887	0 30	..	..	..	0 40	1 00	1 20	7 10	6 90	2 35	1 15	..	20 40
	1888	..	0 50	0 60	5 10	0 65	0 80	3 30	3 00	7 43	4 15	6 25	33 88	..
	1889	..	..	0 20	1 00	1 40	0 40	0 57	0 35	6 00	8 95	7 46	4 95	31 28
	Average—1882—89	0 50	..	0 50	3 55	1 50	0 10	2 81	0 70	2 98	4 40	2 48	2 35	21 85
	1890	0 05	0 60	0 10	0 30	1 00	3 40	0 55	3 35	0 70	2 85	1 30	1 10	22 30
	1891	..	2 60	2 15	1 74	1 48	1 10	..	0 75	1 40	15 61	5 40	0 40	32 63
	1892	..	..	..	..	..	..	..	..	..	..	..	..	..
	1893	..	..	..	..	..	..	..	..	..	..	..	..	..
	1894	..	..	..	..	..	..	..	..	..	..	..	..	..
Sātdar.	1870	0 53	..	..	..	1 00	1 60	..	1 80	1 55	4 20	3 20	..	13 88
	1871	3 85	1 63	1 95	1 55	1 50	..	..	0 50	1 60	3 20	4 45	..	20 28
	1872	..	0 30	1 30	2 40	2 60	..	0 61	0 75	2 45	7 10	4 90	1 60	23 91
	1873	..	2 78	..	1 45	1 35	..	1 25	3 85	1 85	8 95	1 20	0 30	22 98
	1874	..	1 33	0 75	1 00	0 90	0 60	..	0 90	2 00	2 05	3 70	4 22	17 45
	1875	..	..	0 25	2 98	0 75	0 70	0 25	0 60	0 70	4 95	2 10	0 10	13 41
	1876	..	..	0 15	0 50	4 55	0 25	0 30	..	0 10	2 37	0 12	..	8 34
	1877	..	..	2 80	1 00	2 34	0 65	0 52	..	5 00	10 06	10 37	9 35	42 09
	1878	0 20	..	..	2 05	2 62	1 07	1 67	4 30	1 07	4 10	3 60	0 10	20 78
	1879	..	1 60	4 65	0 35	0 45	..	..	0 55	4 15	4 43	2 03	0 35	20 68
	1880	..	0 45	0 50	1 25	0 53	..	..	2 55	1 05	7 78	6 65	1 65	22 41
	1881	..	..	3 60	..	1 17	..	0 20	1 70	1 05	7 15	6 07	2 65	23 49
	1882	0 20	..	0 30	3 40	0 75	1 80	..	1 60	0 75	4 60	3 20	0 30	16 40
	1883	..	2 30	0 20	4 50	9 50	1 00	..	1 15	..	8 65	9 55	3 40	40 25
	1884	0 90	..	0 15	0 20	3 12	0 80	..	0 30	2 15	12 30	7 15	1 40	28 47
Vilatikulam.	1885	..	..	0 15	0 15	2 15	1 50	..	1 63	2 92	5 55	2 82	3 72	20 49
	1886	..	..	0 15	0 15	2 15	1 50	..	4 97	4 15	4 80	1 80	..	25 71
	1887	0 30	..	..	0 75	2 20	2 37	4 37	1 85	1 55	12 22	1 50	3 95	28 44
	1888	..	0 25	1 45	4 27	0 80	0 50	0 10	1 55	4 10	10 45	3 97	4 75	34 04
	1889	..	..	2 70	2 07	3 95	..	1 40	1 55	4 10	10 45	3 97	4 75	34 04
	Average—1870—89	0 33	0 54	1 08	1 57	2 44	0 62	1 05	1 75	1 98	6 39	4 00	2 28	24 04
	1890	..	1 10	0 05	2 95	0 70	0 15	0 10	3 90	3 25	7 20	0 55	0 95	20 90
	1891	0 35	3 10	1 27	..	3 00	0 60	..	0 65	0 15	19 85	5 65	0 60	33 22
	1892	..	..	..	..	..	..	..	..	..	..	..	..	..
	1893	..	..	..	..	..	..	..	..	..	..	..	..	..
	1894	..	..	..	..	..	..	..	..	..	..	..	..	..
	1880	0 50	..	0 35	1 10	1 30	0 35	0 25	2 05	1 70	1 70	8 70	0 70	18 70
	1881	1 00	..	0 38	1 20	0 80	..	..	0 95	1 20	3 20	8 15	1 55	18 70
	1882	1 55	..	0 38	1 20	0 80	..	..	1 90	1 65	4 40	7 45	2 30	21 63
	1883	0 20	3 00	1 00	..	7 35	0 50	..	4 60	..	13 45	2 10	1 95	34 15
	1884	0 25	..	..	0 05	1 30	..	0 35	0 30	0 95	11 90	8 10	3 75	26 95
	1885	..	..	..	0 70	1 90	0 70	..	2 30	9 65	4 30	3 85	22 70	..
	1886	0 75	..	..	1 10	0 30	0 78	0 40	1 00	5 70	1 90	3 90	4 50	21 68
	1887	..	1 90	1 00	4 05	..	..	0 20	2 15	1 90	7 60	6 78	5 42	30 80
	1888	..	..	1 00	0 10	3 55	..	..	0 75	0 80	10 15	6 77	3 80	27 12
	1889	..	0 30	2 05	2 90	0 75	0 05	0 60	1 15	7 20	3 00	2 42	4 10	24 52
	Average—1880—89	0 42	0 52	0 74	0 97	1 82	0 27	0 34	1 95	1 96	6 89	5 93	2 88	24 69
	1890	0 10	2 60	..	1 60	0 40	0 75	..	0 30	0 40	7 50	2 75	1 85	18 25
	1891	..	1 40	4 30	..	..	..	..	0 70	..	11 40	2 00	0 85	20 65
	1892	..	..	..	..	..	..	..	..	..	..	..	..	..
	1893	..	..	..	..	..	..	..	..	..	..	..	..	..
	1894	..	..	..	..	..	..	..	..	..	..	..	..	..

* Figures not available.

Statement of rainfall in inches—cont.

Recording station.	Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	
Sankaranankoil.	1870	1 35	0 65	3 11	1 35	..	..	0 10	0 80	1 20	1 97	5 90	1 10	16 88	
	1871	7 14	0 65	0 36	1 37	0 77	..	..	..	..	1 80	3 30	0 70	16 09	
	1872	..	3 85	0 30	0 65	0 90	1 00	..	1 17	1 00	2 40	7 35	5 80	24 42	
	1873	..	2 95	0 45	0 85	3 45	0 40	..	1 00	0 01	2 00	4 24	1 03	16 38	
	1874	..	3 00	0 20	1 68	0 23	0 90	..	0 58	0 15	1 70	8 84	2 03	19 31	
	1875	0 43	..	0 18	2 03	1 65	0 25	0 10	..	1 05	9 88	3 02	2 33	20 92	
	1876	..	..	1 13	1 40	0 78	..	0 15	0 05	0 58	2 65	7 52	0 17	14 48	
	1877	..	..	3 08	3 81	1 43	0 05	..	0 31	1 05	4 86	5 77	8 33	28 69	
	1878	0 42	..	0 37	4 83	1 15	2 10	1 27	0 02	1 00	5 22	2 94	1 10	20 42	
	1879	..	0 61	3 10	0 20	3 65	0 10	3 98	0 53	1 85	7 28	4 20	3 20	28 70	
	1880	..	0 66	1 75	0 35	3 28	1 71	..	1 30	..	3 62	8 78	6 25	27 70	
	1881	..	0 80	..	3 50	0 80	0 47	0 40	..	0 20	0 10	7 25	12 55	2 28	28 35
	1882	..	0 57	..	0 90	0 45	2 92	1 80	0 47	0 95	0 45	5 52	8 52	8 57	31 12
	1883	..	0 57	1 33	0 65	0 70	5 75	0 99	0 45	2 05	..	6 00	7 32	8 50	33 34
	1884	..	0 75	..	3 70	2 45	..	..	..	0 45	0 20	7 65	10 70	5 97	31 87
	1885	..	..	..	1 65	1 80	..	2 27	0 37	0 60	1 35	3 20	3 80	6 70	22 99
	1886	0 10	0 22	..	3 22	..	0 15	0 30	0 43	0 75	0 87	2 75	3 23	0 18	12 18
	1887	..	..	0 70	1 62	4 60	..	0 70	0 05	0 45	0 05	10 00	7 47	4 85	28 09
	1888	..	..	1 05	6 25	1 50	..	0 10	0 40	0 03	4 60	2 48	4 35	1 80	21 56
	1889	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Average—1870—89	0 61	0 79	1 27	1 98	1 68	0 58	0 39	0 56	0 88	4 68	6 16	3 72	..	23 30	
1890	..	0 65	0 80	2 80	4 88	..	0 65	0 15	1 55	0 40	2 85	2 35	0 80	17 88	
1891	..	..	2 75	4 80	1 92	1 92	..	0 10	..	0 40	12 40	7 52	1 75	33 56	
1892	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
1893	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
1894	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
Otapidaram.	1870	1 30	..	0 80	0 60	0 20	..	..	3 31	3 53	3 09	7 50	0 72	21 05	
	1871	8 60	1 41	3 08	0 85	1 75	0 40	..	..	1 80	4 78	8 43	2 15	33 25	
	1872	..	..	0 95	2 23	0 10	0 20	0 40	0 10	3 70	3 05	9 85	4 06	24 64	
	1873	..	2 18	9 40	2 15	1 92	..	..	1 15	0 75	2 77	8 58	0 63	17 46	
	1874	0 20	1 05	0 25	0 10	1 98	..	..	1 65	2 30	11 23	4 03	0 35	24 46	
	1875	..	0 35	0 65	1 55	2 35	..	..	..	0 65	3 40	1 25	0 40	9 73	
	1876	..	..	0 90	0 93	1 00	..	..	1 20	0 65	3 40	1 25	0 40	9 73	
	1877	..	0 05	1 30	..	1 60	0 45	0 40	..	3 50	18 09	12 77	14 65	52 81	
	1878	..	..	..	2 17	1 10	0 45	0 39	1 70	0 75	2 83	4 15	1 60	16 39	
	1879	1 25	0 66	4 02	..	0 22	..	4 25	0 80	0 75	2 83	4 15	1 60	16 39	
	1880	0 05	0 20	0 20	1 40	0 55	..	..	1 50	0 48	4 68	8 60	2 45	20 06	
	1881	..	0 90	..	1 05	..	0 20	..	..	..	..	..	..	..	
	1882	..	..	0 25	2 05	1 80	0 40	..	1 20	..	5 25	4 97	3 97	23 16	
	1883	3 27	..	..	..	5 85	1 33	1 70	1 10	..	5 70	3 33	4 70	29 36	
	1884	0 20	4 35	1 10	..	1 60	..	..	0 10	0 35	5 38	12 50	1 58	23 46	
	1885	1 00	..	0 40	0 27	2 00	0 30	..	0 20	0 60	3 32	8 00	5 00	19 69	
	1886	..	..	..	..	1 37	1 05	0 80	3 70	1 95	4 55	2 55	1 70	17 87	
	1887	0 10	0 10	0 10	..	0 30	..	..	0 20	0 15	5 67	7 10	3 60	23 82	
	1888	..	0 60	0 90	5 30	0 30	..	..	..	0 80	12 30	6 27	5 83	30 00	
	1889	..	..	0 80	1 25	2 65	0 10	..	..	4 85	3 10	5 35	2 80	22 87	
Average—1870—89	0 84	0 54	1 35	1 19	1 56	0 23	0 50	0 91	1 42	5 48	6 44	3 00	..	23 46	
1890	..	..	3 60	0 85	..	0 60	0 20	..	2 60	7 70	9 20	3 45	3 10	24 90	
1891	..	..	0 85	3 70	..	..	7 50	..	..	0 45	14 95	7 80	1 80	37 65	
1892	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
1893	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
1894	..	..	..	..	..	..	..	..	..	..	..	..	..	..	

Statement of rainfall in inches—cont.

Recording station.	Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Tuticorin.	1870	4.80	..	1.95	..	..	0.40	..	1.20	1.10	0.40	4.70	..	14.55
	1871	7.90	..	..	2.80	..	..	..	..	..	4.25	9.55	2.13	26.63
	1872	..	..	..	1.55	..	..	..	0.30	..	1.50	9.20	2.30	18.65
	1873	..	2.20	3.86	2.70	1.40	..	0.50	..	0.20	0.80	4.40	3.30	19.36
	1874	..	0.80	0.60	..	2.20	..	..	0.50	..	2.20	9.00	1.00	16.30
	1875	..	..	..	0.80	..	..	..	..	..	5.80	1.50	..	8.10
	1876	..	..	..	1.00	..	..	..	..	..	2.50	1.50	..	5.00
	1877	..	..	1.10	2.00	0.05	..	..	..	0.20	5.10	13.40	13.20	35.05
	1878	0.40	..	..	3.00	0.80	..	..	3.00	6.00	3.90	3.30	0.20	18.85
	1879	..	2.50	3.00	0.10	1.50	..	0.80	0.70	0.90	4.75	4.40	0.20	18.85
	1880	..	0.20	2.30	..	0.60	..	..	0.25	..	1.80	11.00	2.90	22.20
	1881	..	0.70	3.00	1.00	1.30	..	..	0.50	..	1.26	1.58	2.45	14.43
	1882	..	6.10	0.70	..	1.65	0.39	..	0.30	..	6.30	10.20	2.70	29.80
	1883	..	4.40	1.00	..	6.00	..	0.20	..	..	4.43	22.53	2.28	33.22
	1884	0.50	..	0.08	2.15	..	..	..	..	1.25	4.43	9.37	3.07	20.33
	1885	..	..	0.00	0.15	1.22	0.47	..	0.20	1.68	3.57	9.37	0.60	18.49
	1886	..	..	..	0.20	..	0.30	0.50	..	1.25	2.35	8.42	4.87	37.00
	1887	..	0.35	0.30	8.35	..	0.60	..	0.30	..	5.72	14.43	7.05	40.00
	1888	..	..	0.16	0.75	3.24	0.05	..	..	1.10	13.00	10.77	10.93	44.01
	1889	..	..	2.75	1.29	1.90	1.75	..	..	..	0.54	2.98	2.80	14.01
	Average—1870—89..	1.02	0.56	1.03	1.47	1.01	0.19	0.10	0.43	0.81	3.87	8.12	3.23	21.84
Tuticorin.	1890	..	..	1.97	1.00	1.90	..	0.77	..	..	5.73	2.94	2.57	16.88
	1891	..	..	1.25	1.45	3.90	0.83	0.30	..	..	12.83	7.36	2.56	30.48
	1892	..	..	..	..	..	..	..	..	..	..	..	..	..
	1893	..	..	..	..	..	..	..	..	..	..	..	..	..
	1894	..	..	..	..	..	..	..	..	..	..	..	..	..
Tenkasi.	1870	2.01	..	2.10	1.75	..	2.85	0.95	0.50	1.40	1.30	7.60	1.95	22.41
	1871	12.30	1.70	2.28	0.60	0.90	1.90	4.20	..	..	2.90	15.25	2.08	44.11
	1872	..	0.20	0.60	3.85	3.50	1.90	1.00	0.60	1.45	3.15	9.00	2.53	27.78
	1873	..	3.15	1.45	3.22	5.30	2.30	2.20	1.50	0.15	1.20	6.10	1.25	27.82
	1874	0.35	4.30	0.50	2.20	2.60	4.80	0.55	0.55	..	2.00	14.28	3.90	36.03
	1875	0.80	..	1.70	4.75	2.25	2.00	4.05	0.50	0.25	4.95	4.30	3.55	29.10
	1876	..	..	1.70	4.75	2.25	2.00	4.05	0.50	0.25	4.95	4.30	3.55	29.13
	1877	..	..	3.55	5.50	0.05	0.66	3.92	0.85	0.10	8.15	5.85	0.50	62.55
	1878	..	0.05	5.00	3.30	4.02	8.85	0.99	3.37	1.43	7.50	11.59	1.90	31.34
	1879	2.00	..	1.05	6.70	2.25	6.50	1.15	2.25	3.62	2.42	2.50	1.90	41.95
	1880	..	..	3.05	0.97	14.60	1.50	2.10	1.10	0.63	4.70	9.45	3.85	48.56
	1881	1.98	0.60	0.90	3.65	1.25	2.10	2.94	1.11	0.40	5.85	22.88	4.90	27.73
	1882	2.38	1.20	2.18	0.15	1.42	0.15	1.98	2.65	0.82	7.20	5.20	2.40	54.40
	1883	1.90	0.05	0.90	1.50	2.60	13.45	8.90	2.30	1.30	8.40	11.55	1.55	46.65
	1884	1.60	1.55	4.40	2.70	6.00	4.85	8.95	2.15	..	4.80	5.70	3.95	45.99
	1885	1.60	..	0.85	3.10	0.80	0.80	0.70	1.65	1.32	13.00	14.97	6.60	41.20
	1886	..	0.62	1.22	1.32	2.95	9.15	1.50	4.80	0.50	3.60	8.32	7.22	29.07
	1887	4.22	1.15	1.60	1.70	2.10	3.67	1.65	1.48	0.15	4.15	6.40	1.70	58.69
	1888	..	1.32	2.19	5.82	0.20	2.85	4.60	0.25	0.23	12.72	16.99	11.52	55.48
	1889	..	0.07	..	0.70	2.55	1.97	4.75	0.75	0.93	1.67	8.29	7.47	30.22
	Average—1870—89..	1.56	0.79	1.99	3.02	2.84	3.78	2.79	1.46	0.95	5.64	9.45	4.28	38.55
Tenkasi.	1890	..	0.45	2.05	2.92	3.90	..	2.12	1.70	0.20	4.57	1.57	1.63	21.21
	1891	..	6.85	4.25	8.17	1.89	0.20	3.40	2.35	0.75	11.40	10.37	4.65	54.98
	1892	..	..	..	..	..	..	..	..	..	..	..	..	..
	1893	..	..	..	..	..	..	..	..	..	..	..	..	..

Statement of rainfall in inches—cont.

Recording station.	Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	
Ambasamudram.	1870	4.90	..	2.95	0.60	0.80	1.70	0.20	..	1.00	0.90	10.30	5.10	28.45	
	1871	12.90	..	1.00	3.88	..	1.87	1.50	0.20	0.10	7.10	7.60	4.18	42.65	
	1872	..	1.20	1.00	2.60	2.20	0.60	..	0.10	2.90	..	14.40	1.20	26.20	
	1873	..	6.30	1.40	2.30	5.00	3.10	..	0.60	..	1.30	9.50	0.70	30.20	
	1874	0.40	3.60	..	0.80	1.50	4.30	1.20	..	..	2.00	18.80	3.90	36.50	
	1875	..	..	2.60	1.00	0.60	1.20	0.60	0.40	..	0.40	5.82	8.20	3.80	23.72
	1876	..	..	..	3.80	..	0.40	0.60	1.10	0.22	4.50	23.00	24.73	58.60	
	1877	..	0.70	1.15	1.40	0.40	1.40	..	1.53	0.50	2.61	4.11	2.60	29.70	
	1878	8.26	..	0.17	3.36	2.60	2.67	1.29	1.53	0.68	6.45	4.00	7.55	32.50	
	1879	..	0.60	6.09	..	3.78	..	2.45	0.90	0.10	2.52	23.47	4.12	42.91	
	1880	3.30	0.30	2.10	2.40	2.00	0.15	1.85	1.10	0.10	2.52	23.47	4.12	42.91	
	1881	1.90	..	5.60	1.00	..	1.10	0.20	1.30	0.55	0.85	6.25	3.75	22.50	
	1882	5.95	1.30	0.95	0.75	1.30	3.53	3.35	0.90	..	4.85	6.57	5.10	34.55	
	1883	1.00	6.05	0.97	0.30	4.65	0.72	2.92	0.52	0.30	9.10	17.35	16.00	50.00	
	1884	0.55	..	..	2.50	3.00	..	0.45	0.75	0.30	4.03	6.85	11.20	30.53	
	1885	..	..	..	..	3.85	0.70	0.60	0.80	..	2.80	7.15	1.30	20.25	
	1886	2.65	0.40	..	..	3.85	0.70	0.60	0.80	..	11.85	11.65	10.85	44.98	
	1887	..	0.80	3.70	4.30	0.20	0.30	0.20	1.13	..	17.66	10.36	11.45	50.07	
	1888	0.50	..	1.00	2.85	3.00	3.10	0.15	..	..	4.60	3.00	1.30	27.55	
	1889	0.50	..	6.65	4.00	1.60	0.90	1.40	..	3.60	4.60	3.00	1.30	27.55	
	Average—1870—89..	2.16	1.18	1.87	1.89	1.97	1.58	0.95	0.62	0.63	5.04	10.43	6.67	34.89	
1890	..	0.50	3.85	3.02	1.65	0.50	..	0.10	0.30	..	2.00	7.90	2.50	22.32	
1891	..	0.60	5.85	8.70	0.60	1.28	0.80	..	..	..	16.56	12.27	9.33	55.99	
1892	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
1893	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
1894	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
Tionevelly.	1870	5.30	..	0.30	1.30	..	1.75	..	..	0.30	1.63	8.85	2.75	22.18	
	1871	10.20	1.90	0.95	3.80	1.00	0.50	..	..	..	4.60	10.40	1.75	35.85	
	1872	..	0.70	3.10	0.95	0.80	1.30	..	0.55	..	..	10.40	1.75	26.90	
	1873	..	3.85	2.07	1.75	3.65	..	..	..	..	5.35	14.15	0.70	26.38	
	1874	..	1.70	0.90	2.05	1.13	0.40	..	..	..	0.40	6.88	4.60	17.43	
	1875	..	0.50	0.60	1.95	..	..	..	..	..	0.88	5.30	4.30	18.98	
	1876	..	..	2.35	2.55	1.80	..	..	..	..	1.72	5.52	14.32	14.60	
	1877	..	..	2.43	0.52	..	2.50	..	0.35	1.80	1.12	5.15	2.85	24.68	
	1878	..	..	0.12	3.62	6.67	1.15	..	0.75	0.31	2.11	6.06	6.65	45.05	
	1879	1.75	..	7.90	0.20	4.80	..	0.25	0.65	..	5.50	18.25	6.45	40.05	
	1880	..	0.30	5.40	1.75	..	..	..	1.25	3.20	10.07	2.35	22.72	33.38	
	1881	1.20	0.60	1.40	0.75	2.35	..	..	1.80	0.15	5.10	3.80	4.15	23.38	
	1882	1.35	..	0.65	1.50	1.23	1.35	0.70	0.32	..	7.45	6.02	2.48	32.46	
	1883	2.00	1.05	0.65	0.90	4.35	1.93	1.25	0.32	..	7.45	6.02	2.48	37.31	
	1884	0.22	4.07	3.47	0.90	0.80	1.95	..	0.17	0.40	7.20	17.17	8.20	37.31	
1885	0.35	..	0.30	1.17	1.25	1.70	..	0.35	1.05	3.25	8.15	10.47	28.54		
1886	0.85	..	0.65	0.95	2.25	0.07	0.17	1.00	2.13	6.00	4.30	0.85	18.82		
1887	0.45	..	0.65	3.55	0.27	..	0.10	0.55	..	12.10	5.13	5.25	28.50		
1888	..	0.90	0.37	1.55	3.10	0.50	..	0.55	0.37	20.42	6.57	6.02	39.08		
1889	0.40	..	4.65	3.15	3.60	..	0.40	..	2.42	3.40	4.07	2.07	24.63		
Average—1870—89..	1.21	0.78	1.65	1.92	2.04	0.76	0.19	0.40	0.97	5.52	8.40	4.16	28.00		
1890	..	1.00	1.22	2.47	..	0.30	..	0.10	..	4.65	3.40	2.30	15.44		
1891	0.10	1.90	4.43	1.55	1.20	0.28	..	0.60	4.30	17.34	14.35	5.55	51.60		
1892	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
1893	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
1894	..	..	..	..	..	..	..	..	..	..	..	..	..	..	

Statement of rainfall in inches—cont.

Recording station.	Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Palamcottah.	1870	4.08	..	0.85	0.70	..	0.52	..	0.18	0.90	1.83	8.38	2.30	19.74
	1871	7.65	11.30	0.90	1.80	..	0.55	..	..	0.33	4.28	7.33	1.65	35.79
	1872	..	1.30	2.80	1.80	1.05	..	..	1.05	3.40	0.55	8.29	2.23	22.47
	1873	..	5.08	2.05	1.80	5.55	0.10	..	..	..	1.75	6.90	0.83	27.56
	1874	..	1.85	0.55	0.30	0.70	..	..	..	0.20	4.33	12.25	0.93	21.11
	1875	0.18	0.40	0.85	1.68	..	..	..	..	0.70	7.74	2.78	2.70	17.89
	1876	..	..	2.00	1.89	..	..	..	..	0.55	3.12	5.78	2.70	17.89
	1877	..	0.40	2.10	1.18	0.10	2.70	..	0.14	1.07	6.75	17.34	14.77	46.65
	1878	1.43	..	0.07	4.22	3.00	0.86	0.34	0.92	1.32	3.90	2.76	1.67	21.09
	1879	..	0.50	9.35	0.45	4.25	..	0.36	0.26	2.33	5.03	4.55	3.82	35.61
	1880	0.85	0.18	0.24	7.78	1.83	..	0.21	0.37	..	4.65	15.67	3.25	22.59
	1881	1.10	..	1.40	0.80	2.05	..	0.10	0.32	1.00	2.05	10.52	3.25	22.67
	1882	0.77	2.02	..	1.80	1.50	0.50	1.08	0.20	0.55	8.90	5.07	2.62	31.70
	1883	0.23	4.02	2.62	0.40	4.90	1.24	1.65	0.40	0.55	16.03	8.90	35.69	27.76
	1884	0.42	..	0.60	1.32	0.45	1.55	..	0.25	0.35	5.82	6.67	8.88	19.37
	1885	0.47	0.05	0.22	0.93	2.95	2.20	..	0.22	0.80	4.37	3.95	0.55	29.23
	1886	0.65	0.37	..	0.70	2.22	0.05	0.43	1.40	1.40	7.65	3.95	0.55	29.23
	1887	..	0.82	1.08	3.90	0.17	0.23	0.20	0.30	0.05	9.10	7.38	6.00	39.10
	1888	0.02	..	0.10	1.00	4.52	0.37	..	..	0.37	19.47	7.22	6.03	18.24
	1889	0.13	0.03	3.75	2.07	2.50	..	0.20	..	2.02	2.87	2.95	1.72	27.07
	Average—1870—89..	0.90	1.41	1.68	1.83	1.96	0.57	0.20	0.52	0.88	5.44	7.77	4.01	14.42
Brivaikuntham (Tenkarni).	1890	0.03	1.25	1.23	2.65	0.18	0.25	..	0.10	..	3.85	2.53	2.35	48.59
	1891	..	2.16	4.60	3.18	1.35	0.25	0.05	0.50	2.77	17.40	11.67	4.67	..
	1892	..	..	..	..	..	..	..	..	..	..	..	..	..
	1893	..	..	..	..	..	..	..	..	..	..	..	..	..
	1894	..	..	..	..	..	..	..	..	..	..	..	..	..

Statement of rainfall in inches—concluded.

Recording Stations.	Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Kula- sekhar- patnam.	1879	..	..	..	..	4.08	..	..	0.02	0.08	4.25	5.77	1.80	18.42
	1880	..	3.02	0.62	0.90	0.15	0.20	..	0.35	0.31	0.35	10.57	2.65	29.90
	1881	..	1.60	..	1.05	1.00	5.55	..	..	..	0.95	12.60	13.00	29.90
	1882	..	0.60	3.00	2.00	..	..	..	..	..	1.50	3.55	1.70	18.90
	1883	..	0.40	5.00	1.10	5.00	..	..	0.02	..	6.20	16.35	5.40	30.62
	1884	..	..	0.35	6.20	..	..	..	..	..	2.30	14.75	8.65	29.30
	1885	..	..	0.15	0.75	1.20	1.20	..	..	1.50	10.05	7.55	3.40	27.90
	1886	..	..	0.30	0.15	0.30	..	..	..	..	5.70	17.20	17.05	45.05
	1887	..	..	0.90	0.40	3.00	..	..	0.80	..	13.05	7.50	7.90	28.85
	1888	..	0.75	0.40	0.70	..	..	..	..	..	0.10	3.60	2.35	8.05
Nangu- nari.	1889	..	0.75	0.40	0.70	..	..	..	..	..	0.10	3.60	2.35	8.05
	Average—1879—89..	0.64	1.02	1.17	1.15	0.99	0.61	0.05	0.11	0.17	4.47	9.85	6.39	26.62
	1890	0.15	0.90	1.75	0.45	..	0.10	..	..	..	0.10	1.95	2.92	8.23
	1891	0.30	2.65	3.90	1.25	..	..	..	..	..	16.80	9.80	10.55	45.35
	1892	..	..	..	..	..	..	..	..	..	..	..	..	..
Radhapu- ram.	1870	..	5.13	0.13	2.15	0.80	0.30	0.10	..	0.15	2.40	2.65	2.40	24.46
	1871	..	3.25	2.35	0.45	1.55	..	0.85	..	..	0.25	2.45	4.55	17.15
	1872	..	..	2.22	1.40	2.83	1.10	..	..	4.30	0.35	9.93	3.83	25.96
	1873	..	..	5.68	2.00	1.90	2.55	0.80	..	0.60	0.35	9.93	3.83	25.96
	1874	..	0.35	1.25	0.80	2.35	0.85	1.35	..	0.60	0.85	2.75	18.75	30.25
	1875	..	0.30	0.30	1.80	2.30	0.43	0.40	0.10	0.45	0.63	6.85	3.53	20.24
	1876	..	0.30	0.30	1.50	3.30	..	..	0.30	..	1.10	4.70	3.10	15.18
	1877	..	..	..	..	..	..	..	..	..	..	..	..	..
	1878	..	0.10	0.37	3.10	0.33	0.32	0.85	..	0.85	0.90	7.00	10.75	21.70
	1879	..	1.60	0.85	5.60	1.17	1.95	0.22	1.17	0.32	0.20	4.95	4.88	12.99
Radhapu- ram.	1880	..	..	..	..	..	..	..	..	..	..	..	..	..
	1881	..	..	..	..	..	..	..	..	..	..	..	..	..
	1882	..	..	..	..	..	..	..	..	..	..	..	..	..
	1883	..	..	..	..	..	..	..	..	..	..	..	..	..
	1884	..	..	..	..	..	..	..	..	..	..	..	..	..
	1885	..	..	..	..	..	..	..	..	..	..	..	..	..
	1886	..	..	..	..	..	..	..	..	..	..	..	..	..
	1887	..	..	..	..	..	..	..	..	..	..	..	..	..
	1888	..	..	..	..	..	..	..	..	..	..	..	..	..
	1889	..	..	..	..	..	..	..	..	..	..	..	..	..
Radhapu- ram.	Average—1870—89..	0.84	1.06	1.71	1.35	1.23	0.66	0.29	0.70	1.14	3.65	3.35	2.97	16.87
	1890	0.10	2.40	0.92	6.95	0.65	0.55	0.45	0.18	..	19.43	7.62	5.41	44.44
	1891	..	..	..	..	..	..	..	..	..	..	..	..	..
	1892	..	..	..	..	..	..	..	..	..	..	..	..	..
	1893	..	..	..	..	..	..	..	..	..	..	..	..	..

* Figures not available.

Per 81
211/1

Memorandum.
(Revenue Settlement, Land Revenue and Agriculture)
Dated 23rd February 1892
No. 298 Pigeon
66

The accompanying tabulated statements of the rainfall recorded at all stations in the Lamewady district since 1870 will be distributed as follows:-

Government Revenue Department.	- - 10 copies
3 ^d M. Department.	- - 10 "
Commissioners of Land Revenue.	- - 10 "
Commissioners of Salt & Mercury Rev.	- - 5 "
Conservation of Forests. Each 2.	- - 6 "
Collectors for land and all Revenue	} - 46 "
Officers of the grade of Deputy	
Subsidiaries and upwards. ~~100~~ each	} - 5 "
Meteorological Reports to the Govt of Mysore	
Board's reserve	- - 150
	<u>6258</u>

Authorized
Secretary

To
The Officers concerned

Communicated
to officers of the
P.W. Dept. concerned


 16.19a

C. E. J. 15.0
 C. E. J. 15.0
 S. E. J. 15.0
 S. E. J. 15.0