

- (1) பக்கங்களின் எண்ணிக்கை 4
 (2) புதுக்கித் திருப்பிய நாள் 12/57
 (3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் 107

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

P.W.D துறை

அரசாணை எண். மு. கோப்புத் தாள் எண்.	<u>1143</u>	அச்சகம் பலவகை
நாள் :	<u>25-4-1893</u>	198 <u>X</u>

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

no 1 2.1.93

PUBLIC WORKS DEPARTMENT,
IRRIGATION BRANCH.

Read the following:— 1143
1

Ob. 26th Dec 1892 No 474 Marine
and note by the Honble Sir Henry
Stokes, K.C.S.I. dated 24th Dec 1892

To

FOR ORDERS.

I received the order in December
and up to date have interpreted it to
mean that I have no responsibility
unless called upon by the
Consulting Architect to assist him.
I therefore request orders as to
whether Government consider that
I have any responsibility regarding
the general arrangement ^{of the town} and
fixing of the apparatus.

Whelpital
11/4/93.

Forwarded to the W. M.

Rueda
12/14
93

Mr. Ashpitel has only to advise.
But he has better communicate with
Mr. Towns before the work with him

W. M.
19/4/93

Communicated to Mr.
Ashpitel. Rueda

old 45-46
Jan 18-44.

1/5/94

B
This order

No. 1143. Wd 25 April 93
Note by Mr Aschpittel
dated 11-4-93

Order thereon ¹¹⁴³ ✓

Mr Aschpittel is
informed that his
duty in the matter
of erecting the Kueds
light apparatus
is confined to
advising. But he
should place
himself in communica-
tion with Mr. Irvine
and see the work
in his company.

Kueds
21/4
93

DESPATCHED
25 APR 93

To
Mr J. W. Aschpittel
the Cons. Architect to
Govt.

LB

1912-22 17 ✓

R 24/93

to approval

these cases

No 1143. Wd/25 April/93

1912

Should not then order be
submitted to G.D. in connection
to his hospital, like the previous
order.

Should not then order be sent
to the Marine Dept. also? and
to the 1st W. of 2-1-93 treat again
as top of the present proceedings if
it is not intended to send copies
of the hospital's order of 11-4-93
with the G.D.

24/4/93
J.P.S.

The order may then be
sent as above.

2. C. 26/4