

- (1) பக்கங்களின் எண்ணிக்கை 24
- (2) புதுக்கித் திருப்பிய நாள் 12-2-2000
- (3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் 10-2

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

மேலும் பணி துறை

அரசாணை எண். மு. கோப்புத் தாள் எண்.	2082.	அச்சகம் பலவகை
நாள் :	14.8.1893	198

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

5.7767.

13th July 1893.

Sir,

With reference to items 214 to 219 of Madras Public Works indent dated 10th May 1893, I have the honour to inform you that, in order that suitable boiler tubes may be supplied, it is necessary that I should be furnished with particulars as to the outside diameter, thickness of material and lengths in which the tubes are required.

I have the honour to be, Sir,

Your obedient servant,

J. PARKER

Director General of Stores.

The Secretary to Government,
Public Works Department,
Madras.

It is requested that in any further communication
on this subject the under-mentioned letter and
number may be quoted, and the reply addressed to—

The Director General of Stores,
India Office,
Whitehall,
London, S.W.

S. 7767.

India Office,

Whitehall, S.W.

21st July 1893

Sir,

I have the honour to forward a corrected copy of my
letter dated 13th July 1893, showing that the items in
regard to which further information is required, are 214
to 219, and not 24 to 219 as stated in error in the
original.

I have the honour to be, Sir,

Your obedient servant,

J. Tucker

Director General of Stores.

The Secretary to Government,
Public Works Department,
Madras.

Soon

8-8-93. 2039 W ✓
Encls 1
Repts: 14-8-93

N^o 2082 May 14 August 1893
B ✓
Sist ✓

Communicated to
Communicated to
the Suptg. Engrs. & Clerk
the Suptg. Engrs. & Clerk
in continuation of 6.0
in continuation of 6.0
10-2039 W d/s August
11-2039 W d/s August 1893
1893

Is on right letter
the filed in at
madam.

1043
12-8-93

To
The Suptg. Engrs. & Clerk
The Suptg. Engrs. & Clerk

119/8

J. C. 15/11/93
Recd 11-8
045/8
Encls 1

J. C.