

- (1) பக்கங்களின் எண்ணிக்கை - 8 -
- (2) புதுக்கித் திருப்பிய நாள் பிப்ரவரி 1990
- (3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் 100

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

பிப்ரவரி 1990 துறை

அரசாணை எண். மு. கோப்புத் தாள் எண்.	2129	அச்சகம் பலவகை
நாள் :	18.8.1893	198

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

Letter No. 137 dated 12th July/93 from
the Executive Engineer Cuddapah Division
to the Superintending Engineer III Circle
Bellary.

In reply to your endorsement
No. 64/6-6-93 on Chief Engineer's No. 303^B Calling
for a report of the "Circumstances under
which 135 Estimates for Imperial Tanks
in the Cuddapah Sub-Division have
been called for by the Collector" I have
the honor to point out that my words seem
to have got twisted some where, appa-
rently by the omission of the little word "and"
2. What I wrote was Estimate "a"
(a) required for Imperial Tanks and
(b) "Called for by the Collector"

3. As regards class (a) I found on
calling for a report of last inspection of
all Imperial Works in the Sub-Division
that many had not been inspected for
years and as for some there was no record
of them ever having been seen at all I
called for prompt reports of the state of all
and these showed many in bad orders
and

and requiring investigation of Estimates.
This class also includes references received from you.

4 (1) As regards class (1) it includes such works as proposed Gungaperum Channel (Sidhout Talug) Estimate ~~Rs~~ 14000 Complete. It cannot be sent up this year as observations of Pennain Water level are necessary to verify Revenue Department statements as to the period during which supply can be counted on.

(2) Bismilla Bahadur (Cuddapah Talug) proposed protective Works Estimate ~~Rs~~ 14029/4 Complete to protect 20 houses without a head of Cultivable land from very extraordinary floods in the Pennain

(3) Proposed Lingala Tank (Pudimudla Talug) Estimate ~~Rs~~ 9500 Complete.

(4) Proposed Kothapalli Tank (Pudimudla Talug) Estimate ~~Rs~~ 7800 Complete.

(5) Kothatune channel restoration (Cuddapah Talug) ~~Rs~~ 9500 Complete.

5 No. 2 above has been sent to Collector to know if he wishes it sent on to you -
Nos 3 & 4 are kept back as famine Estimates

as

as it is not likely Government will sanction either at any other time - No. 5 awaits inspection. The above are given as ~~ex~~ ^{5/29} ₂ ^camples of the class

6. "I have delayed replying as I was anxious to weed out "famine" references from those actually required and this has involved correspondence.

7. The list now stands for the Sub-De.

A. Estimates for Imperial Works or Railway affecting Minor Works in charge of P.W.D. dated 5/9

B. Estimates reports or opinions for Minor Works or new projects called for by Collector now ready in office 5 for ~~Rs~~ 5314 9/4

C. as B, but field work not complete No. 33 No. 986

Copy forwarded to the Chief Engineer with reference to memo No. 303D dated

3-6-93 - The Ch. Engr. has been asked to report the total no. of Imperial Tanks &c as called for in the last sentence of the memo under reply.

Bellamy }
15 July 1993 }

Attraxen Col. R.E.
Suptg. Engineers
III Circle.

avail. at 9

141

18.7

From

Col. A. J. Fraser & Co.
Superintending Engineer
3rd Circle Bellary

To The Chief Engineer
P. W. D.
Coimbatore

Dated 15th July 1893

Ref. No. 8. 93
12986

Enquiry required for
the 135 Estimates of
Imperial Tanks in the
Cuddapah Sub Division
Explaining the circumstances
under which the

Recd 7

or J. 7

24

Letter No. 175 dated 29th July 1893 from
the Executive Engineer Cuddapah to
the Superintending Engineer III Circle Bellary

With reference to your No. 993 dated
17th July 93 and in continuation of reply
No. 137/52 dated 12th July 93 I have the
honour to inform you that the total number
of Imperial tanks in the Cuddapah Sub-
division is 106, the number for which
repair Estimates are sanctioned or
awaiting sanction is 29 and the number
requiring repair is large.

No. 1137 of 4th August 1893

Copy forwarded to the Chief Engineer
P. W. D. in continuation of this office
No. 986 dated 15th July 1893.

Attraser Col. R. E.
Suptg. Engineer
III Circle

From
Col. A. J. Fraser B.E.
Superintending Engineer
1st Circle

To
The Chief Engineer
Bellary
P.W.D.

Order command

Dated 4th August 1893
Regd. No. 8-93
N-1138

Total. P. of Imperial Bank
Informing the

24.2.93. 4884
3.6.93. 303 B

Recd 7/8

ord c/s
Hm 7/8

H.M.

Submitted to the Honble
Member with reference
to his rescript dated 31st
May '93.

The necessity for a
Surveyor is not apparent.

Very truly, your obedient servant

Wm
9 Aug 93

Wm
8-255

N^o 2129 W of 18 August 1893.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Read the following

From the Suptg. Engr., III Circle, N^o 395, dated 13th May
Endorsement of the Chief Engr. for Irrigation
dated 29th May 1893.

Memo N^o. 303 D dated 3rd June 1893.

From the Suptg. Engr., III Circle, N^o. 986 dated
15th July 1893.

Do - do, N^o. 1137 dated 4th Aug. 1893.

The Govt. declines
to sanction the proposal
to employ a temporary Sur-
veyor for the Cuddalore
division as the necessity
for one is not apparent.

DESPATCHED
19 AUG. 93

Wm
10-293
10-8

To
The Suptg. Engr., III Circle 7/9/93
" Chief Engr. for Irrigation

Wm

