

(1) பக்கங்களின் எண்ணிக்கை - 6 -

(2) புதுக்கித் திருப்பிய நாள் 22.12.1991.

(3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் 10/9

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

பெரும்புலியார் துறை

அரசாணை எண். மு. கோப்புத் தாள் எண்.	2232.	அச்சகம் பலவகை
நாள் :	31.8.1893.	198

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

No. 234W

SUPERINTENDING ENGINEER'S OFFICE,

V CIRCLE, MADRAS,

Grand Avenue
Chopale, 8 July, 1893.

From

J. C. Larmine Esquire ²²³²/₁
SUPERINTENDING ENGINEER,

V CIRCLE,

To

THE Chief Engineer P. W. Department

SIR,

Enclosures 2

I have the honor to request that sanction of Government may be obtained to the enclosed estimate of Rs 330 for Survey Establishment required for the preparation of estimate for raising and strengthening the flood bank of Coleroon.

I have the honor to be

Sir

Your most obedt. Servant.

J. C. Larmine
Supty. Engineer & Circle

P. W. CURRENT No. 6180

From

THE SUPERINTENDING ENGINEER,

V. C. C. C.

To

The Chief Engineer
S. H. Dept.

Dated

Recd.

8th July
1-8-93

1893

ENCLOSURE 2.

No. 234 Mr.

Survey & Establishment

Requests same.
for the enclosed
estimate of Rs 330
for the preparation
of estimate for raising
the heightening the
flood bank of
Coleroon

The items noted below must
only be charged to Establish-
ment. The other items can
be sanctioned under
works by the Supp. Engineer

1. Surveyor - for 2 months at
Rs 60 a month. Rs 120

1 - do - for 4 months 3 - 120
@ Rs 30 a month 3 - 120

Total Rs 240

Recd
E. I. 26/7

Rs 198

T. 26-7

Rs 150

27/7

Rs 50-7

27/7

Note

With reference to the N. No.
query on draft order on C. No. 6690,
it is submitted that the lascars are
question ~~was~~ proposed to be charged
to "Works" as the Chief Engineer for
Irrigation considered that such
charges should be debited to "Works".
Vide office note No. 187 of 26th July 1893.
In a similar case on a previous
occasion the Chief Engineer for Irrig.
recommended the same procedure
and the Examiner, P. W. accounts
remarked that it was unobjectionable.
Vide office notes attached to memo: No.
2814.C dated 7th August 1893.

It will be observed from the
estimate referred to in the draft
order that one surveyor is to be
entertained for 2 months and the
other for 4 months, while the lascars
are proposed to be engaged for
2 months only. It is thus evident
that the lascars are not intended
to be kept on for the whole period

the

Surveyors are to be employed
and that they will be engaged
only when outdoor work is
going on, and paid by the day
as Coolies.

In the above circumstances
it is submitted that there
appears to be no objection to the
proposal of the Chief Engineer
for Irrigation to charge the
lascars in question to "Works"

Surveyors to be employed
for outdoor work
only when outdoor work is
going on, and paid by the day
as Coolies.

W
21/8/93

21/8/93

21/8/93

21/8/93

N^o 2232 W of 31st August 1893 22/3/93

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Read the following

From the S. E. Office (N^o 234 W of 8th July 1893)
Office Note from the Chief Engineer for Irrigation
" " 187 of 26th July 1893)

With his letter
above recorded, the Suptg.
Engineer & Field submits an
estimate of Rs 330 for the
following survey establish-
ment required for the
preparation of plans and
estimates for raising and
strengthening the flood
bank of the Coleroon.

1 Surveyor for 2 months
on Rs 60 per mensem Rs 120
1 Surveyor for 4 months
on Rs 30 per mensem Rs 120
8 lascars for 2 months
on Rs 5 each per mensem Rs 80
Contingencies Rs 10
Total Rs 330

2. The entertainment
of the surveyors is
Sanctioned

sanctioned, their pay being charged to "Establishment."

3. The other items may as suggested by the Chief Engineer for Irrigation be sanctioned by the Suptg. Engineer and debited to "Works"

4. The sanction accorded in para 2 has been registered as Provincial No 41 Waf 1893-94 and classified as Establishment Temporary.

Survey establishment for preparing estimates for strengthening the flood bank of the lockroom

O.V.B. 5.2.93 JH 5/8

2232 Waf 31st August 1893

Why should the amount be charged to Works?

11/5/93

Replied to

DESPATCHED
1 SEP 93

S. E. Wheeler
Engr: P. W. Acutt
Chief Engr: for Irrigation
11/9/93
J-4/9-

C. 11/8

Ca

19/8/93