20

Room - 1891

P.W.D

Go. 2607-08

dt 13.10 1893

11

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General.
Account.

READ—again the following paper:—

G.O., dated 26th September 1893, No. 2471 W., Public Works.

Read—the following paper:—

From L. L. WICKHAM, Esq., General Superintendent, Public Works Stores, to the Chief Engineer, Public Works Department, dated Madras, 24th July 1893, No. 122 S.

I have the honour to submit herewith a special indent in triplicate for copper sheeting required for lock gates on the Buckingham Canal, together with the letter of the Executive Engineer which explains the circumstances under which it is required.

2. In the event of some of the locks not being made, the copper sheets would be required for repairs to the existing gates. I have had urgent indents also from Bezwada for the same material. It is not likely therefore to be a surplus.

ENCLOSURE.

From A. S. RUSSELL, Esq., Executive Engineer, Buckingham Canal Division, to the General Superintendent, Public Works Stores, dated Pálár, 3rd July 1893, No. 1002.

I have the honour to inquire whether you keep in stock copper or white metal sheets for sheathing lock gates in salt water. If not, I would request that you forthwith obtain copper sheets sufficient to sheathe two pairs of gates for ten new locks shortly to be built on this canal. The quantity required can be calculated from the experience you have already had of coppering flood gates on this canal,—a lock, with its two pairs of gates, requiring of course just double what a flood gate does.

2. Since the copper will only be required by this division as each lock is approaching completion and since its cost will then have to be charged off to the sanctioned estimate as funds are provided by Government, the proper course would seem to be for you to now obtain the copper sheets and keep them in stock until required by this division.

3. In the case of the existing flood gates that were recently, and are still being, coppered, a special estimate was sanctioned by Government and a general indent made on you for the quantity of copper required, but this course cannot be followed for the new locks now or shortly to be under construction as explained above in paragraph 2.

4. An early disposal of this matter will oblige.

Order—dated 26th September 1893, No. 2471 W., Public Works.

The indent will be returned to the Superintending Engineer for amendment. The supply indented for should be reduced by one half.

2. The amended indent should be submitted through the Examiner, Public Works Accounts, who is authorised to certify that funds to meet the cost of the articles will be provided during the current official year.

(True Extract.)

(Signed) F. W. ASHPITEL,
Under Secy. to Govt., P.W.D.

READ—also the following papers :—

No. 263 C.

Forwarded to the Examiner, Public Works Accounts, Madras, with the indent amended as directed in the above Government Order.

2nd October 1893. (Signed) J. C. LARMINIE,
Superintending Engineer, V Circle.

From the Examiner, Public Works Accounts, dated 5th October 1893, No. 1245 D.

ORDER—dated 13th October 1893, No. 2607 W., Public Works.

The indent will be forwarded to the Home Government for compliance.

[Here enter No. 2608 W., dated 13th October 1893.]

(True Extract.)

Major, R.E.,
Under Secy. to Govt., P.W.D.

To the Superintending Engineer, V Circle.
" Superintending Engineer, II Circle.
" Chief Engineer for Irrigation.
" Examiner, Public Works Accounts.

Exd. C. A. Munisawmy.
Spare Copies

GENERAL.
ACCOUNT.

Govt. of {1893} Madras.

PUBLIC WORKS.

Dated October, 13*th*.

Recd.

Encl.

G.O., 13th Oct. 1893, No. 2607 W.

OCTOBER.

Indent

The — for copper sheets for sheathing wooden lock gates on the Buckingham Canal, ordered to be forwarded to the Home Government for compliance.

PUBLIC WORKS DEPARTMENT.

General.
Account.

LETTER—from

J. HANNAN, ESQ.,
Ag. Joint Secretary to the Government of Madras,
Public Works Department,
General, Buildings and Roads Branch,

To

THE DIRECTOR-GENERAL OF STORES,
INDIA OFFICE, LONDON.

SIR,

I am directed to forward, for favour of compliance, an indent for copper sheets for sheathing wooden lock gates on the Buckingham Canal.

2. The requisite certificate by the Examiner, Public Works Accounts, is endorsed on the original indent.

I have the honour to be,
Sir,
Your most obedient servant,

Ag. Joint Secy. to Govt., P.W.D.,
General, Buildings and Roads Branch.

OOTACAMUND,
13th October 1893.

Exd. C. A. Munisawmy.
Spare Copies

GENERAL.
ACCOUNT.

Govt. of {1893} Madras.

PUBLIC WORKS.

Dated October, 13th.

Recd. *Encl.*

13th October 1893, No. 2608 W.

OCTOBER.

Indent

Forwarding for compliance an — for copper sheets for sheathing wooden lock gates on the Buckingham Canal.

Triplicate

EXAMINED
4 OCT 1893

Indent No. 260/S

Accompaniment to Public Works Department Circular No. XV of 1882.

No.

INDENT FOR STORES required for the Public Works Department in the ~~Province of~~ Madras Presidency for the service of the Indian Government.

I HEREBY certify that the Stores enumerated in this Indent are absolutely required for the serv of the Public Works Department ~~for a period of —— months, and I further certify that I have, by personal inspection of Books and Stores, satisfied myself that they comprise that least possible quant necessary for the above period.~~

Dated this _____ day of _____ 189

at _____

Signature [signature]

Rank Secretary to Government P. W.

NOTE.—1. In cases in which a personal inspection of Books and Stores cannot be made, the portion of the Certificate relati thereto should be scored through.

2. The Indent should be paged, and the signature attached to the last line of the Indent.

Special ~~Annual~~ Indent on England for Stores required

Name of Article.	Rupees* to which item is chargeable.	Imperial head of account or grant to which item is chargeable?	Established proportion.	New established Proportion is indicated.	Number or quantity in Store on	Number or quantity due on previous Indents.	Number or quantity now indented for.	Rate. £ s d
Sheets 24" x 14" x 1/8 lbs per foot for sheathing Lock gates						1/2	Tons 5 65 Tons 3 1/2	
Nails 1 1/2" for ₹								
								A £ 10 per cent for freight

in the P. W. Workshop

Value. Of number or quantity due on previous Indents.	Value. Of number or quantity now indented for.	Remarks.	Shipped or under provision.	Proposed to be provided.	Remarks by the Director-General of Stores.
	£ s d				
	325	The copper sheets are			
"	130	required for sheathing			
"	45				
"	90	20 pairs of Lock Gates of			
		10 New Locks shortly to be			
	370	built at the Buckingham			
	740	Canal.			
	37				
	74	To be shipped to the Port			
Total	407				
	814	of Madras.			

A Chatterton
General Supt P. W. Stores

C Chatterton
Secy Engineer 5 Circle.

a true
copy

—The red ink columns to be left blank for filling up in England.

* Imperial, Provincial, Local, Mysore, or Berar.

† This column should be left blank if the charge is not debitable to the Imperial Revenues.

RECEIVED RECORDS OFFICE
OF
3 0 SEP 13
1893
P. W. SECRETARIAT

Note

Indenting Officers Certificate

Certified that the cost of the Indent cannot be met from

Certificate by Superintendent of P. W. Stores

"Certified that the Stores enumerated in the Indent are absolutely required and that they cannot be procured of local manufacture or from Surplus Stores of other Departments, Railways, and Administrations

General Supt P. W. Stores

24-7-93

Examiners' Certificate

"I certify that funds to meet the outlay which, it is estimated, will be incurred in England, in connection with this Indent 18 have been (will be) provided for in the estimate of P. W. D. to the extent of Rs

Instructions

This Indent is to be filled in as far as practicable by the Indenting Officer in the first instance. He will submit it to the Supt P. W. Stores, and the Examiner [illegible] to Secretariat

E. I. Drpc.
6632/93
471

2657/b

No. 122 S.

PRESIDENCY P. W. STORES,

Madras, 24th July 1893.

From

L. L. Wickham Esqre

GENERAL SUPERINTENDENT,

PUBLIC WORKS STORES,

To

THE Chief Engineer

P. W. D.

Sir,

I have the honor to submit herewith a Special Indent in triplicate for Copper Sheeting required for Lock Gates on the Buckingham Canal, together with the letter of the Executive Engineer which explains the circumstances under which it is required.

Enclosures Two
1-Indent in Triplicate
1 Copy of letter from Exy Engineer-

2. In the event of some of the Locks not being made the Copper sheets would be required for repairs to the existing gates. I have had urgent indents also from Bezwada for the same material It is not likely therefore to be in Surplus

I have the honor to be,
Sir.
Your most Obedient Servant,

L. L. Wickham
General Supt P. W. Stores.

P. W. CURRENT No. 6632

Presidency P. W. Stores.

From

THE GENERAL SUPERINTENDENT,
PUBLIC WORKS STORES,
Madras,

To

The Chief Engineer
P. W. D.
Chepauk

No. 122, S.

Dated 24th
Despatched 24th July 1893.
Received 25th

No. OF ENCLOSURES. Two.
(1 in Triplicate)

Subject.

Submits, a Special Indent in Triplicate, for Copper Sheeting required for Lock Gates, on the Buckingham Canal.

Forwarded to the Executive Engineer, Buckingham Canal for the necessary action.

An acknowledgment of the receipt of this is requested.

Copy forwarded

Copy to Govt

No. 1072.

From

Office of the Executive Engineer
Buckingham Canal,
Camp Salar 3rd July 1893.

A. L. Russell Esq
Executive Engineer, Buckingham Canal

To

The Superintendent P. W. Stores.

Sir.

I have the honor to enquire whether you keep in stock Copper or white Metal sheets for sheathing Lock Gates in Salt water. If not, I would request that you forthwith obtain Copper sheets sufficient to sheathe 2 pairs of Gates for 10 New locks shortly to be built on this Canal. The quantity required can be calculated from the experience you have already had of Copper sheeting flood gates on this Canal, — a lock, with its two pairs of gates, requiring of course just double what a flood gate does.

2. Since the Copper will only be required by this Division as each lock is approaching completion and since its cost will then have to be charged off to the sanctioned Estimate, as funds are provided by Government, the proper course would seem to be for you to now obtain the Copper sheets and keep them in stock until required by this Division.

3. In the Case of the existing flood gates that were recently, and are still being Copper'd, a Special Estimate was sanctioned by Government, and a General Indent made on you for the quantity of Copper required, but this course cannot be followed for the new locks now or shortly to be under construction, as explained above in para 2.

4. An early disposal of this matter will oblige.

I have

I have the honor to be Sir
[signed] A. S. Rivers R.E.
Supt. Buckingham Canal Div.

[True Copy]

[illegible]

General Supt. P. W. Stores.

PS E.I / 6632/93.

P.W. Department

Proceedings of the Madras Government

Read the following.

From the Genl. Supdt P.W. Stores No. 1225. dy 24th July 1893.

Order thereon No. 2471 W dy 25th September 1893

The Indent will be returned to the Supt Engineer for amendment. The Supply indented for should be reduced by one half.

2. The amended indent should be submitted through the Examiner P.W. accounts who is authorised to certify that funds to meet the cost of the articles will be provided during the current official year.

- True extract -

- Signed - F. W. Ashpitel
Under Secy to Govt P.W.D.

Enclosure
One Indent in triplicate.

No. 263 C

Forwarded to the Examiner P.W. Accounts Madras with the Indent amended as directed in the above G.O.

2nd October 93

Supt. Engineer Cuddapah

From

The Chief Engineer
Fifth Circle

To

The Examiner
P.W. Accounts.

Dated 2nd October 93

Rect.

Encl.

No. 2630

Indent for Stores
required in the P.W.
Workshops.

Forwarding the ——

PUBLIC WORKS DEPARTMENT.

No. 2607 Way October 1893

PROCEEDINGS OF THE MADRAS GOVERNMENT

Read the following

From the Genl Supt P.W. Stores No 122. S. dy 24. VII. 93.
Government Order No. 2471. W. dy 26th September 93
Rend. from the Supts. Engrs Circle No. 263. C. dy 2. X. 93.
from the Exr. P.W. Accounts No. 1245. D. dy 5. X. 93.

The Indent will be forwarded to the Home Government for compliance.

H.E. No. 2608 W dy 8th October 1893

To
S. E. V Circle.
S. E. II Circle.
Ch. Engr for Irrig.
Exr P. W. Accounts.

DESPATCHED
25 OCT. 93

To
The Director General of Stores,
India Office, London

Sir,

I am directed to forward, for favour of compliance, an indent for Copper sheets for sheathing wooden lock gates on the Buckingham Canal

2. The requisite certificate by the Examiner

P. W. accounts is
endorsed on the
original indent.

Isaac Fea

26

Odd 339
Hung 9-10

C№ 8471

Govt. of {1893} Madras.

PUBLIC WORKS.

Dated

Read. Encl.

G.O., 13 Oct 1893, No. 2607

2608

J.C. W.T.

Indent

=

Tender for copper sheets for sheathing wooden lock gates on the Buckingham Canal. ordered to be forwarded to the Home Govt. for completion

Indent

=

Forwarding for compliance an indent for copper sheets for sheathing wooden lock gates on the Buckingham Canal