

3

(1) பக்கங்காரின் எண்ணிக்கை 6

(2) புதுக்கித் திருப்பிய நாள் 2-97

(3) ஆதாரங் குறிப்பவர் சுருக்கொய்யம்

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

P. W. 2

துறை

அரசாணை எண். 3176
மு. கோப்புத் தாள் எண்.

அச்சகம்
பலவகை

நாள் : 7.12.1893

199

மடிக்கவோ தண்டப்படி கையாள்வோ கூடாது.

my

ஆவண. கா. 1-18,006-69-90.

No. 2226

Superintending Engineer's Office,
3RD CIRCLE.

Bellary 28th November 1893.

FROM

Colonel A. J. Fraser R.E.

SUPERINTENDING ENGINEER.

IIIrd CIRCLE.

To

THE Chief Engineer

P. W. D.
Madras

Sir,

Enclosures.

With reference to para 2

of G. O. No. 2827 W dated 4th Nov 93 I have the honor to state that an estimate amounting to Rs 16700 has been forwarded for sanction through the Inspector-General of Police with this Office to 1870 dated 23rd October 93.

This para is Secured
to have
reference to
para 3 of the
G.O. given by
the Chief Engineer
to the work referred
to in the
order and is
signed by
Bellary.

A sum of Rs 500 was applied for in the statement of incomplete works by the Executive Engineer Bellary B. but the appropriation was considered not necessary under P. W. D. Code para 59 Chapter IV.

3. The amount of Rs 810 applied for the Cuddapah Division under Provincial Civil Buildings is required

required for repairing Gurrunkonda
Mokhal sanctioned in G. O. No. 1332 W
dated 18 May 1893.

I have the honour to be

Sir

Your most obedt. Servt.

Atthrasen Col. R. B.

Superintending Engineer
III Circle.

2
3176

10121
P. W. CURRENT No. 10121
From, Col. H. J. Fraser
The Superintending Engineer,
IIIrd Circle,
Bellary.

To, The Chief Engineer
P. W. D.
Madras

Dated 28 } November 1893
Received }

Enclosures.

No. 2226

Subject.

Gurramkonda Mahal
Informing that Rs. 50
is required for repairing

18.5.93. 13324

13.10.93. 26154

G.O. 2827W d/4.11.93
taken into
consideration
and approved
for the Mahal
office at Gurramkonda
(Received 7.11.93)

No. 3176W d/7.12.93

PUBLIC WORKS DEPARTMENT

PROCEEDINGS OF THE MADRAS GOVERNMENT.

3/370


3/370

Read the following

From the S.E. III Circle No. 2226 d/28 Nov. 1893

Para 1 which alludes
to the proposed Police
office at Mantapur
will be referred to
the Judicial Dept.
in continuation of
para 8 of G.O. No.
2615W d/13 October
1893.

2. The sum of Rs. 50
required for repairing
the Mahal at
Gurramkonda in the
Cuddapah Dt. is
appropriated from
the Provincial reserve



To the S.E. III Circle
Exr. P.W. Dept.
Judicial Dept.

0018
1.12.93
D. 11