23.1.97 OBR.

3335/97

(1) பக்கங்களின் எண்ணிக்கை 22

(2) புதுக்கித் திருப்பிய நாள் May 20

(3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம்

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

P.W துறை

அரசாணை எண். / மு. கோப்புத் தாள் எண். P.WA. 507 அச்சகம் / பலவகை

நாள் : 27.2.1893 ~~198~~ .

11

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

ஆவண. கா-1—18,006—15-6-87.

507
10

27th February 1893, No. 507 W., Public Works.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

Buildings and Roads.
Civil Works.

Read—the following papers :—

From H. IRWIN, Esq., C.I.E., Consulting Architect to Government, to the Chief Engineer, Public Works Department, dated Chepâk, 2nd February 1893, No. 3277.

I have the honour to report that the latrine and urinal sanctioned in G.O., No. 1920 W., dated the 2nd July 1892, have been completed ; I have had them locked up pending orders to make them over.

From Brigadier-General E. H. EYRE, Quarter Master General, Madras Army, to the Secretary to Government, Military Department, dated Ootacamund, 30th January 1893, No. 147 M.W. (Sanitary).

With reference to Proceedings of Madras Government, No. 4596 of 25th July 1892, communicating G.O., Public Works Department, No. 1920 W., of the 2nd idem, sanctioning an estimate for constructing a latrine on the sea-shore and a urinal within Fort St. George for the use of the Secretariat clerks, I am desired to report, for the information of Government, that the present General Officer Commanding Madras District and the Executive Engineer, Military Works, have taken exception to the sites selected for these structures, owing to the former being in full view of the Officers' quarters on the sea face of the fort and to the propinquity of the latter to the Royal Artillery and British Infantry Officers' messes, and to the fact of its being situated on one of the direct roads to the South Sea gate.

2. The sites in question having been selected by a representative committee, composed as per margin and approved by the Commander-in-Chief, and moreover some expenditure on the buildings having already apparently been incurred, His Excellency is of opinion that the sites previously approved should be utilized for the purpose, but His Excellency desires that orders may be issued in view to measures being taken to screen both buildings from view by means of bamboo fencing, with creepers, fast growing trees and shrubs being also planted around them as may be practicable, and to the strictest attention being given by the establishment, which, it is presumed, will be maintained for conserving these buildings, to keeping them clean and wholesome and thus preventing their proving a nuisance to the residents of Fort St. George.

President.

General Officers Commanding Madras.

Members.

Principal Medical Officer, Madras District.
Officer Commanding 2nd Somersetshire Light Infantry.
Sanitary Commissioner.
Officer Commanding Royal Artillery, Fort St. George.
Deputy Assistant Adjutant-General, Madras District.
Executive Engineer, Military Works.

No. 813, Military.

Transferred to the Public Works Department for favour of disposal.

(By Order.)

Fort St. George,
3rd February 1893.

(Signed) H. R. HOPE, Brigdr.-Genl.,
Secretary to Government.

Order—dated 27th February 1893, No. 507 W., Public Works.

The question as to the officer to whom the latrines should be handed over will be referred to the Public Department.

2. The erection of screens and the planting of shrubbery, as well as their subsequent maintenance, will be undertaken by the Consulting Architect to Government.

3. As regards the urinal, the proposed trellis work should be put up at once and the building can then be brought into use. To screen the latrine a bank composed of the brick-work débris on the spot should be raised. The bank should enclose the latrine on all sides except that facing the sea and should be of sufficient height to screen the building from the upstair rooms of the houses in the Fort.

(True Extract.)

Major, R.E.,
Under-Secy. to Govt., P.W.D.

To the Consulting Architect to Government.
,, Public Department.
,, Military Department.

Exd. T. K. Narayana Aiyangar.
Spare Copies

507/2

BUILDINGS AND ROADS.
CIVIL WORKS.

Govt. of {1893} Madras.

PUBLIC WORKS.

Dated February, 27th.

Recd. *Encl.*

G.O., 27th Feb. 1893, No. 507 W.

FEBRUARY.

Latrines

The question as to the officers to whom the — constructed for Secretariat clerks in Fort St. George should be handed over, ordered to be referred to the Public Department, and passing orders with respect to screening these buildings from view from the Officers' quarters in the Fort.

No. 1.

507
8-3

P. W. D.

Office of the Consulting Architect to Govt.,
Chepauk, Madras,
2d February 1893.

No. 3277

From
Henry Irwin, Esq., C.I.E.,
Consulting Architect
to the Government of Madras,

To
The Chief Engineer
Public Works Department

Sir,

Enclosures.

I have the honor to report that the latrine & urinals sanctioned in G.O. No. 1920 W dated the 2d July 1892 have been completed, I have had them locked up pending orders to make them over.

I have the honor to be
Sir
Your most obedient Servant
Henry Irwin
Consulting Architect
to Government

5

P.W. CURRENT No. 1025

Public Works Department.

From

THE CONSULTING ARCHITECT
TO THE GOVERNMENT OF MADRAS,

To

THE Chief Engineer
P.W.D.

No. 3277

Dated 25 February 1893.
Despatched
Received

NO. OF ENCLOSURES. –

Subject.

Reporting that the Latrine on the Sea shore and Urinal within the Fort for the use of the Secretariat clerks have been completed

---

Form No. 7.

507/5

HEADING Sanitary

QUARTER MASTER GENERAL'S OFFICE,
Ootacamund,
30th January 1893.

It is requested that the heading, number, and date of this communication may be quoted in any subsequent correspondence on this subject.

No. 147 M.W.

From

BRIGADIER-GENERAL E. H. EYRE,
QUARTER MASTER GENERAL,

To

THE SECRETARY TO GOVERNMENT,
MILITARY DEPARTMENT.

39

SIR,

With reference to P.M.G. No. 4596 of 25th July 1892, communicating G.O. P.W.D. No. 1920 W. of the 2nd Idem, sanctioning an Estimate for constructing a latrine on the sea-shore and a urinal within Fort St. George for the use of the Secretariat clerks, I am desired to report for the information of Government that the present General Officer Commanding Madras District and the Executive Engineer, Military Works have taken exception to the sites selected for these structures owing to the former being in full view of the Officers quarters on the sea face

face of the fort, and to the propinquity of the latter to the Royal Artillery and British Infantry Officers' Messes and to the fact of its being situated on one of the direct roads to the South Sea Gate.

2. The sites in question having been selected by a representative Committee composed as per margin and approved by the Commander-in-Chief and moreover some expenditure on the buildings having already apparently been incurred, His Excellency is of opinion that the sites previously approved should be utilized for the purpose, but His Excellency desires that orders may be issued in view to measures being taken to screen both buildings from view by means of bamboo fencing with creepers, fast growing trees and shrubs being also planted around them as may be practicable and to the strictest attention being given by the Establishment

tablishment

President

General Officer Commanding Madra

Members

Principal Medical Off
Madras District
Officer Command
2nd Somersetshire Lig
Infantry
Sanitary Commissi
Officer Commanding
Royal Artillery Fort
St. George
Deputy Assistant
Adjutant General
Madras District
Executive Engineer
Military Works

6 507 6 507

which it is presumed will be maintained for conserving these buildings, to keeping them clean and wholesome and thus preventing their proving a nuisance to the residents of Fort Saint George.

I have the honor to be,
Sir,
Your obedient Servant
L. H. Eyre Brigr. Genl.
Quartermaster-General

KD

the

P. W. CURRENT No. 1049

~~Military (1892) Department.~~

~~Current~~ No. ~~666~~

From

The Quarter Master General,

To

The Secretary to Government,
Military Department.

1 FEB. 93

No. 147 M.W.

Dated 30th } January 1893.
Received 1 } Feb

Recd. 6-2-93

ENCLOSURE.

Asking for the orders of Govt. questioning the site for the construction of a latrine on the sea shore & a urinal within Fort St. George for the use of the Secretariat clerks.

No. 2013C d/ 13-4-92 ✓
" 2506C " 13-5-92 ✓
" 2655C " 25-5-92 ✓
" 3108C " 18-6-92 ✓
" 1920W " 2-7-92 ✓
" 2171W " 5-8-92 ✓
" 4832C " 18-11-92 ✓
" 4923C " 23-11-92 ✓
" 5300C " 14-12-92 ✓

P.G. 14-11-90, No. 7016 K
— 11-3-91 — 1490 K
— 25-7-92 — 4596 K

50

Fort Saint George
3rd February 1893.

No. 813.

Transferred to the Public Works Department for favor of disposal.

Brig.
Secy. to Govt. M. D.

To
The Public Works Deptt.

7

807
~~7~~

P. W. DEPARTMENT.

READ the following:—

Endorsement in the Military Dept on letter from the Quarter Master General No. 147. M. W. d/ 30th January 1893. } No. 813 d/ 3. February 93

FOR ORDERS.

In his letter No. 3277 d/ 2nd February 1893, attached, the Consulting Architect reports the completion of these latrines and asks orders as to the officer to whom they are to be handed over. This point should apparently be settled in the Public Department to which Department the Consulting Architect's letter might be transferred.

As regards the erection of screens and the planting

the

Hm/

of shrubbery and its
subsequent maintenance,
the Consulting Architect
would perhaps be the
best officer to entrust
the work to, but measures
of conservancy must
apparently be under
the departmental
officer in charge.
As regards the urinal
the bamboo fencing
could be put up at
once and the ~~latrines~~ building
might then be brought
into use. The shrubbery
will of course take
some time to become
effective — As regards
the latrine I suggest that it
shall have a bank put
round it on all sides except
that facing the [illegible] of
such a height as to screen
it from the upstairs rooms
in the front buildings — this
can be carried out at a
few
small cost &
days
in a short time.

J.W.
7/2/92

FOR ORDERS.

No objection to such a bank
if it is feasible. But it
would have to be very high
if it to be made of sand. I do
not think it is feasible

Ubo
8/2

I ought to have said that
I had previously spoken to the
Consulting Architect on the
subject & that he had
agreed with me that it
is feasible, using some of the
large quantity of brickwork
debris near the spot.

J. 9/2/92

7/2 R 9/2

G. [illegible]

507
10498

507
507 W
27/2

Submitted for peru=
=sal before being sent to
the Milty dept. for counter=
=initials.

R.W.
11/2/92

Mark

No 507 W dd/21 February 1893.

507/10 507/10 507/10

PUBLIC WORKS DEPARTMENT.

MADRAS GOVERNMENT.

READ the following

[illegible] No 3277 d/ 2nd Feby/93
" 813 d/ 3rd Feby/93

60

507 9

[illegible] trellis [illegible]
be [illegible] better works
screen round the
urinal & a hedge round
the Latrine – is a G.O.
necessary or will it
be sufficient to send
the papers with instructions
to C.E.?

9/2/93

W

A G.O. will, I think, be
necessary. The papers
have been laid before Govt.
and the proposal has been
approved. The débris belongs
I think to the Municipality,

4th

. The question as to
officer to whom the
ines should be
ded over will be
red to the Public

The erection of
ns, and the planting
of Shrubbery, as well as
their subsequent main-
tenance will be un-
taken by the C.
Architect to Go

3. As regards the
urinal, the proposed
trellis work ~~bamboo fencing~~ should
be put up at once, and
the

Dept., and the counter-initials of the Secretary in that Dept. would thus be unnecessary

9.II.93

Very well –

Accordingly

10/2/93

No. 507. W. d/ 21 bruary 1893.

507/10

PUBLIC WORKS DEPARTMENT.

507/10 507/10 507/10

PROCEEDINGS OF THE MADRAS GOVERNMENT.

READ the following

From the Consg: Archt: to Govt. H.C. No. 3277 d/ 2nd Feby:/93

" " Mily: Department " " 813 d/ 3rd Feby:/93

68

The question as to the officer to whom the latrines should be handed over will be referred to the Public Dept:

2. The erection of screens, and the planting of Shrubbery, as well as their subsequent maintenance will be undertaken by the C. Architect to Go

H.W. 4/2b

3. As regards the urinal, the proposed ~~bamboo fencing~~ trellis work should be put up at once, and the

the building can then be brought into use:

To screen the latrine a bank composed of the brick work débris on the spot should be raised. The bank should enclose the latrine on all sides except that facing the sea and should be of sufficient height to screen the building from the up-stair rooms of the houses in the Fort.

11/2/93

21/2/93

2/3

12 Febr.

11/2

23/2 & 24/2

To

The C. A. to Gov

" Public Dept

" Mily: Dept.

The Hon'ble the Chief Secy: to Government }
The Secy: to Govt: Mily. Dept. } For favour of counter initials

C No. 1025/1049

Govt. of {1893} Madras.
PUBLIC WORKS.

Dated

Recd.

Enc.

G.O. 27 Feby 1893 No. 507 W

Latrines -

The question as to
the officer to whom
the - constructed for
Secretariat Clerks in
Fort St. George should
be handed over
ordered to be referred
to the Public dept,
and passing orders
with respect to screening
these buildings from
view from the certain ~~Fort~~
officers' quarters in
the Fort.

1-7