(1) பக்கங்களின் எண்ணிக்கை 208

(2) புதுக்கித் திருப்பிய நாள் 6.6.90

(3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம்

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

P.W.D. துறை

அரசாணை எண். மு. கோப்புத் தாள் எண். 1772	அச்சகம் பலவகை
நாள் : 8.7.1883	198 .

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

தூவண. கா-1—18,000—15-6-87.

1772
1

Enclosure to Director General of Railways' Circular No. 1 of 1892

P.W. E.1 6005/93

RATE LIST.

CLASS G.

TOOLS AND STORES.

FOR 1890.

G. C. Press, Simla.—No. 1248 P. W. D.—21-3-92.—983.

1772
2

Enclosure to Director General of Railways' Circular No. 1 of 1892.

RATE LIST.

CLASS G.

TOOLS AND STORES.

FOR 1890.

1772
3

INDEX.

	Page.
CLASS G.—(*a*) Tools with Appendices A, B, C, and D	1 to 44
„ „ (*b*) Stores—	
(1) Hardware, Copper, Tin, Zinc and Zincware	45—68
(2) Lamps and Lamp fittings	69—74
(3) Leather and India-rubber goods	75—78
(4) Metals	79—128
(5) Painters' Stores	129—134
(5) Timber	135—
(7) Fuel	*Nil.*
(8) Furniture for Stations, Offices and Refreshment-rooms ...	136—140
(9) Cloth, Clothing and Equipment	141—143
(10) Miscellaneous	141—156
(11) Stationery	157
(12) Drawing, Mathematical and Surveying Instruments ...	*Nil*
(13) Printing Press and Materials	158

1722
4

CLASS G.

TOOLS AND STORES.

a.—Tools.

FOR 1890.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Carpenter's, screwed eyed—					
4068	1-11-90	Augurs.	¼″	...	8	6	Doz.	
3594	19-6-90		⅜″					
,,	,,		5/16″	...	8	3	,,	
,,	,,		½″					
4068	1-11-90		½″	...	8	6	,,	
,,	,,		⅝″	...	9	6	,,	
3358	21-3-90		⅝″	...	10	0	,,	
3333	12-3-90		⅝″	...	9	10	,,	
3645	3-7-90		⅝″	...	9	9	,,	
4068	1-11-90		¾″	...	11	3	,,	
3358	21-3-90		¾″	...	12	0	,,	
4068	1-11-90		⅞″	...	13	0	,,	
3645	3-7-90		1″	...	14	3	,,	
4068	1-11-90		1″	...	14	0	,,	
,,	,,		1¼″	...	17	3	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3661	3-7-90	Axes.	Carpenter's, 4 lbs. per head	1	3	0	Doz.	
„	„		„ 3 „ „	1	1	0	„	
„	„		Long, felling, 4½ lbs.	2	2	0	„	American.
3911	10-10-90		„ „ with hickory handles					
3719	17-7-90		Pick, 7 lbs., with solid eye	0	17	3	„	
3994	21-10-90		„ 6½ „ „ „	0	16	6	„	
4122a	7-11-90	Bars, crow.	Plain, 6′ × 1½″ diameter	0	5	8	Each.	
4067	23-10-90		„ 4′ × 1¼″, 20 lbs. each	0	4	0	„	Claws to be suited for drawing out spikes.
„	„		Clawed, 4′ × 1¼″, 20 lbs. each					
3719	17-1-90	Beaters.	Platelayer's, 8 lbs., with solid eyes	0	1	8½	Each.	
3994	21-10-90		„ 7 „ „ „	0	1	6	„	
3775	16-8-90		„ 1½ „ „ „ and best cast steel welded in the ends ...	0	1	7½	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Or drills (spare) for ratchet braces, 5½″ long—					
3465	15-5-90	Bits.	1″	0	8	0	Doz.	
3915	10-10-90		1″	0	7	0	„	
3702	10-10-90		1″	0	6	0	„	
4014	23-10-90		1″	0	8	0	„	
3915	10-10-90		1⅛″	0	7	0	„	
3465	15-5-90		¾″					
3915	10-10-90		¾″	0	6	0	„	
4014	23-10-90		¾″	0	8	0	„	
„	„		¼″					
3465	15-5-90		⅛″	0	7	0	„	
4014	23-10-90		⅜″	0	8	0	„	
3465	15-5-90		⅜″					
3915	10-10-90		⅜″	0	6	0	„	
4014	23-10-90		⅜″	0	8	0	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3465	15-5-90	Braces.	Ratchet 12″ with drills ¼″ to 1″, 8 to a set	0	12	8	Each.	
,,	,,		,, 15″ ,, ¼″ to 1½″, 9 to a set	0	15	3	,,	
3702	10-7-90		,, 15″ ,, ¼″ to 1¾″, 11 to a set	0	16	3	,,	
3915	10-10-90		,, 15″ ,, ¼″ to 1¾″, 11 to a set					
3360	21-8-90		,, 16″ ,, ¼″ to 1½″, 9 to a set	0	16	6	,,	
4014	23-10-90		,, 16″ ,, ¼″ to 1½″ rising by $\frac{1}{16}$, 15 to a set	1	0	8	,,	
3576	13-6-90		,, 18″ ,, ¼″ to 1″, 8 to a set	0	18	0	,,	
3779	21-8-90		,, 16″, without bits	0	10	6	,,	
,,	,,		,, 18″ ,, ...	0	12	0	,,	
3518	30-5-90	Brushes.	Banister, single length, with handle, 16″	1	1	0	Doz.	
3777	16-8-90		,, ,, ,, ...					
3518	30-5-90		,, double length, handle, 16″	2	5	0	,,	
3777	16-8-90		,, ...	1	18	0	,,	
3187	24-1-90		,, or dusting carriage	1	3	0	,,	
3950	15-10-90		,, for dusting carriage	1	7	0	,,	
3692	8-7-90		Camel hair, for lettering, fitted with cedar sticks, large, goose... ...	0	2	0	,,	
3448	9-5-90		,, ,, ...	0	18	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3692	8-7-90	Brushes—*contd.*	Small duck	0	1	0	Doz.	
3448	9-5-90		,, ,, ...	0	15	0	,,	
3950	15-10-90		Broom head, 9″, for washing carriages...	0	2	0	,,	
			Tool, sash, English, best quality—					
3518	30-5-90		No. 1	0	2	0	,,	
3792	28-8-90		,, 1	0	1	8	,,	
3971	17-10-90		,, 1					
3828	11-9-90		,, 2	0	2	0	,,	
,,	,,		,, 4	0	2	6	,,	
3971	17-10-90		,, 4	0	3	6	,,	
3792	28-8-90		,, 6	0	6	8	,,	
3828	11-9-90		,, 6	0	4	6	,,	
3971	17-10-90		,, 7	0	9	3	,,	
3828	11-9-90		,, 8	0	7	0	,,	
3792	28-8-90		,, 9	0	13	2	,,	
3957	15-2-90		,, 9	0	10	0	,,	
3971	17-10-90		,, 9	0	13	4	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Tools, sash, English, best quality—*contd.*					
3828	11-9-90		No. 10	0	11	0	Doz.	
3792	28-8-90		„ 12	1	2	0	„	
3957	16-2-90		„ 12	0	14	0	„	
3971	17-10-90		„ 12	1	2	0	„	
3792	28-8-90		„ 13	1	5	0	„	
3957	16-2-90		„ 13	0	18	0	„	
3971	17-10-90		„ 13	1	5	0	„	
3792	28-8-90		„ 14	1	8	0	„	
3971	17-10-90	Brushes—*contd.*	„ 14	1	8	0	„	
3518	30-5-90		Tool, swan quilled	0	2	6	„	
3768	14-8-90		Liners, brown sable hair, duck	0	3	8½	„	Fitted with cedar stick.
3971	17-10-90		Mexican fibre, 10″	0	14	0	„	
3518	30-5-90		Paint ground, No. 0	0	15	6	„	
3828	11-9-90		„ „ „ 2	0	14	0	„	
3957	16-10-90		„ wire bound, large, No. 2					
„	„		„ „ middling, No. 4	0	9	0	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3971	17-10-90		Scrubbing, 10″ (Albert)	1	10	0	Doz.	
3617	26-6-90		„ 10″, Mexican fibre	0	7	0	„	
„	„		„ 10″, hand	1	1	0	„	
3592	19-6-90		Wire steel, without handles, 7½″, for foundry, 6 rows	0	14	3	„	
„	„		„ flat, for clearing castings, 5 rows	0	11	0	„	
3592	19-6-90		„ round	0	11	3	„	
3768	14-8-90		Writers, red, sable hair crow	0	2	3½	„	Fitted with cedar sticks.
„	„	Brushes—*contd.*	„ „ goose	0	8	11	„	
„	„		„ „ long haired goose, ½″ out...	0	9	8½	„	
„	„		„ „ goose, large	0	12	2	„	
„	„		„ „ swan, large	2	8	2	„	
„	„		Varnish, flat, 2½″ wide	1	5	0	„	
3540	5-6-90		„ „ 1½″ „	0	14	0	„	
„	„							
4011	23-10-90		Double end, 6″	0	2	4	Each.	
„	„	Callipers.	Plain 6″	0	1	4	„	
„	„		Spring 6″	0	2	8	„	

9/12/21

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
4068	1-11-90	Chisels.	Chipping, 9″ × 1″	0	9	0	Doz.	
4044	29-10-90		Carpenter's, 1¼″ double ferruled	0	12	6	„	
3981	21-10-90		Cold set, for cutting rails, 1½″	1	1	0	„	
3594	19-6-90		„ „ „ „ 1¼″ with rod	0	14	0	„	
4068	1-11-90		Cross cut, 9″ long, tapering 1″ to ½″	0	9	0	„	
3308	28-2-90		Firmer, flat, double ferrule, 1″	0	8	6	„	
3594	19-6-90		Firmer, flat, double ferrule, 1¼″	0	10	0	„	
„	„		„ „ „ 1¼″	0	11	6	„	
3308	28-2-90		„ „ „ 1½″	0	14	0	„	
„	„		„ „ „ 2″	0	19	0	„	
3594	19-6-90		„ „ single ferrule, ¾″	0	4	3	„	
„	„		„ „ „ ½″	0	4	9	„	
„	„		„ „ „ ⅜″					
„	„		„ „ „ ¼″	0	4	6	„	
4068	1-11-90		Flat, cold, 8″ × 1″	0	8	0	„	
4101	7-11-90		Lathe, 1″ flat, handled	0	8	6	„	
„	„		„ ¾″ „ „	0	6	6	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
4101	7-11-90	Chisels—*contd.*	Lathe, ½″ flat, handled	0	6	0	Doz.	
3594	19-6-90		„ ½″ handled flat for wood turning	0	5	6	„	
4068	1-11-90		Morticing, ¼″ to 1″, *viz.*, ¼″, ⅜″, ½″, ⅝″, ¾″ and 1″	0	17	0	„	
„	„		Half round ¼″ to 1″, *viz.*, ¼″, ⅜″, ½, ⅝, ¾ and 1	0	7	9	„	
3594	19-6-90		Round, ¾″, handled, for wood turning	0	7	6	„	
„	„		„ ¼″ „ „ „	0	5	6	„	
3594	19-6-90	Combs ...	Carding, for cleaning files, 6″ wide	0	0	4½	L. feet.	
3528	2-6-90	Crucibles.	Plumbago, 100 lbs.	0	12	6	Each.	
„	„		„ 80 „ Morgan's patent	0	10	0	„	
3816	9-9-90		„ 60 „	0	7	6	„	
3280	27-2-90		„ 60 „ Salamander brand	0	15	0	„	
3459	14-5-90		„ 60 „					
3694	8-7-90		Plumbago No. 60 Morgan's patent...	0	10	0	„	
3459	14-5-90		„ „ 40	0	5	0	„	
3816	9-9-90		„ „ 40 Salamander brand	0	2	6	„	
„	„		„ „ 20					

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3963	16-10-90	Diamonds ...	Glazier's, for cutting plate glass and plain glass	0	14	3	Each.	
3981	21-10-90	Drivers ...	Screw, 10″ blades	0	12	0	Doz.	
3769	14-8-90	Expanders.	Tube 2½″, Dudgeon's patent...	4	10	0	Each.	40 per cent. discount allowed.
,,	,,		,, 2½″ ,, ...	6	0	0	,,	
3595	19-6-90	Files.	*Block*— Bastard, 6″ × 2″ × 2″	7	10	0	Doz.	
			Equalling, cut edges—					
3797	30-8-90		Rough, 16″	2	15	6	,,	
,,	,,		Bastard, 16″	2	15	0	,,	
,,	,,		Rough, 16″	2	10	6	,,	
,,	,,		Smooth, 16″	3	3	0	,,	
			Flat—					
,,	30-6-90		Rough, 14″	1	10	0	,,	
			Bastard, 4″	0	4	9	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Flat—					
			Bastard—*contd.*, 6″	0	7	0	Doz.	
			8″	0	10	6	,,	
			10″	0	15	0	,,	
			12″	1	1	6	,,	
			14″	1	10	0	,,	
			16″	2	3	0	,,	
		Files.—*contd.*	Second cut, 10″	0	17	0	,,	
3797	30-10-90		12″	1	4	0	,,	
			14″	1	13	0	,,	
			15″	1	19	0	,,	
			Smooth, 4″	0	6	9	,,	
,,	,,		6″	0	9	6	,,	
			8″	0	13	6	,,	
			Smooth, 10″	0	19	0	,,	
,,	,,		12″	1	6	6	,,	
			14″	1	16	0	,,	
			16″	2	12	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3326	7-3-90	Files.—*contd.*	Flat, 8" topping, one edge rounded, and one safe edge	0	15	3	Doz.	For saw sharpening.
			Flat, parallel, one safe edge—					
"	"		Rough, 6"	0	8	6	"	
3595	19-6-90		" 6"					
3930	10-10-90		" 6"	0	3	2	"	
3326	2-3-90		Bastard, 14"	1	16	0	"	
3595	19-6-90		" 14"					
3930	10-10-90		" 14"	0	13	6	"	
3326	7-3-90		" 16"	2	10	0	"	
3595	19-6-90		" 16"					
3930	10-10-90		" 16"	0	18	9	"	
			Flat, parallel, one safe edge—					
3595	19-6-90		Smooth, 8"	0	15	6	"	
3326	7-3-90		" 8"					
3930	10-10-90		" 8"	0	5	10	"	
3326	7-3-90		" 14"	2	2	0	"	
3595	19-6-90		" 14"					

12

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Flat, parallel, one safe edge—contd.					
3930	10-10-90		Smooth, 14"	0	15	9	Doz.	
3326	7-3-90		" 16"	3	3	0	"	
3595	19-6-90		" 16"				"	
3930	10-10-90		" 16"	1	3	8	"	
			Flat, taper—					
3549	6-6-90	Files—*contd.*	Rough, double cut, 6"	0	2	8	"	
"	"		" 14"	0	11	3	"	
3357	21-3-90		" 14"	0	11	7	"	
"	"		" 16"	0	16	8	"	
3549	6-6-90		" 16"	0	16	5	"	
"	"		" 18"	1	2	8	"	
3549	6-6-90		Bastard, double cut, 12"	0	8	1	"	
3826	11-9-90		" 12"	1	1	6	"	
3357	21-3-90		"	0	11	7	"	
3826	11-9-90		" 14"	1	10	0	"	
3357	21-3-90		" 16"	0	16	8	"	
3549	6-6-90		" 16"	0	16	2	"	

13

1727

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Files—*contd.*	*Flat, taper*—					
4033	25-10-90		Bastard, double cut, 16″	2	3	0	Doz.	
4047	30-10-90		,, 16″	0	16	1	,,	
			Second cut, double cut, 6″	0	3	1	,,	
			,, 8″	0	4	6	,,	
3549	6-6-90		,, 10″	0	6	4	,,	
			,, 12″	0	9	0	,,	
			,, 16″	0	17	7	,,	
			,, 18″	1	4	4	,,	
3196	25-1-90		Smooth cut, double cut, 6″	0	4	3	,,	
3549	6-6-90		,, 8″	0	5	1	,,	
,,	,,		,, 10″	0	7	0	,,	
3826	11-9-90		Smooth, double cut, 10″	0	10	0	,,	
3549	6-6-90		,, 12″	0	10	0	,,	
3826	11-9-90		,, 12″	1	6	6	,,	
,,	,,		,, 14″	1	16	0	,,	
3549	6-6-90		,, 16″	0	19	6	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Files—*contd.*	*Flat, taper*—					
4033	25-10-90		Smooth, double cut, 16″	2	12	0	Doz.	
3549	6-6-90		,, 18″	1	7	9	,,	
4047	30-10-90		,, 18″					
			Four square—					
,,	,,		Rough, 16″	0	16	1	,,	
3326	7-3-90		Bastard, 6″	0	7	0	,,	
,,	,,		,, 7″	0	8	6	,,	
,,	,,		,, 8″	0	10	6	,,	
,,	,,		,, 12″	1	1	6	,,	
,,	,,		,, 14″	1	10	0	,,	
3797	30-8-90		,, 14″					
3326	7-3-90		,, 16″					
3797	30-8-90		,, 16″ × ¼″	2	3	0	,,	
,,	,,		,, 16″ × ½″					
3326	7-3-90		,, 18″	3	0	0	,,	

15

1222/12

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Files—*contd.*	*Four square—*					
3548	6-6-90		Smooth, double cut, 14″	0	13	6	Doz.	
			Four square, taper—					
3540	6-6-90		Rough, double cut, 8″	0	4	0	,,	
,,	,,		,, ,, 12″	0	8	1	,,	
,,	,,		,, ,, 14″	0	11	3	,,	
,,	,,		,, ,, 16″	0	16	2	,,	
,,	,,		,, ,, 18″	1	2	6	,,	
3826	11-9-90		Bastard, ½″ × 16″	2	3	0	,,	
,,	,,		,, ½ × 12″	1	1	6	,,	
3549	6-6-90		Second cut, 10″	0	6	4	,,	
,,	,,		,, 12″	0	9	0	,,	
,,	,,		,, 14″	0	12	4	,,	
,,	,,		,, 16″	0	17	7	,,	
,,	,,		,, 18″	1	4	4	,,	
			Four square, taper, double cut—					
3549	6-6-90		Smooth, 14″	0	13	6	,,	

16

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Files—*contd.*	*Half round—*					
3797	30-8-90		Rough, 12″	1	1	6	Doz.	
4047	30-10-90		,, 12″	0	8	1	,,	
3797	30-8-90		,, 14″	1	10	0	,,	
3930	10-10-90		,, 14″	0	11	3	,,	
3797	30-8-90		,, 16″	2	3	0	,,	
,,	,,		Bastard, 4″	0	4	9	,,	
,,	,,		,, 6″	0	7	0	,,	
,,	,,		,, 8″	0	10	6	,,	
,,	,,		,, 10″	0	15	0	,,	
,,	,,		,, 12″	1	1	6	,,	
3326	7-3-90		,, 14″	1	10	0	,,	
3797	30-8-90		,, 14″	1	10	0	,,	
3930	10-10-90		,, 14″	0	11	3	,,	
4033	25-10-90		,, 14″	1	10	0	,,	
3326	7-3-90		,, 16″	2	3	0	,,	
3797	30-8-90		,, 16″					

17

772/13

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Half round—contd.					
3930	10-10-90		Bastard, 18″	0	16	2	Doz.	
4033	25-10-90		,, 16″	2	3	0	,,	
3826	7-3-90		Second cut, 16″	2	7	0	,,	
,,	,,		,, 16″	1	13	0	,,	
3930	10-10-90		,, 16″	0	17	8	,,	
4033	25-10-90		Smooth, 5″	0	8	3	,,	
3797	30-8-90		,, 6″	0	9	6	,,	
,,	,,	Files—*contd.*	,, 10″	0	19	0	,,	
,,	,,		,, 12″	1	6	6	,,	
,,	,,		,, 14″	1	16	0	,,	
3930	10-10-90		,, 14″	0	13	6	,,	
3326	7-3-90		,, 16″					
3797	30-8-90		,, 16″	2	12	0	,,	
4033	25-10-90		,, 16″					
4047	30-10-90		,, 16″	0	19	6	,,	
3797	30-8-90		Dead smooth, 12″	2	0	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Half round, taper—					
3549	16-6-90		Rough, double cut, 8″	0	4	0	Doz.	*Note.*—On Contract 3826 a discount of 62½ per cent. is allowed.
,,	,,		,, ,, 12″	0	8	1	,,	
,,	,,		,, ,, 14″	0	11	3	,,	
,,	,,		,, ,, 16″	0	16	2	,,	
,,	,,		,, ,, 18″	1	2	5	,,	
,,	,,		Bastard, ,, 12″	1	1	6	,,	
3826	11-9-90		,, ,, 14″	1	10	0	,,	
,,	,,		,, ,, 14″					
3595	19-6-90		,, ,, 16″	2	3	0	,,	
,,	,,		,, ,, 16″	0	16	2	,,	
3549	6-6-90	Files—*contd.*	Second cut, double cut, 8″	0	4	6	,,	
3549	6-6-90		,, ,, 12″	0	9	0	,,	
,,	,,		Smooth ,, 8″	0	5	1	,,	
,,	,,		,, ,, 10″	0	7	0	,,	
,,	,,		,, ,, 10″	0	1	0	,,	
3826	11-9-90		,, ,, 12″	1	6	6	,,	
,,	,,		,, ,, 14″	0	13	6	,,	
3549	6-6-90							

272/14

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Half round, taper—contd.					
3595	19-6-90		Smooth, double cut, 14″	1	16	0	Doz.	
3826	11-9-90		,, ,, 14″					
3549	6-6-90		,, ,, 16″	0	19	6	,,	
3595	19-6-90		,, ,, 16″	2	12	0	,,	
			Hand—					
3549	6-6-90		Rough, double cut, 12″	0	9	4	,,	
,,	,,		,, ,, 16″	0	19	0	,,	
4047	20-10-90		,, ,, 16″	0	19	0	,,	
3549	6-6-90		,, ,, 18″	1	6	9	,,	
4047	20-10-90	Files—*contd.*	,, ,, 18″	1	5	8	,,	
			Hand—					
3549	6-6-90		Bastard, double cut, 16″	0	18	9	,,	
4047	30-10-90		,, ,, 16″	0	18	9	,,	
3549	6-6-90		Smooth double cut, 18″	1	11	6	,,	
			Parallel cotter—					
3826	11-9-90		Bastard, 1¼″ × ¼″ × 14″	1	16	0	,,	
,,	,,		,, 1″ × ¼″ × 14″					

20

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Rasp, flat—					
4033	25-10-90		Bastard, 14″	1	10	0	Doz.	
,,	,,		Smooth, 14″	1	16	0	,,	
			Round—					
4047	30-10-90		Rough, 16″	0	16	1	,,	
3797	30-8-90		,, 16″	2	3	0	,,	
4033	25-10-90		Bastard, 14″	1	10	0	,,	
3797	30-8-90		,, 16″ × ⅜″	0	2	3	,,	
,,	,,		,, 16″ × ¾″					
4033	25-10-90	Files—*contd.*	Smooth, 14″	1	16	0	,,	
			Round, taper—					
3549	6-6-90		Rough double cut 6″	0	2	8	,,	
,,	,,		,, ,, 8″	0	4	0	,,	
,,	,,		,, ,, 10″	0	5	7	,,	
,,	,,		,, ,, 12″	0	8	1	,,	
,,	,,		,, ,, 14″	0	11	3	,,	
,,	,,		,, ,, 16″	0	16	2	,,	
,,	,,		,, ,, 18″	1	2	5	,,	

21

1272/15

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Round, taper—contd.					
3326	7-3-90	Files—*contd.*	Bastard 14″ × ⅜″	1	16	0	Doz.	
3595	19-6-90		„ 14″ × ⅜″					
3930	10-10-90		„ 14″ × ¼″	0	13	6	„	
3826	11-9-90		„ 16″ × ½″	2	8	0	„	
3326	7-3-90		„ 16″ × ⅜″	2	10	0	„	
3595	19-6-90		„ 16″ × ⅜″					
3326	7-3-90		„ 18″ × 1″	3	8	0	„	
3595	19-6-90		„ 18″ × 1″					
3930	10-10-90		„ 18″ × 1″	1	5	6	„	
3326	7-3-90		Bastard 6″ × ¼″	0	7	0	„	
3930	10-10-90		„ 7″ × ¼″	0	2	10	„	
3326	7-3-90		„ 8″ × ¼″	0	18	0	„	
3826	11-9-90		„ 10″ × ⅜″	0	15	0	„	
3595	19-6-90		„ 10″ × ½″	0	18	0	„	
3326	7-3-90		„ 10″ × ½″					
3826	11-9-90		„ 12″ × ½″	1	1	6	„	
3930	10-10-90		„ 12″ × ½″	0	8	1	„	

22

CLASS OF STORES. G—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Round, taper—concld.					
3326	7-3-90	Files—*contd.*	Bastard, 12″ × ½″	1	5	0	Doz.	
3930	10-10-90		„ 14″ × ½″	0	11	3	„	
3549	6-6-90		Second cut, 8″	0	4	6	„	
„	„		„ 12″	0	[illegible]	0	„	
3326	7-3-90		Smooth, double cut, 8″	0	13	0	„	
3549	6-6-90		„ „ 8″	0	5	1	„	
„	„		„ „ 14″	0	13	6	„	
„	„		„ „ 16″	0	19	6	„	
			Saw—					
4033	25-10-90		Bastard, 6″	0	7	6	„	
3826	11-9-90		Taper, double cut, 8″	0	13	6	„	
3357	21-5-90		Triangular, 6″	0	3	0	„	
			Square—					
3797	30-8-90		Rough, 14″	1	10	0	„	
„	„		„ 16″	2	3	0	„	
3797	30-8-90		Smooth, 14″	1	16	0	„	
„	„		„ 16″	2	3	0	„	

23

1772/16

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3826	7-3-90	Files—*contd.*	Three square, 8″, for saw sharpening	0	12	0	Doz.	
3826	11-9-90		*Three square, taper*—					
,,	,,		Smooth, 12″	1	10	0	,,	
3549	6-6-90		Bastard	1	16	0	,,	
,,	,,		Saw, second cut, double cut, 7″	0	4	6	,,	
3549	6-6-90		,, ,, ,, ,, 10″	0	7	10	,,	
,,	,,		Smooth, double cut, 5″	0	3	4	,,	
,,	,,		,, ,, 8″	0	5	10	,,	
3797	30-8-90		*Topping*—					
,,	,,		Safe edge, 12″	0	9	0	,,	
			Left at point, one safe edge, double cut, 10″	0	18	6	,,	
			Second cut, double cut, 10″	0	18	6	,,	
4101	7-11-90	Gauges.	Carpenter's marking 1″	0	4	6	Doz.	
3873	2-10-90		Screw, thread (L. S. Slarelts Athol, Mass.)	0	3	2	Each.	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3973	18-10-90	Hammers.	Claw, carpenter's, handled	0	2	2	Each.	
3836	11-9-90		Chipping, ball, pene, 1½ lbs. each	0	0	9	,,	
3262	20-2-90		,, ,, 2 ,, ...	0	1	2	,,	
,,	,,		,, Cross, pene, 2 ,, ...	0	1	2	,,	
3545	6-6-90		Flogging, solid, cast steel, 6 lbs.	0	0	4½	,,	
3663	3-7-90		Joiner's, hand, steel, 1 lb., handled	0	1	6	,,	
3973	18-10-90		,, ,, cast steel, 1½ lbs.	0	1	11	,,	
,,	,,		Keying, platelayer's, 4 to 5 lbs.	0	1	6	,,	
3663	3-7-90		Sledge, well steeled, 10 lbs.	0	2	4	,,	
3973	18-10-90		,, ,, 10 ,, ...	0	2	5½	,,	
,,	,,		,, ,, 14 ,, ...	0	3	6	,,	
,,	,,		Spiking, platelayer's, cast steel, 10 lbs.	0	2	6	,,	
3663	30-7-90		,, ,, ,, 13 ,, ...	0	3	4	,,	
,,	,,		Stone-breaking, 3 lbs.	0	0	11	,,	
3262	20-2-90		,, ,, ,, ...	0	0	11½	,,	
3973	18-10-90		,, ,, ,, ...	1	14	9	Cwt.	

1722/17

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3594	19-6-90	Handles.	File	0	1	4	Doz.	
3770	14-8-90		Hammer, ashwood, 16"	0	0	10	„	
„	„		„ „ 18"	0	1	6	„	
„	„		„ „ 20"	0	1	7	„	
„	„		„ „ 30"	0	3	0	„	
„	„		„ „ 36"	0	3	3	„	
3741	28-7-90		For quarter hammers, 36", (ashwood)	0	5	6	„	
3170	15-1-90	Jumpers ...	Steel, 7 feet 1 inch, chisel points	0	4	9	Each.	
„	„		„ 7 „ 1½ „ „	0	9	0	„	
3644	3-7-90	Levels.	Spirit, with wooden stands, 14"	1	7	0	Doz.	
3954	16-10-90		„ „ „ 14"	1	19	6	„	Plated top and bottom.
4026	25-10-90		„ „ „ 14"					Double plate.
4037	28-10-90		„ „ „ 12"	1	4	0	„	Single plate.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3285	27-2-90	Mops.	Washing, worsted, coloured, without handles					
3623	30-6-90		„ „ „ „ „	0	10	6	Doz.	
3884	3-10-90		„ „ „ „ „					
3580	14-6-90	Needles ...	Bent, for trimmers	0	10	6	%	
„	„	Nippers ...	Ticket, to cut V out of the ticket, without numbers	0	1	9	Pair.	
3594	19-6-90	Planes.	Jack, 12", double iron, 2¼" blade	0	3	5	Each	
			„ 14", „					
			„ 18", „	0	3	8	„	
			„ 24", „ 2½" blade	0	4	6	„	
			Rabbetting 9", „ 1½" „	0	1	10	„	
			Smoothing 6", „ 2" „	0	2	6	„	
			„ 8", „ 2¼" „	0	2	10	„	

98/2271

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
4101	7-11-90	Planes—*contd.*	Smoothing, 8″, double iron	0	2	9	Each.	
3594	19-6-90		„ 10″, „ 2¼″	0	3	6	„	
„	„		„ 6″, single iron 2″	0	1	7	„	
„	„		„ 7″, „ 2″					
4101	7-11-90		Trying, smooth, with double blades, 12″	0	3	4	„	
„	„		„ „ „ „ 18″	0	3	4	„	
3799	1-9-90		Iron double, 2¼″, for smoothing planes	6	0	10½	„	
3272	22-2-90	Plowrahs.	All steel, solid eyes, 4 lbs. each	0	10	3	Doz.	
3626	30-6-90		„ „ „	0	10	0	„	
4157	14-11-90		„ „ „	0	13	0	„	Cow brand.
4188	12-12-90	Picks ...	Universal, mining, 3 lbs., Hardy's Patent	0	15	6	Doz.	
2575	13-6-90	Pencils ...	Carpenter's, oval	0	0	8	Doz.	
			„					

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3358	21-3-90	Pliers.	Cutting and bending, 6″	0	1	5	Pair.	
3913	10-10-90		Flat nosed	1	1	0	Doz.	
„	„		Round nosed					
4081	5-11-90		8″ to cut wire from 1/12″ to ¼″	0	4	0	Pair.	
3799	1-9-90		Wire cutting, 8″, to cut wire from 1/16″ to ⅛″	0	3	0	Each.	
„	„		„ „ giant, to cut ¼″ wire	0	10	6	„	
3594	19-6-90	Punches ...	Leather, round hole, ¼″	0	11	6	Doz.	
3466	15-5-90	Rules.	Carpenter's; boxwood, 2 feet, 4 fold, with brass slides	1	11	0	Doz.	
3573	13-6-90		„ „ „ „					
3615	3-7-90		„ „ „ „	0	18	0	„	
3799	1-9-90		„ „ „ „ plain					
3878	3-10-90		„ „ „ „	0	18	6	„	
3983	21-10-90		„ „ „ „	0	18	0	„	
„	„		„ „ „ two-fold	0	17	0	„	
3608	23-6-90		Smith's, steel, Chesterman's, 12″	0	12	0	„	
„	„		„ „ „ 24″	0	11	0	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Blades, spare—					
3302	28-2-90		For frame saws, 6' 6" × 6" × 13 S. W. G.	0	8	0	Each.	
3210	30-1-90		„ rail saws	1	15	0	„	
			Band—					
3220	7-3-90		20' × 1¼" × 19 S. W. G.	0	13	6	„	
	„		20' × 1¼" × 21 „	0	12	6	„	
			Band, endless—					
3586	16-6-90		20' × ¾"	0	6	6	„	
„	„		20' × 1"	0	9	6	„	
„	„		20' × 1¼"	0	13	6	„	
3781	21-8-90		22' × 1¼" × 20 B. W. G.	0	11	0	„	
3586	16-6-90		20' × 2"	1	1	0	„	
3781	21-8-90		23' × 1¼" × 20 B. W. G.	0	9	0	„	
			Cross cut—					
3585	16-6-90		5' 6"×14 S. W. G.	0	4	9	„	
4020	25-10-90		2' 6"	1	10	0	„	
3549	19-6-90		Hack or bow, for cutting metal, 12", complete	0	6	2	„	

30

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Hand—					
3585	16-6-90		12"	0	1	1	Each.	
4118	7-11-90		16"	0	1	9	„	
3585	16-6-90		18"	0	1	8	„	
4029	25-10-90		18"	0	2	0	„	
4118	7-11-90		18"	0	1	10	„	
4029	25-10-90	Saws—*contd.*	24"	0	2	3	„	
3585	16-6-90		24"	0	2	6	„	
3881	3-10-90		24"	0	2	9½	„	
3585	16-6-90		30", half rip	0	10	0	„	
3885	3-10-90		Hat, 27" diar., 9 S. W. G., 2½" hole	4	3	0	„	
			Circular, London Tools—					
3302	28-2-90		48" diar. ×9 S. W. G., 2½" hole, 6" pitch	4	7	9	„	
3585	16-6-90		48" „ ×8 „ 2½ „ 2½" „	1	17	9	„	
4027	25-10-90		36" „ ×12 „ 1¾ „ 1¾ „	1	10	0	„	
3216	1-2-90		30" „ „ 1¼" „ 1¼" „	2	2	0	„	
3885	3-10-90		36" „ 9 „ 1¼" „					

31

17/22

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Circular, London Tooth—contd.					
3833	11-9-90		30″ diar. 12 S. W. G. 2″ hole 1½″ pitch	1	4	9	Each.	
4027	25-10-90		30″ „ 13 „ 1¼″ „ 1¼″ „	1	4	6	„	
3585	16-6-90		24″ „ 11 „ 1¼ „ 1¼″ „	0	15	7	„	
3833	11-9-90		24″ „ 13 „ 1¼″ „ 1¼″ „	0	15	6	„	
3585	16-6-90		20″ „ 14 „ 1¼″ „ 1″ „	0	11	8	„	
„	„		18″ „ 14 „ 1¼″ „ ¾″ „	0	9	9	„	
„	„	Saws—*contd.*	28″ „ 9 „ 2″ „ blade unground	0	15	6	„	For cutting hot iron.
			Hand—					
3881	3-10-90		24″	0	2	6	„	
4029	25-10-90		24″	0	2	3	„	
3885	3-10-90		*Hot*— 27″ diar. 9 S. W. G. 2½″ hole	0	10	0	„	
			Mill, or mill web, pitch of teeth ¾″					
3781	21-8-90		4′ 6″ × 5½″ × 14 B. W. G.	0	4	9	„	
„	„		5′ 3″ × 5½″ × 14 B. W. G.	0	5	2	„	
			Pit—					
4029	25-10-90		Blade 7′, No. 13 S. W. G.	0	8	9	„	
3833	11-9-90		„ 8′, No. 12 „	0	11	6	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3210	31-1-90	Saws—*contd.*	Rail, for use by hand	48	5	0	Each.	
3585	16-6-90		Tenon, 12″, iron back	0	1	10½	„	
„	„		„ 15″ „	0	2	3	„	
„	„		Vertical, 5′ 4″ × 5″, 12 S. W. G., ¾ pitch	0	5	3	„	
3323	7-3-90	Scissors.	Lamp, 6″	0	11	6	Doz.	
3880	3-10-90		„ 6″	0	14	6	„	
3645	3-7-90		„ 6″, English	0	10	6	„	
3358	21-3-90		„	0	12	0	„	
„	„		„ ordinary, middle size	0	9	0	„	
3594	19-6-90	Screw drivers.	9″ blades	0	7	6	Doz.	
3981	21-10-90		10″ „	0	12	0	„	
3594	19-6-81		12″ „	0	12	6	„	
„	„		14″ „	0	14	0	„	

12727/24

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3333	12-3-90	Sets cold.	With rods to cut steel rail size, 1½"	0	18	0	Doz.	
3645	3-7-90		" " "	0	19	0	"	
3913	10-10-90		" " "	1	2	6	"	
3645	3-7-90	Shears.	Garden	0	3	0	Each.	
4101	7-11-90		" 10" blades	0	3	0	"	
3598	21-6-90	Shovels.	Locomotive engine, 18" × 8½"	1	2	6	Doz.	
3301	28-2-90		Stoking, 16" long, 8" mouth, weighing 7½ lbs.	1	5	6	"	
3808	5-9-90		" 16" × 8", sides well dished, handled	0	19	6	"	
3986	21-10-90		" 16" × 8", weighing 7½ lbs., handled	1	3	0	"	
3801	1-9-90		Round nosed, 12" × 10", D-handled	0	17	9	"	
3800	1-9-90		Square " 12" × 10" "	0	19	0	"	
		Spanners.	Clyburn's, shifting or screw—					
3643	3-7-90		18"	4	8	0	Doz.	
3882	3-10-90		18"	5	16	0	"	
4031	23-10-90		18"	4	4	0	"	
"	"		12"	3	0	0	"	

34

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3643	3-7-90	Spanners—*contd.*	Double ended, W. I., 18" × 1⅞" jaw, for fish-bolts, nuts, for 41¼ and 50 lb. rails	1	14	0	Doz.	
3882	3-10-90		Double ended, W. I., 18" × 1⅞" jaw, for fish-bolts, nuts, for 41¼ and 50lbs. rails	2	6	0	Doz.	
4107	7-11-90		Platelayer's, single ended, 3 feet long × 1 3/16" diar., jaws 1" thick, to take hexagon or square nuts 1½" across the flats	2	16	0	"	
"	"		Single ended, suitable for 1¼" nuts across the flats	1	16	0	"	
"	"		" " " for 1½" nuts across the flats	2	8	0	"	
4028	25-10-90		" " 24" × 1⅞" jaw for fish-bolts	2	5	0	"	
3799	1-9-90	Squares.	Fitters T. 6"	0	1	10	Each.	
			" 8"	0	2	6	"	
			" 10"	0	2	10	"	
			" 12"	0	3	10	"	
3799	1-9-90	Stamps.	Steel, for iron figures, 1 to 0, ¼" (set of 9)	0	2	0	Set.	
"	"		" letters A to Z ¼	0	8	6	"	
4101	7-11-90		" ¼" square, to mark I. S. R.	0	2	0	"	

33

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3967	16-10-90	Stocks, taps and dies.	Gas, thread, to screw ¼" to 1" pipes, with tap wrench complete ...	3	15	0	Set.	
3784	23-8-90		Whitworth's standard, to screw ¼" to 1½", rising by ⅛" with taper, second, and plug	0	17	7	„	
3607	23-6-90	Tapes, measuring.	Chestermen's metallic, 100 feet ... ... (In brown leather cases with folding handles.)					
3712	16-7-90		„ „ 100 „	0	7	4	Each.	
3766	14-8-90		„ „ 100 „					
4053	30-10-90		„ „ 100 „					
3607	23-6-90		„ „ 50 „	0	4	6	„	
3766	14-2-90		„ „ 50 „					
4053	30-10-90		Chestermen's metallic, 50 feet	0	7	4	„	
			„ „ spare tapes, 100 feet	0	5	1	„	
3784	23-8-90		„ Steel, 100 feet, ½" wide (with flush handles.)	1	8	0	„	
3766	14-2-90		„ „ 100 „ ½" „					
„	„		„ „ 50 „ ½" „	0	13	0	„	

36

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3611	24-6-90	Taps.	Hand, plug, second and taper— $\frac{3}{16}$"					
„	„		¼"					
„	„		$\frac{5}{16}$"	0	6	0	Set.	
„	„		⅜"					
3784	23-8-90		Hand, plug, second and taper— ⅛"	0	4	1	„	
„	„		3/16"	0	5	1	„	
3845	19-9-90		¼"	0	5	2	„	
3611	24-6-90		5/16"	0	7	6	„	
„	„		⅜"	0	9	0	„	
„	„		7/16"	0	10	6	„	
3845	19-9-90		½"	0	9	2	„	
3784	23-8-90		1	0	10	10	„	
3845	19-9-90		1	0	11	0	„	
3611	24-6-90		Tapered, for mud plugs, A B. C. and D.	0	19	0	Each.	

37

177/2

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3582	26-3-90	Taps, stocks and dies.	Steel for mud plugs, per set of 3	0	18	9	Set.	
3961	16-10-90		With dies (Whitworth) ¼" to 1¼", complete in case, *viz.*:	17	10	0	"	
			Stock and dies with taper, second and plug taps to each size, ¼", ⅜", ½", ⅝", ¾", 1"	...	...	...	"	
			1 stock, 3 tap wrenches and handled screw driver fitted into one box 1¼", 1½", 1⅝", 1¾"	...	...	...	"	
3612	25-6-90		1 stock, 2 tap wrenches and handled screw driver fitted into one box	...	...	...	"	
			Gass thread, with stock complete from ¼" to 1¼", No. 2 size	5	12	0	"	
3206	29-1-90	Tools in sets.	Blacksmith's, *vide* schedule attached	6	17	4	Set.	
3868	29-9-90		Platelayer's					
3867	29-9-90		" *vide* schedule attached	8	7	3	"	
3833	11-9-90		Riveter's	9	16	10	"	
3206	29-1-90		"	6	14	7	"	
4167	22-11-90		Tinmen's	22	9	9	"	

38

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD (*a*).—TOOLS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3316	5-3-90	Wrenches.	Coach, 12"	0	9	7	Each.	
3882	3-10-90		" 12"	0	4	2½	"	
3316	5-3-90		" 8"	0	7	2	"	
3882	3-10-90		" 8"	0	2	5½	"	
3779	21-8-90		Double pillar, 8"	0	6	5	"	
			" " 10"	0	8	0	"	
			" " 14"	0	11	2	"	
3882	3-10-90		Monkey, 8"	0	4	0½	"	
3674	13-6-90		" 10"	0	8	0	"	
"	"		" 12"	7	9	0	"	
3882	13-10-90		" 12"	0	6	3½	"	
3754	2-8-90		Pipe from 2" to 3"	0	16	0	"	
4012	23-10-90		Pipe cutters from 2" to 3", with 6 spare cutters, each	1	7	0	"	
			Screw 16"	0	12	10	"	

39

Appendix A.

Detailed list of Set of Riveter's Tools.

No.	Description of articles.	Price of each. £	s.	d.	Price per set. £	s.	d.
2	Hammers, riveting, cast steel, ball pene, 3 lbs.	0	2	0	0	4	0
2	" " " spare handles for ...	0	0	4	0	0	8
2	" " " cross pene, 3 lbs.	0	2	0	0	4	0
2	" " " spare handles for	0	0	4	0	0	8
2	" " " double ended, 3 lbs.	0	2	2	0	4	4
1	" hand " ball pene, 1½ lbs.	0	0	4	0	0	8
1	" " " spare handle for	0	0	0	0	1	2
2	" flogging " 7 lbs.	0	0	0	0	0	3
2	" " " spare handles for	0	2	8	0	5	4
2	" " " 4 lbs.	0	0	5	0	0	10
2	" " " spare handles for	0	1	9	0	3	6
2	" holding up, with handles 9 feet long	0	0	5	0	0	10
2	" " " spare handles for	0	10	0	1	0	0
1	" cup faced	0	1	0	0	2	0
1	" flat faced	0	0	0	0	7	6
2	Snapping, tools, cast steel, for ¾" rivets	0	0	0	0	7	0
2	" " " ⅝" " ...	0	1	8	0	3	4
2	" " " 1" " ...	0	1	9	0	3	6
2	Side sets, cast steel, with iron rods	0	1	6	0	3	0
2	Cold sets	0	1	6	0	3	0
2	Hot sets	0	1	6	0	3	0
1	Rod punches, cast steel, for 1" rivets, 5" inches long ...	0	0	0	0	2	0
1	" " 1" " 6" "	0	2	3			
1	" " 1" " 9" "	0	2	8			
1	" " ⅞" " 3" "	0	2	0			
1	" " ⅞" " 6" "	0	2	3			
1	" " ¾" " 9" "	0	2	8			
1	" " ¾" " 3" "	0	2	0			
1	" " ⅝" " 6" "	0	2	2			
1	" " ⅝" " 9" "	0	2	4			
1	" " ½" " 3" "	0	1	10			
1	" " ½" " 6" "	0	2	0			
1	" " ½" " 9" "	0	2	2			
1	Rimers, cast steel, half round	0	1	2			
1	Witch for rimer	0	2	0			
4	Drifts, cast steel, for ½" hole	0	0	9	0	3	0
4	" " ¾" "	0	0	10	0	3	4
4	" " ⅞" "	0	0	11	0	3	8
2	Chisels, chipping, cast steel, flat 1"	1	0	0	0	4	0
2	" " " gong ¼"	0	0	9	0	1	6
1	Rivet tongs, 15" long	0	0	9	0	1	6
1	" 24" "	0	0	11	0	1	8
	Total ...				6	14	7

95

Appendix B.

Detail of Tinsmith's Tools (one set) as supplied under Contract 4167.

No.	Description of articles.
1	Stake, bottom weight 50 lbs.
1	" side large 5½ "
1	" extinguisher 7½ "
1	" funnel 17 "
1	" hatchet 7½ "
1	" side small 20½ "
1	" grooving 12 "
12	Grooving sets, each set to consist of 1 each $\frac{1}{16}$", $\frac{1}{8}$", $\frac{3}{16}$", $\frac{1}{4}$", $\frac{5}{16}$", $\frac{3}{8}$", $\frac{7}{16}$", $\frac{1}{2}$", $\frac{9}{16}$", $\frac{5}{8}$", $\frac{11}{16}$", $\frac{3}{4}$".
12	Hammer, block cast steel, weight 6 lbs.
1	" bottom " 4½ "
1	" creasing " ⅝ "
1	" roughing, cast steel, flat 2½ "
1	" " round 2½ "
1	" planking " 3 "
1	" riveting " 1 "
1	" " cross pene " ¾ "
1	" stud, cast steel, round ⅝ "
1	Horse, iron 40 "
1	Heads for ditto, cast steel, round.
1	" " " long.
1	" " " oval.
1	Pliers, flat nose.
1	" round "
1	" cutting.
12	Punches, hollow, cast steel, each set to consist of one each ⅜", ½", ⅝", ¾", ⅞", 1", 1¼", 1½", 1¾", 1⅞", 2".
6	Rivets, sets, cast steel, each set to consist of one each for $\frac{1}{16}$", $\frac{1}{8}$", $\frac{3}{16}$", $\frac{1}{4}$", $\frac{5}{16}$", and $\frac{3}{8}$" rivets.
2	Copper bits, 3 lbs.
2	" 2 "
1	" 1½ "
1	Shears, stock, 24 "
1	" hand, Scotch 2½ lbs.
1	" snip, straight 1½ "
1	" " bent 1½ "
1	Mallets, boxwood, 2½" diameter.
1	" " 3" "
1	" " 3½" "
1	Compasses, 12".
1	Pincers 9".
1	Beak iron 3".
1	Fire-pot.
1	Vice, bench, 36 lbs.
1	Square, steel, 24".
2	File, rasp, "half round," 12".
2	" "bastard," 12".

Appendix C.

Detailed list of Set of Blacksmith's Tools.

No.	Description of articles.	Rate. £	s.	d.	Price per set. £	s.	d.
2	Hammers, sledge, wrought iron 14 lbs. ...	0	4	6	0	9	0
2	" " spare handles for ...	0	0	5	0	0	10
2	" " cast steel 7 " ...	0	2	6	0	5	0
2	" " spare handles for ...	0	0	5	0	0	10
2	" " cast steel 5 " ...	0	1	10	0	3	8
2	" " spare handles for ...	0	0	4	0	0	8
1	" hand, cast steel, ball pene, 2½ " ...	...	...	...	0	1	9
1	" " spare handles for pene, 2½ " ...	...	...	...	0	0	3
1	" " cast steel, cross pene, 2½ " ...	...	...	...	0	1	9
1	" " spare handle for 2½ " ...	...	...	...	0	0	3
1	Tongs, hollow bit, for ¼" bar	...	...	...	0	1	0
1	" " ⅜" "	...	...	...	0	1	6
1	" " ½" "	...	...	...	0	1	9
1	" " 1" "	...	...	...	0	2	6
1	" " 1¼" "	...	...	...	0	2	9
1	Tongs, flat bit, for ¼" "	...	...	...	0	1	0
1	" " ⅜" "	...	...	...	0	1	6
1	" " ½" "	...	...	...	0	1	9
1	" " 1" "	...	...	...	0	2	6
1	" " 1¼" "	...	...	...	0	2	8
1	" " 1½" "	...	...	...	0	2	9
1	Set hammers, "cast steel," round ¼"	...	...	...	0	1	10
1	" " " 1"	...	...	...	0	2	4
1	" " " 1¼"	...	...	...	0	2	10
1	Hammers, cast steel, flat, 2½" square	...	...	...	0	3	2
1	" " " 2¼" " with						
1	" " edges rounded	...	...	...	0	3	2
1	Swages, top, cast steel, for ¼" bar	...	...	...	0	1	6
1	" " " ⅜" "	...	...	...	0	1	6
1	" " " ½" "	...	...	...	0	1	6
1	" " " ⅝" "	...	...	...	0	1	8
1	" " " ¾" "	...	...	...	0	1	8
1	" " " ⅞" "	...	...	...	0	1	9
1	" " " 1" "	...	...	...	0	1	9
1	" " " 1¼" "	...	...	...	0	1	10
1	" " " 1⅜" "	...	...	...	0	1	11
1	" " " 1½" "	...	...	...	0	2	0
1	" " " 1⅝" "	...	...	...	0	2	1
1	" " " 2" "	...	...	...	0	2	2
	Carried forward ...	...	...	...	...	...	...

Detailed list of Set of Blacksmith's Tools.

No.	Description of articles.	Rate. £	s.	d.	Price per set. £	s.	d.
	Brought forward ...	...	...	...	0	1	3
1	Swages, bottom cast steel for ¼" bar	...	...	...	0	1	3
1	" " " ⅜" "	...	...	...	0	1	3
1	" " " ½" "	...	...	...	0	1	4
1	" " " ⅝" "	...	...	...	0	1	5
1	" " " ¾" "	...	...	...	0	1	6
1	" " " ⅞" "	...	...	...	0	1	7
1	" " " 1" "	...	...	...	0	1	8
1	" " " 1¼" "	...	...	...	0	1	9
1	" " " 1½" "	...	...	...	0	1	10
1	" " " 1⅜" "	...	...	...	0	1	11
1	" " " 1½" "	...	...	...	0	2	0
1	" " " 2" "	...	...	...	0	3	0
1	Punches and bolsters, cast steel, one of each for ¼" hole ...	...	...	...	0	3	0
1	" " " " " ⅜" " ...	...	...	...	0	3	0
1	" " " " " ½" " ...	...	...	...	0	3	2
1	" " " " " ⅝" " ...	...	...	...	0	3	4
1	" " " " " ¾" " ...	...	...	...	0	3	6
1	" " " " " ⅞" " ...	...	...	...	0	3	8
1	" " " " " 1" " ...	...	...	...	0	3	9
3	Cold sets, cast steel, with iron rods	0	1	3	0	3	9
3	Hot " " "	0	1	4	0	4	0
1	Square steel, 24" × 12," figured and divided	...	...	...	0	2	0
2	Chisels, cold, or chipping, cast steel, 1" flat	...	...	...	0	1	6
2	" " " " ¼" cross-cut	...	...	...	0	1	8
	Total cost of set				6	17	4

Appendix D.

Detail list of set of Platelayer's Tools as supplied under Contract 3867—68.

No.	Description of articles.	Price of each.			Price per set.		
		£	s.	d.	£	s.	d.
1	Bar claw, 6' long, suitable for drawing the spikes ...	...	...	...	0	12	6
1	" plain 5' "	...	...	...	0	10	6
1	Beater, with pick end, 7½ lbs., handled	...	...	...	0	3	0
1	Chisel, cold, flat, 1 inch	...	...	...	0	1	6
1	Hammer, keying, 8 lbs.	...	...	...	0	5	0
1	" spiking, 11 lbs.	...	...	...	0	6	6
1	Holder, fish-bolt	...	...	...	0	19	6
1	Levels, mason's, with plum bob	...	...	...	0	19	6
1	Lever, lifting, 14", best English ash, iron shod, with ring handle ...	...	...	...	0	2	3
1	Maul, wood, iron bound	...	...	...	0	7	6
1	Primer or rammer for pot sleepers	...	...	...	0	7	6
2	Spanners, platelayer's, single, 3" long, jaw to take hexagon nuts 1¼" across flats	0	7	0	0	14	0
1	Straight edge 5'	...	...	...	0	9	6
1	Sight for 5'	...	...	...	0	1	9
	Total cost per set ...	...	...	...	8	7	3

27

CLASS G.

TOOLS AND STORES.

b.—Stores.

1.—Hardware, Copper, Tin, Zinc, and Zincware.

FOR 1890.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC AND ZINCWARE.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Iron, hexagonal head, round necks, block—					
3462	15-5-90	Bolts and Nuts.	$1\frac{3}{4}'' \times \frac{5}{16}''$	3	4	0	Cwt.	
			$2'' \times \frac{5}{16}''$	3	4	0	,,	
			$2\frac{1}{2}'' \times \frac{5}{16}''$	3	0	0	,,	
			$1\frac{1}{4}'' \times \frac{1}{2}''$	2	2	0	,,	
			$5'' \times \frac{3}{4}''$	1	8	0	,,	
			$2'' \times \frac{3}{4}''$	1	4	0	,,	
			$6'' \times \frac{3}{4}''$	0	16	0	,,	
			$8'' \times \frac{3}{4}''$	0	16	0	,,	
3724	18-7-90	Bolts.	Door, brass, tower, with brass bolts, complete with sockets 6"	0	12	0	Doz.	
3951	15-10-90		,, ,, ,, ,, ,, ,, 6"	0	15	6	,,	
3734	18-7-90		,, ,, ,, ,, ,, ,, 4"	0	9	0	,,	
3951	15-10-90		,, ,, ,, ,, ,, ,, 4"	0	11	0	,,	
4156	14-11-90		Door, iron, tower, complete with sockets 4"	0	4	0	,,	
,,	,,		,, ,, ,, 5"	0	5	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC AND ZINCWARE—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
4156	14-11-90	Bolts—*contd.*	Door, iron, tower, complete with sockets 6"	0	6	0	Doz.	
3361	21-3-90	Buckets.	Iron, galvanized, height 10", internal diameter 10"	0	2	0	Each.	
"	"		" " " 12" " 12"	0	2	4	"	
4100	7-8-90		" " " 12" " 12"	0	2	2	"	
3668	4-7-90		" " " 14" wide at top	0	2	4	"	
4010	23-10-90		Iron, galvanized, 14" wide at top	0	2	9	"	
3959	16-10-90		" " 12" "	0	2	3½	"	
4013	23-10-90		" " 12" " 9" bottom	0	2	5	"	
3493	23-5-90		" " 2½ gallons	0	1	11½	"	
3664	3-7-90	Cans	Oil, thick zinc, 19 S. W. G., 1 gallon	0	2	3	Each.	
"	"		" " " 2 "	0	3	6	"	
3517	30-5-90	Chain.	Copper, telegraph	1	15	0	¾ Feet.	
3322	7-3-90		Iron, short link ¼"	0	2	6	Fathom.	
			" " 7/16"	0	2	9	"	

46

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC AND ZINCWARE—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
4073	3-11-90	Chain—*contd.*	Iron, short link 7/16"	0	2	9	Fathom.	
3322	7-3-90		" " ½"	0	3	0	"	
3976	21-10-90		" " ¼"	0	3	0	"	
4010	28-10-90		" " ¼"	0	2	1½	"	
4073	3-11-90		" " ¼"	0	2	10½	"	
4010	28-10-90		" " ⅜"	0	4	0	"	
4073	3-11-90		" " ⅜"	0	3	6	"	
"	"		" " ½"	0	5	3	"	
3322	3-11-90		" " ½"	0	7	6	"	
3587	17-6-90		" " ⅝"	0	7	6	"	
4073	3-11-90		" " ⅝"	0	7	10½	"	
3587	17-6-90		" " ¾"	0	10	0	"	
4073	3-11-90		" " ¾"	0	10	0	"	
3587	17-6-90		" " ⅞"	0	13	9	"	
4073	3-11-90		" " ⅞"	0	13	9	"	

47

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC AND ZINCWARE—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3717	17-7-90	Chain—*contd.*	Iron, twist, short link—					
			$\frac{1}{2}$ fathom-1-$\frac{5}{16}$ lbs.	4	3	6	Cwt.	
			$\frac{5}{16}$" „ 2$\frac{1}{2}$ „	2	0	0	„	
			$\frac{1}{4}$" „ 3$\frac{1}{2}$ „	1	9	6	„	
4059	31-10-90	Cocks.	Gunmetal, bib screwed, 1" bore	0	5	5	Each.	
„	„		Gunmetal, stop, both ends screwed, 1"	0	7	2	„	
„	„		„ „ „ 1$\frac{1}{4}$"	0	12	0	„	
„	„		„ „ „ 1$\frac{1}{2}$"	0	15	0	„	
3635	1-7-90	Feeders.	Oil Spring, 1 pint	0	2	6	Each.	
3870	2-10-90		„ 1 „	0	2	8	„	
„	„		„ 1$\frac{1}{2}$ „	0	1	10$\frac{1}{2}$	„	
3938	21-10-90		„ Locomotive, No. 9, 2" long	0	3	6	„	Well's patent.
3724	18-7-90	Hasps and Staples.	Brass 6"	0	7	6	Doz.	
3951	18-10-90		„ 6"	0	7	6	„	
„	„		„ 4"	0	5	10	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3724	18-7-90	Hinges.	Brass, butt 4" Milled joints...	0	17	3	Doz.	
3951	15-10-90		„ „ 4" „	1	6	6	„	
4050	30-10-90		„ „ 3$\frac{1}{2}$" × 1" from centre of pin...	0	10	0	„	
3951	15-10-90		„ „ 3$\frac{1}{2}$" × 1" „ „	1	2	6	„	
4050	30-10-90		„ „ 3" × 1" „ „	0	7	6	„	
3724	18-7-90		„ „ 3" Milled joints	0	11	9	„	
3951	15-10-90		„ „ 3" „	0	18	6	„	
3304	28-2-90		„ „ 2" × $\frac{3}{4}$" from centre of pin	0	3	0	„	
4114	7-11-90		„ „ 3" × $\frac{3}{4}$" „ „	0	7	0	Doz. pairs.	
„	„		„ „ 2$\frac{1}{2}$" × $\frac{1}{2}$" „ „	0	4	6	„	
„	„		„ „ 2" × $\frac{1}{2}$" „ „	0	3	6	„	
			Gun metal—					
3544	5-6-90		2" × 2" from centre of pin	0	10	9	Doz.	
„	„		2" × 2" „ „	0	8	0	„	
			Cast iron, butt—					
3389	21-5-90		3" × 1" from centre of pin	0	1	6	„	
3 90	23-5-90		2$\frac{1}{2}$" × 1" „ „	0	1	9	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC AND ZINCWARE—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Cast, iron, butt—*contd.*					
3389	21-5-90	Hinges—*contd.*	2″ × 1½″ from centre of pin	0	1	0	Doz.	
4114	7-11-90		6″ × 1½″ „	0	10	3	Doz. pairs.	
„	„		4″ × 1½″ „	0	4	3	„	
„	„		2½″ × 1″ „	0	1	11	„	
			Wrought iron—					
4050	30-10-90		3¼″ × 1″ from centre of pin	0	8	0	Doz.	
„	„		2½″ × 3″ „ „	0	3	0	„	
3729	19-7-90	Locks.	Door, rim, brass, common, 6″ with reversible latch bolt, and furniture complete ... „	0	3	9	Each.	
3960	16-10-90		Door, rim, brass, two bolted, 6″ with key	0	5	9	„	
3375	22-3-90		Iron for cash safes, with duplicate keys	1	10	0	„	
3228	6-2-90		Pad, brass, 1″, 6 lever, each with 2 keys	0	5	2	„	For cash bags.
3696	10-7-90		„ 1″ „ „	0	6	6	„	
4116	7-11-90		„ 2″ „ „	0	10	11	„	
„	„		„ 2½″ „ „	0	12	5	„	
„	„		„ 4″ „ „	1	2	6	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC, AND ZINCWARE—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Pad, iron, galvanized, three lever, 2 keys, Hobb's—					
3265	20-2-90	Locks—*contd.*	2″	0	2	11	Each.	
3696	10-7-90		2″	0	3	0	„	
4176	3-12-90		2″	0	3	0	„	
3634	1-7-90		2¼″	0	2	11	„	
3696	10-7-90		2¼″	0	3	1	„	
3943	15-10-90		2¼″	0	2	11	„	
4084	5-11-90		2½″	0	3	0	„	
3265	20-2-90		3″	0	4	5	„	
3273	22-3-90		3″	0	4	6	„	
3696	10-7-90		3″	0	4	7	„	
3943	15-10-90		3″	0	4	5	„	
4084	5-11-90		3″	0	4	5	„	
4173	3-12-90		3″	0	4	6	„	
3943	15-10-90		4″	0	5	8	„	
4176	3-12-90		4″	0	5	7	„	
„	„		5″	0	8	7	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC AND ZINCWARE—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3960	16-10-90	Locks—*concld.*	Pad, iron, common, English, 3½", with key	0	2	0	Each.	
3979	21-10-90		„ Japanned, double cased, lever 2½", 2 keys	0	1	8	„	
3396	31-8-90		„ „ „ „ 3" „	0	4	3	„	With slide escutcheons.
3487	23-5-90	Nails.	Brass, coffin, ½"	0	1	3	lb.	
„	„		„ „ ⅝"	0	1	2	„	
4103	7-11-90		Iron, cut, brads, fine, ½"	1	12	3	cwt.	
„	„		„ „ ¾"	0	18	9	„	
„	„		„ „ 1"	0	16	3	„	
„	„		„ „ 1¼"	0	13	3	„	
„	„		„ clasp, fine, 1½", blunt points	0	12	3	„	
3523	30-5-90		„ tack, black, flat heads, sharp points, fine, ½"	1	3	0	„	
„	„		„ „ „ „ 1"	1	0	0	„	
3543	5-6-90		„ wire, French, 1" × 15 S. W. G.	0	17	3	„	
3955	16-10-90		„ „ 1" × 14 „	0	14	9	„	
3543	5-6-90		Iron, wire, French, 1¼" × 15 S. W. G.	0	17	3	„	
„	„		„ „ 1¼" × 14 „	0	15	9	„	

52

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC AND ZINCWARE—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3543	5-6-90	Nails—*contd.*	Iron, wire, French, 1¼" × 13 S. W. G.	0	14	3	Cwt.	
„	„		„ „ 2" × 12 „	0	13	3	„	
3955	16-10-90		„ „ 2" × 11 „	0	11	3	„	
3543	5-6-90		„ „ 2½" × 10 „	0	11	3	„	
„	„		„ „ 3" × 10 „	0	11	3	„	
3955	16-10-90		„ „ 3" × 9 „	0	9	0	„	
„	„		„ „ 4" × 6 „	0	9	0	„	
„	„		„ „ 6" × 3 „	0	9	0	„	
4104	7-11-90		„ „ flat, heads, 1¼" × 14 S. W. G.	0	15	0	„	
	„		„ „ „ 1½" × 13 „	0	13	9	„	
„	„		„ „ „ 1¾" × 12 „	0	12	9	„	
„	„		„ „ „ 2" × 11 „	0	11	6	„	
3183	23-1-90		Iron, wrought, round, braticing, black, malleable, flat heads, sharp points, 1" long	0	16	6	„	
			Wire, iron, galvanized—					
3545	5-6-90	Netting ...	2′ 0" wide, ½" mesh, 22 S. W. G.	0	0	4½	L. ft.	

53

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC AND ZINCWARE—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3545	5-6-90	Netting.	2′ 0″ wide, 1″ hexagonal mesh, 16 S. W. G.	0	0	2½	L. ft.	To be galvanized after making.
4136	11-11-90		2′ 0″ „ 28″ meshes to the lineal inch, 31 S. W. G. after galvanizing	0	0	10½	„	
„	„		3′ 0″ „ 34″ meshes to the lineal inch, 32 S. W. G. after galvanizing	0	1	5½	„	
3462	15-5-90	Nuts.	Iron, hexagonal, screwed, black, ½″	1	8	0	Cwt.	Whitworth's standard.
3572	12-7-90		„ „ bright, chamfered on one side, faced both sides, and machined for bolts 1¼″ diar.	54	0	0	Ton.	
4108	7-11-90	Pins.	Brass, panel, 1½″, No. 15 S. W. G.	0	0	10½	lb.	
3261	20-2-90		Copper, panel, 1½″ „ 15 „	0	0	9½	„	
			Iron, split, of half round wire—					
3508	24-5-90		1½″ × 10 S. W. G.	0	0	7	Gross.	
„	„		2″ × 8 „	0	0	9	„	
„	„		2½″ × 4 „	0	1	7	„	
„	„		2½″ × 1 „	0	2	4	„	
„	„		3″ × 8 „	0	1	1	„	
„	„		3″ × 4 „	0	2	3	„	
„	„		3″ × 1 „	0	2	9	„	
„	„		4″ × 1 „	0	3	0	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC AND ZINCWARE—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3542	5-6-90	Pins—*contd.*	Wrought Iron, split, bright, half round wire (assorted)	1	16	8	Cwt.	
3577	13-6-90		„ or cotters bright (assorted sizes)	0	11	0	%	
4128	7-11-90		„ „ „ „	0	10	6	„	
			Wrought iron, gas, with sockets and screwed ends—					
4065	31-10-90		¾″ bore, 10 feet lengths	0	0	1½	Foot.	
			1¼″ „ „	0	0	3	„	
			2″ „ 15 „	0	0	5½	„	
3521	30-5-90	Pots.	Glue, cast iron, with tinned copper well; size of well 4″ × 3″ ...	0	2	11	Each.	
			Copper, flat heads, for leather belting—					
3491	23-5-90	Rivets.	1¼″ × ⅜″ diameter	0	0	8½	lb.	
2291	27-2-90		1″ × ⅜″ „	0	0	8½	„	
3547	6-6-90		1″ × ¼″ „	0	0	9	„	
3291	27-2-90		⅜″ × ¼″ „	0	0	8½	„	
3547	6-6-90		⅜″ × ¼″ „	0	0	9	„	
3693	8-7-90		¼″ × ¼″ „ with washers	0	0	9½	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC AND ZINCWARE—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Rivets—*contd.*	Copper flat heads, for leather belting—*contd.*					
4048	30-10-90		½" × $\frac{1}{16}$" diameter	0	0	9½	lb.	
3491	23-5-90		½" × $\frac{1}{16}$" "	0	0	8½	"	
3291	27-2-90		½" × $\frac{1}{16}$" "	0	0	8½	"	
3491	23-5-90		½" × $\frac{1}{16}$" "	0	0	8 $\frac{3}{16}$	"	
3547	6-6-91		½" × $\frac{1}{16}$" "	0	0	9	"	
3491	23-5-90		½" × ½" "	0	0	9½	"	
			Iron, black, pan headed—					
3492	23-5-90		1¼" × ½"	18	0	0	Ton.	
3494	23-5-90		2" × ½"	31	10	0	"	
3492	23-5-90		3" × ½"	18	0	0	"	
"	"		1¼" × ½"	16	0	0	"	
"	"		2" × ½"	16	0	0	"	
"	"		1¼" × ½"	14	0	0	"	
3625	30-6-90		1¼" × ½"	17	15	0	"	
3492	23-5-90		2" × ½"	14	0	0	"	
"	"		2½" × ½"	14	0	0	"	
"	"		3" × ½"	14	0	0	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC AND ZINCWARE—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Rivets—*contd.*	Iron pan headed—*contd.*					
3492	23-5-90		3½" × ½"	14	0	0	Tons.	
3492	23-5-90		2" × ½"	18	10	0	"	
3494	23-5-90		2½" × ½"	24	0	0	"	
3492	23-5-90		2½" × ½"	13	10	0	"	
3494	23-5-90		2½" × ½"	24	0	0	"	
3492	23-5-90		3" × ½"	13	10	0	"	
3494	23-5-90		3" × ½"	24	0	0	"	
"	"		5" × ½"	24	0	0	"	
3504	24-5-90		5" × 1½"	25	0	0	"	
			Iron, snap headed—					
3625	30-6-90		1" × $\frac{1}{16}$"	22	10	0	"	
3260	20-2-90		1" × ½"	26	0	0	"	
			Iron, black, snap headed—					
3260	20-2-90		1¼" × ½"	18	5	0	"	
"	"		1½" × ½"	19	0	0	"	
"	"		2" × ½"	19	0	0	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC AND ZINCWARE—*contd*.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Rivets—*contd*.	Iron, black, snap headed—*contd*.					
3260	20-2-90		2½″ × ½″	18	5	0	Tons.	
,,	,,		2½″ × ⅜″	18	5	0	,,	
,,	,,		3″ × ½″	17	15	0	,,	
			Iron, hemispherical heads—					
			1¼″ × ⅜″	18	5	0	,,	
,,	,,		2″ × ½″	18	5	0	,,	
,,	,,							
		Screws.	Coach, iron, square head, round neck—					
			1½″ × ⅜″	2	10	0	Cwt.	
3508	24-5-90		2½″ × ½″	1	6	0	,,	
4122	7-10-90		3″ × ½″					
,,	,,							
			Wood, brass, countersunk heads—					
			½″ No. 2	0	0	7½	Gross.	
3495	23-5-90		½″ ,, 4	0	0	8½	,,	
,,	,,		½″ ,, 6	0	0	8½	,,	
,,	,,		⅝″ ,, 6	0	0	9	,,	
3306	28-2-90		½″ ,, 6	0	0	9	,,	
3027	10-10-90		½″ ,, 6	0	0	9½	,,	
3495	23-5-90		½″ ,, 7					

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC AND ZINCWARE—*contd*.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Screws—*contd*.	Wood, brass, countersunk heads—*contd*.					
3927	10-10-90		½″ No. 8	0	0	11	Gross.	
3927	10-10-90		½″ ,, 8	0	0	10½	,,	
3306	28-2-90		½″ ,, 8	0	0	11½	,,	
3495	28-2-90		⅝″ ,, 9	0	1	½	,,	
3306	28-2-90		½″ ,, 10	0	1	2	,,	
3927	10-10-90		½″ ,, 10	0	1	2	,,	
3306	28-2-90		⅝″ ,, 6	0	0	10½	,,	
4121	7-11-90		⅝″ ,, 6	0	2	0	,,	
3827	11-9-90		¾″ ,, 6	0	0	11½	,,	
3508	24-5-90		¾″ ,, 6	0	1	0	,,	
3306	28-2-90		¾″ ,, 6	0	0	11½	,,	
4121	7-11-90		¾″ ,, 6	0	2	3	,,	
3206	28-2-90		½″ ,, 8	0	1	1½	,,	
,,	,,		1″ ,, 6	0	1	2	,,	
4121	7-11-90		1″ ,, 6	0	2	9	,,	
3206	28-2-90		1″ ,, 8	0	1	5	,,	
3827	11-9-90		1″ ,, 8	0	1	5	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC AND ZINCWARE—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Screws—*contd.*	Wood, brass, countersunk heads—*contd.*					
			1" No. 10	0	1	9	Gross.	
3306	28-2-90		1" „ 12	0	2	1½	„	
3306	28-2-90		1¼" „ 6	0	1	4	„	
„	„		1¼" „ 8	0	4	0	„	
4121	7-11-90		1¼" „ 10	0	2	1	„	
3827	11-9-90		1½" „ 12	0	3	0	„	
3306	28-2-90		Wood, brass, round head—					
			¼" No. 6	0	1	1	„	
3827	11-9-90		1½" „ 10	0	2	4	„	
„	„		1¼" „ 10	0	5	6	„	
4121	7-11-90		1½" „ 12	0	7	9	„	
„	„		1½" „ 12	0	3	9	„	
3827	11-9-90		Wood, iron, countersunk heads—					
			¼" No. 5	0	0	2½	„	
3982	21-10-90		¼" „ 6	0	0	3½	„	
3306	28-2-90		¼" „ 6	0	0	4	„	
3495	23-5-90							

60

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC AND ZINCWARE—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Screws—*contd.*	Wood, iron, countersunk—*contd.*					
4121	7-11-90		¼" No. 6	0	0	2½	Gross.	
3495	23-5-90		¼" „ 7	0	0	4½	„	
3982	21-10-90		¼" „ 7	0	0	4½	„	
3306	28-2-90		¼" „ 8	0	0	5	„	
„	„		¼" „ 10	0	0	6	„	
4121	7-11-90		⅜" „ 6	0	0	11	„	
			⅜" „ 8	0	1	1	„	
			⅜" „ 9	0	1	2	„	
3508	24-5-90		½" „ 6	0	0	5	„	
3827	11-9-90		½" „ 6	0	0	4½	„	
4121	7-11-90		½" „ 7	0	0	1	„	
3495	23-5-90		½" „ 7	0	0	5½	„	
3982	21-10-90		½" „ 7	0	0	5½	„	
3306	28-2-90		½" „ 8	0	0	5½	„	
3495	23-5-90		½" „ 8	0	0	6½	„	
4121	7-11-90		½" „ 8	0	1	1½	„	

61

36

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC AND ZINCWARE—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Screws—*contd.*	Wood, iron, countersunk—*contd.*					
			¾″ No. 9	0	0	6	Gross.	
3495	23-5-90		¾″ „ 9	0	0	6½	„	
3982	21-10-90		¾″ „ 9	0	1	2½	„	
4121	7-11-90		¼″ „ 10	0	1	3	„	
„	„		½″ „ 6	0	1	1½	„	
4121	7-11-90		½″ „ 8	0	1	3	„	
„	„		1″ „ 6	0	1	1½	„	
4121	7-11-90		1″ „ 8	0	0	6½	„	
3495	23-5-90		1″ „ 8	0	0	6½	„	
3982	21-10-90		1″ „ 8	0	0	6	„	
3827	11-9-90		1″ „ 8	0	1	3	„	
4121	7-11-90		1″ „ 8	0	0	7	„	
3495	23-5-90		1″ „ 10	0	0	6½	„	
3508	24-5-90		1″ „ 10	0	1	4½	„	
3615	26-6-90		1″ „ 10	0	0	6½	„	
3927	10-10-90		1″ „ 10	0	1	4½	„	
4121	7-11-90		1″ „ 10	0	0	7½	„	
3495	23-5-90		1″ „ 11					

62

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC AND ZINCWARE—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Screws—*contd.*	Wood, iron, countersunk—*contd.*					
			1″ No. 12	0	0	8½	Gross.	
3495	23-5-90		1″ „ 12	0	0	8	„	
3927	10-10-90		1″ „ 12	0	0	8	„	
3982	21-10-90		1″ „ 12	0	1	7½	„	
4121	7-11-90		1″ „ 13	0	0	8½	„	
3495	23-5-90		1″ „ 14	0	0	9	„	
„	„		1″ „ 16	0	1	1	„	
3495	23-5-90		1″ „ 18	0	1	4	„	
„	„		1¼″ „ 8	0	0	7½	„	
„	„		1¼″ „ 8	0	1	5½	„	
4121	7-11-90		1¼″ „ 10	0	0	8½	„	
3495	23-5-90		1¼″ „ 10	0	0	7½	„	
3827	11-9-90		1¼″ „ 10	0	1	7½	„	
4121	7-11-90		1¼″ „ 12	0	0	9½	„	
3495	23-5-90		1¼″ „ 12	0	1	11	„	
4121	7-11-90		1½″ „ 14	0	0	11½	„	
3495	23-5-90		1½″ „ 8	0	1	7½	„	
4121	7-11-90							

63

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC AND ZINCWARE—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Wood, iron, countersunk—*contd.*					
3982	21-10-90	Screws—*contd.*	1½″ No. 10	0	0	9	Gross.	
4121	7-11-90		1½″ „ 10	0	1	9	„	
3827	11-9-90		1½″ „ 12	0	0	9¼	„	
4121	7-11-90		1½″ „ 12	0	2	1	„	
3982	21-10-90		1½″ „ 13	0	1	0	„	
4121	7-11-90		1½″ „ 13	0	2	4	„	
„	„		1½″ „ 16	0	3	4	„	
„	„		1½″ „ 8	0	1	11	„	
„	„		1¾″ „ 9	0	1	11½	„	
3495	23-5-90		1¾″ „ 10	0	0	10	„	
4121	7-11-90		1¾″ „ 10	0	2	0	„	
3827	11-9-90		1¾″ „ 12	0	0	10½	„	
3027	10-10-90		1¾″ „ 12	0	1	0	„	
4121	7-11-90		1¾″ „ 12	0	2	4	„	
3495	23-5-90		1¾″ „ 13	0	1	1½	„	
4121	7-11-90		1¾″ „ 13	0	2	8	„	

64

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(1) HARDWARE, COPPER, TIN, ZINC AND ZINCWARE—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Wood, iron, countersunk—*contd.*					
3498	23-5-90	Screws—*contd.*	1¾″ No. 14	0	1	3	Gross.	
3927	10-10-90		1¾″ „ 14	0	1	3	„	
4121	7-11-90		1¾″ „ 14	0	3	0	„	
„	„		2″ „ 10	0	2	2	„	
3495	23-5-90		2″ „ 12	0	1	1½	„	
3615	26-6-90		2″ „ 12	0	2	8	„	
3982	21-10-90		2″ „ 12	0	1	2	„	
4121	7-11-90		2″ „ 12	0	2	8	„	
3495	23-5-90		2″ „ 14	0	1	4¼	„	
3827	11-9-90		2″ „ 14	0	1	3	„	
3927	10-10-90		2″ „ 14	0	1	5	„	
3982	21-10-90		2″ „ 16	0	1	8	„	
3495	23-5-90		2¼″ „ 14	0	1	6½	„	
4121	7-11-90		2½″ „ 10	0	2	8	„	
„	„		2½″ „ 12	0	3	4	„	
3495	23-5-90		2½″ „ 14	0	1	8	„	

65

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(1) HARDWARE, COPPER, TIN, ZINC AND ZINCWARE—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Screws—*contd.*	Wood, iron, countersunk—*contd.*					
4121	7-11-90		2½" No. 15	0	4	5	Gross.	
„	„		2½" „ 16	0	4	9	„	
3495	23-5-90		2¾" „ 18	0	2	8½	„	
4121	7-11-90		3" „ 12	0	4	0	„	
„	„		3" „ 14	0	4	9	„	
3495	23-5-90		3" „ 16	0	2	5½	„	
3615	26-6-90		3" „ 16	0	5	10	„	
4121	7-11-90		3½" „ 12	0	5	10	„	
„	„		3½" „ 14	0	5	10	„	
„	„		3½" „ 16	0	7	2	„	
„	„		4" „ 12	0	7	0	„	
„	„		4" „ 16	0	8	1	„	
„	„		5" „ 24	1	0	0	„	
„	„		5" „ 25	1	1	0	„	
„	„							

66

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(1) HARDWARE, COPPER, TIN, ZINC AND ZINCWARE—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Tacks.	Cut, black, flat heads, sharp points, fine—					
3455	13-5-90		½"	1	8	0	Cwt.	
„	„		¾"	1	4	0	„	
		Washers.	Copper for belting—					
3291	27-2-90		$\frac{3}{16}$"	0	0	8½	lb.	
3480	16-5-90		$\frac{3}{16}$"	0	0	8½	„	
3547	6-6-90		$\frac{3}{16}$"	0	0	9	„	
3291	27-2-90		¼"	0	0	8½	„	
3547	6-6-90		¼"	0	0	9	„	
4048	30-10-90		$\frac{3}{8}$" × ½" diameter 12 S. W. G.	0	0	9¼	„	
3572	12-6-90		Iron 2¾" × ½" × 1⅛" hole	18	0	0	Ton.	
„	„		„ 2¾" × ¼" × 1⅛" „	18	0	0	„	

67

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(1) HARDWARE, COPPER, TIN, ZINC AND ZINCWARE—*concld.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3271	21-2-90	Wire.	Iron, half round, bright—					
			¼"					
			⅜"					
			½"					
			⅝"	1	2	0	Cwt.	
			Iron, round, soft—					
			¼"					

CLASS G.

TOOLS AND STORES.

b.—Stores.

2.—Lamps and Lamp fittings.

FOR 1890.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(2) LAMPS AND LAMP FITTINGS.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
4144	11-11-90	Lamps.	Billiard, Kosmos patent, No. 18, fitted with shades complete	1	5	0	Each	
3456	13-5-90		Carriage roof, complete (Shallis and Thomas' pattern) metre gauge ...	2	0	0	,,	
3257	18-2-90		Edison and Swan, 8 candle power, 55 volts ordinary bottom loops ...	0	3	9	,,	
4083	5-11-90		Engine, gauge, fitted with Bulpitt's burners for ⅝" wick	0	3	6	,,	
3336	12-3-90		Engine or brakevan tail, with Scrafton's patent wick holders	0	18	0	,,	
3314	3-3-90		Hand, porters, with Scrafton's wick holders	0	4	0	,,	
4158	14-11-90		,, ,, square, I. S. R. pattern	0	3	0	,,	
3275	22-2-90		,, signal, tricolar, vertical movement	0	8	3	,,	The oil containers are fitted with Scrafton's wick holder.
3294	28-2-90		,, ,, ,, circular	0	6	0	,,	
3829	11 9-90		,, ,, ,, ,, ...	0	8	9	,,	
4030	25-10-90		,, ,, ,, ,, ...	0	8	9	,,	Defrie's patent.
4158	14-11-90		,, ,, ,, ,, ...	0	9	6	,,	I. S. R. pattern.
3637	1-7-90		Hurricane	0	2	9	,,	
3962	16-10-90		,, with Hink's small ½" burner	0	2	9	,,	
3346	14-3-90		Office, hanging, with globe, chimneys, &c., complete	1	15	4	,,	
3637	1-7-90		,, ,, ,, ,, ,, ,, ...	1	6	4	,,	Hink's patent with punkah protector.
3866	29-9-90		,, ,, ,, ,, ,, ,, ...					

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(2) LAMPS AND LAMP FITTINGS—*contd*.

Contracted for in 1890.

Contract number and date		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3331	10-3-90	Lamps—*contd*.	Office, wall, duplex, with globes and chimneys, wind proof	0	11	4	Each.	Hink's patent with punkah protector.
3637	1-7-90		,, wall, Hink's duplex	0	5	0	,,	
3866	29-9-90		,, ,, ,, ...	0	5	0	,,	
4162	19-11-90		,, ,, ,, with globes and chimneys	0	8	4	,,	
3610	24-6-90		Reading, double candle, for carriage	1	15	0	,,	
3989	21-10-90		Semaphore signal, distant	1	5	0	,,	
4086	5-11-90		,, ,, ,, ...	0	17	6	,,	
3859	12-9-90		Side, with ground glass, for postal compartments, L. S. R. pattern ...	0	17	0	,,	
3239	12-2-90		Star cut founts, with 6" eclipse burners and pine moons complete ...	0	4	0	,,	
3603	23-6-90	Lamp burners.	For carriage roof lamps, with white-metal reflectors and wick holders ...	0	17	9	Each.	Scrafton's patent.
4083	5-11-90		,, engine gauge lamp, for ¾" wick Kosmos lamps, brass, with collar ...	0	1	6	,,	Bulpitt's patent.
3231	8-2-90		No. 10	0	0	9	,,	
			,, 12	0	0	10½	,,	
			,, 14	0	1	0	,,	
			,, 16	0	1	6	,,	
3659	3-7-90		,, main and distant signal lamps, to burn mineral oil	1	0	0	,,	Shallis and Thomas' patent.

70

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(2) LAMPS AND LAMP FITTINGS—*contd*.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3761	8-8-90	Lamp burners—*contd*.	For station platform lamps, Hink's duplex	0	5	6	Each.	Hink's duplex.
4079	4-11-90		,, station pillar lamps, with oil holders, chimneys and wick complete ...	0	4	6	,,	
3275	22-2-90		,, hand signal lamps, tricolor, with Scrafton's wick holder	0	0	6	,,	
3750	29-2-90		,, hand signal lamps, tricolor	0	1	0	,,	
4144	11-11-90		,, Kosmos' billiard lamps, patent zinc reservoir	0	5	0	,,	
			Spare parts of—					
4158	14-11-90		Nuts, brass, 1½"	0	0	1½	,,	
			,, 1¼"	0	0	2	,,	
			,, ¾"	0	0	1½	,,	
			Rings, brass, for burners of hand signal lamp, 1¼" outside collars and plugs screwed	0	0	1¾	,,	
3249	17-2-90		Wick holders, complete, with brass mounts	0	1	3½	,,	Scrafton's patent.
3346	14-3-90	Lamp chimneys.	For office hanging lamps, Hink's duplex	0	4	0	Doz.	
3394	31-3-90		,, ,, ,, ...	0	4	0	,,	
3637	1-7-90		,, ,, ,, ...	0	4	0	,,	
3866	29-9-90		,, ,, ,, ...	0	4	0	,,	
3331	10-3-90		,, wall lamps ,, ...	0	4	0	,,	

71

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(2) LAMPS AND LAMP FITTINGS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3866	29-9-90	Lamp chimneys—*contd.*	For office wall lamps, Hink's duplex	0	4	0	Doz.	
4162	19-11-90		,, ,, ,, ...	0	4	0	,,	
4079	4-11-90		For station pillar lamps	0	4	0	,,	
3872	2-10-90		,, Bracket platform lamps	0	2	3	,,	
3439	8-5-90		,, Kerosine lamps, 1" wick, Hink's duplex	0	4	0	,,	
3231	8-2-90		,, Kosmos' lamps	0	1	3	,,	
3239	13-2-90		Or pine moons for lamps, star cut fonts	0	0	7½	,,	
3381	26-3-90	Lamp glasses.	Bowls for carriage roof lamps, 7¼" diameter at top and 5¼" deep ...	0	2	3	Each.	
3553	9-6-90		,, ,, ,, ,, ...	0	2	6	,,	
3588	18-6-90		,, ,, ,, ,, ...	0	2	6	,,	
3747	29-7-90		,, ,, ,, ,, ...	0	2	6	,,	
3798	1-9-90		,, ,, ,, ,, ...	0	2	6	,,	Improved pattern.
3895	8-10-90		,, for Victoria roof lamps	0	4	0	,,	
4171	26-11-90		,, ,, ,, ...	0	2	6	,,	
4111	7-11-90		Red, hollow, 8", for brakevan tail lamps	0	1	8	,,	
3247	14-2-90		White, spectacle, 13½" diameter, ¼" thick	0	1	6	,,	
3772	15-8-90		White, round, 5" diameter × ⅛" thick, bevelled edge, for hand signal lamps	0	2	0½	,,	
				0	0	4	,,	

72

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(2) LAMPS AND LAMP FITTINGS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3346	14-3-90	Lamp globes.	For office hanging lamps	0	3	6	Each.	
3667	1-7-90		,, ,, ,, duplex	0	2	0	,,	
3866	29-9-90		,, ,, ,, ...	0	2	0	,,	
4162	19-11-90		,, wall lamps	0	1	0	,,	
3331	10-3-90		,, ,, ...	0	2	0	,,	
3394	31-3-90		For Hurricane lamps	0	1	3	,,	
3439	8-5-90		,, ,, ,, small	0	3	0	Doz.	
3394	31-3-90		,, ,, ,, ...	0	3	0	,,	
3667	1-7-90		,, ,, ,, ...	0	3	0	,,	
3962	16-10-90		,, ,, ,, ...	0	3	0	,,	
3238	10-2-90	Lanterns.	Hurricane, Veritas, wire guarded	0	5	6	Each.	
3866	29-10-90		,, with Hink's ½" wick complete	0	2	9	,,	
3394	31-3-90		,, hand, with globes complete, large, 1" wick	0	7	0	,,	
,,	,,		,, ,, ,, ,, small	0	2	9	,,	Hink's patent.
3958	16-10-90	Light wells ...	Portable, without wheel carriages, about 2,000 candle power. To burn refined kerosine oil. The centre of burner to be at least 10 feet from ground level	23	4	0	Each.	

37

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Fees or Bonus. Amount. £	s.	d.	Unit.	Remarks.
			Details of above for 1 light.					
3958	16-10-90	Light wells—*concld.*	No. 4" "Well's lights" fitted with No. 3 burners for kerosine ...	17	10	0	Each.	
			" 3" extra burners	1	15	0	"	
			" 4" Swivel marts	3	0	0	"	
			Bags, special extra fittings, containing plugs, jets, leathers, &c. ...	0	6	0	"	
			Special packing for 1 light	0	12	0	"	
3243	14-2-90	Lenses ...	For engine or brakevan side lamps, Ruby, solid, 5½"	1	2	0	Doz.	
"	"		" " " " " 7½"	2	8	0	"	
3839	12-9-90	Reflectors.	Glass, for carriage roof lamps, complete, for postal compartment, I.S.R. pattern	0	13	3	Each.	
4137	11-11-90		For hand signal lamp 3"	0	0	5	"	
3772	15-8-90		" " " 3 × 27 S. W. G.	0	0	4	"	
3346	14-3-90	Wicks.	For office hanging lamps, in rolls of 12 yards	0	0	10	Roll.	
3637	1-7-90		" " " "	0	0	10	"	
3866	29-9-90		" " " "	0	0	10	"	
4162	19-11-90		" wall lamps " "	0	0	10	"	
3962	16-10-90		For hurricane lamps, ½", in rolls of 6 yards	0	0	8	"	
3364	21-3-90		" Bayuton's patent Victoria roof lamps ½"	0	0	½	Yard.	
3346	14-3-90		" office hanging lamps	0	0	10	Roll.	

CLASS G.

TOOLS AND STORES.

b.—Stores.

3.—Leather and India-rubber Goods.

FOR 1890.

44

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(3) LEATHER AND INDIA-RUBBER GOODS.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3186	24-1-90	Belting.	India-rubber and canvas, 4″ × ¼″, 4 ply, in one length	0	0	7½	Foot.	
			Cotton, Gandy's patent—					
3355	20-3-90		3″ }	0	0	9	,,	} Less 25 % on total and less 2½ % on balance.
,,	,,		3½″ } 4 ply	0	0	10½	,,	
,,	,,		4″ }	0	0	1	,,	
3732	23-7-90		4″ 6 ply, in lengths of 400 feet each	0	1	4	,,	Less 55 %.
3355	20-3-90		5″ } 6 ply	0	1	8	,,	} Less 25 % and less 2½ % from balance.
,,	,,		6″ }	0	2	0	,,	
3701	10-7-90		Leather laces, prella leather for 6 feet × ⅛″ × ⅛″	0	0	3½	,,	
			,, sewn, double—					
3755	2-8-90		3″	0	1	1	,,	
			3½″	0	1	4	,,	
			Leather, sewn, double—					
3755	2-8-90		4″	0	1	7	,,	
,,	,,		4½″	0	1	9½	,,	
,,	,,		6″	0	2	4	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(3) LEATHER AND INDIA-RUBBER GOODS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Belting—contd.	Leather, sewn, double—					
3755	2-8-90		2" single	0	0	4	Foot.	
"	"		2½"	0	0	6	"	
"	"		3"	0	0	7½	"	
3287	27-2-90	Hides.	Cow, middling, best English, tanned and curried, to average about 18 lbs ...	0	2	6	lb.	
3450	9-5-90		Cow, 6 feet × 2 feet 9 inches, backs of bridle, weight about 9 lbs. ...	1	12	6	Piece.	
3287	27-2-90		Tanned, butts, for pump buckets, ¾", weight per butt, 21 lbs.	0	1	8	"	
3908	10-10-90							
			Tanned, butts, for pump buckets—					
3287	27-2-90		⅞"	0	1	9	lb.	
3908	10-10-90							
3287	27-2-90		1"	0	1	11	"	
3908	10-10-90		1"	0	2	0	"	
3164	9-1-90	Hose.	India-rubber, suction, embedded, without unions 2½" internal diameter ...	0	4	2	Foot.	

70

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(3) LEATHER AND INDIA-RUBBER GOODS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3718	17-7-90		India rubber, suction, embedded, without unions, 3" internal diameter, 4 ply in 50 feet lengths.	0	5	6	Foot.	
			India-rubber, vulcanized, delivery, 4 ply without unions, in 30 feet lengths					
3164	9-1-90		1" internal diameter	0	0	10½	"	
			1½" " "	0	1	6	"	
			2½" " "	0	2	3	"	
			India-rubber, steam, with necessary couplings and attachments—					
3892	8-10-90		1½" internal diameter, 5 ply } in lengths of 50 feet each ...	5	17	8	Each.	
"	"		2" " 6 " }	7	11	10	"	
3182	24-1-90		Leather pipes, 8½" inside diameter, 5 feet each, copper rivetted (for water columns)	0	4	2	Foot.	
"	"		" " " 8 feet each ...	0	4	2	"	
3273	22-2-90	India-rubber. ...	Round, solid ¼" diameter	0	3	10	lb.	
4140	11-11-90		India-rubber, for Westinghouse brake 2½ feet by 1" inside diameter ...	0	6	9	Each.	
3273	22-2-90		" 1/16" thick, 4 feet wide	0	3	6	lb.	
"	"	Pipes.	" ⅛" "	0	3	6	"	
3150	24-1-90		" ¼" "	0	16	6	Cwt.	

77

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(3) LEATHER AND INDIA-RUBBER GOODS—*concld.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3190	24-1-90	Sheet.	India-rubber ¼" thick, 4 feet wide	0	16	6	Cwt.	
3273	22-2-90		„ ¼" „	0	3	6	lb.	
„	„		„ ¼" „	0	3	6	„	
3931	10-10-90		„ ½", 3 feet wide	0	3	4	„	
3273	22-2-90		„ ¾", 4 feet wide	0	3	6	„	
3931	10-10-90		„ 1", 3 feet wide	0	3	4	„	
3209	30-1-90	Skins	Wash or chamois leather, to average 5 oz. per skin	0	1	4	Each.	
3928	10-10-90		„ „ „ „	0	1	4	„	
3388	27-3-90	Tyres	India-rubber, for platform trucks	0	6	9	Each.	
3468	15-5-90	Valves.	India-rubber, red, 6½" diameter, ½" thick, 1½" hole	0	2	10	Each.	For condenser of shop engine.
3931	10-10-90		„ vulcanized, 6" diameter × ¼" thick, 1" hole	9	2	5½	%	
				0	or 1	10	Each.	
3468	15-5-90	Washers.	India-rubber, grey, 5⅝" × 1/16", with 2½" hole	0	0	7	Each.	For ball and socket joints.
„	„		„ red, 5½" × ½" thick, with 1" hole	0	2	2	„	For pump.

CLASS G.

TOOLS AND STORES.

b.—Stores.

4.—Metals.

FOR 1890.

67

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(4) METALS.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bolt—					
4134	10-11-90		⅜" in lengths of 15 feet	0	0	7½	lb.	
4134	10-11-90		½" ditto					
3350	17-3-90		½"					
3912	10-10-90		⅝" „ „ 10 feet	0	0	7½	„	
3350	17-3-90		⅝"					
3912	10-10-90		1¼" „ „ 10 feet					
3350	17-3-90	Brass.	1½"	0	0	8½	„	
			Bolt, yellow metal—					
4134	10-11-90		⅜", ½", 1⅛", 1¼"...	0	0	7	„	
			Sheet—					
3277	22-2-90		4′ × 4′ × 24 S. W. G.					
			4′ × 4′ × 20 „	0	0	10	„	
			4′ × 4′ × ½"					
4134	10-11-90		4 × 4′ × No. 3 S. W. G.					
			4′ × 4′ × No. 4 „	0	0	9½	„	
			4′ × 4′ × No. 6 „					

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Brass—*contd.*	Sheet—*contd.*					
4134	10-11-90		4′ × 4′ × No. 10 S. W. G.					
			4′ × 4′ × No. 15 „					
			4′ × 4′ × No. 20 „	0	0	9½	lb.	
			4′ × 4′ × No. 22 „					
3524	30-5-90		Tubing solid drawn 6′ 8″ × ⅛″ external and ⅛″ internal diameter, for condensers					
3912	10-10-90		Tubing, solid drawn ⅝″ outside diameter × 16 S. W. G.	0	0	10½	„	
			Wire, round, hard—	0	0	9½	„	
3277	22-2-90		⅜″					
„	„		⅛″	0	0	6½	„	
			No. 3 S. W. G. } In straight lengths of 10 feet	0	0	7½	„	
4134	10-11-90		„ 4 „ }	0	0	7½	„	
			„ 6 „					
			„ 12 „	0	0	7½	„	
3350	17-3-90		„ 12 „					
4134	10-11-90		„ 14 „	0	0	6½	„	
			„ 15 „	0	0	7½	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3893	8-10-90	Bronze.	Phosphor ingot, quality alloy No XI, for locomotive bearings	93	0	0	Ton.	
			Bolt or rod—					
3277	22-2-90		⅜″	74	0	0	Ton.	
3350	17-3-90		⅜″ „	79	6	8	„	
3912	10-10-90		⅜″ in 10 feet lengths	84	0	0	„	
3476	16-5-90		½″ in lengths of 10 feet	62	0	0	„	
3667	4-7-90		½″	71	0	0	„	
3476	16-5-90		¾″	62	0	0	„	
3667	4-7-90	Copper.	⅞″ in 10 feet lengths	71	0	0	„	
3807	4-9-90		⅞″ „ „	70	10	0	„	
3277	22-2-90		1⅛″	66	0	0	„	
4134	10-11-90		1⅛″ in lengths of 10 feet	71	0	0	„	
3277	22-2-90		1″	66	0	0	„	
3350	17-3-90		1″	79	6	8	„	
3807	4-9-90		1″ in 10 feet lengths	70	10	0	„	
3912	10-10-90		1″ „ „	77	0	0	„	

637.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bolt or rod—*concld.*					
4134	10-11-90		1" in 10 feet lengths					
,,	,,		1¼"	71	0	0	Ton.	
4134	10-11-90		1½"					
3476	16-5-90		1 5/8"	62	0	0	,,	
4134	10-11-90		2¼"	71	0	0	,,	
3270	21-2-90	Copper—*contd.*	Gauze, 2 feet wide, 25 S. W. G., 16 meshes per inch	5	1	0	L. foot.	
3295	28-2-90		In ingots of about 14 lbs. each	54	12	0	Ton.	
3720	17-7-90		,, ,, ...	65	5	0	,,	
3807	4-9-90		,, ,, ...	65	10	0	,,	
3905	10-10-90		,, ,, ...	66	6	0	,,	
4085	5-11-90		,, ,, ...	64	5	0	,,	
			Plate—					
			6′ × 4′ × 3/8"	66	0	0	,,	
			4·6 × 4′ × ½"					
3277	22-2-90		5·3 × 4·6 × ½"	68	10	0	,,	
			5·6 × 4·6 × ½"					
			6′ × 4′ × ½"					

82

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Plate—*concld.*					
4134	10-11-90		6′ × 4′ × ¼"	73	10	0	Ton.	
			Sheets—					
4134	10-11-90		No. 8, 4′ × 4′	71	0	0	,,	
4134	10-11-90		,, 10, 4′ × 4′	71	0	0	,,	
3350	17-3-90		4′ × 2′ × 12 S. W. G.	83	0	0	,,	
3277	22-2-90		6′ × 3′ × 16 ,, ...	66	0	0	,,	
3350	17-3-90	Copper—*contd.*	4′ × 2′ × 19 ,, ...	83	0	0	,,	
3667	4-7-90		4′ × 2′ × 20 ,, ...	71	0	0	,,	
3277	22-2-90		4′ × 4′ × 22 ,, ...	69	15	0	,,	
4134	10-11-90		No. 22, 4′ × 2′	71	0	0	,,	
3277	22-2-90		4′ × 4′ × 23 S. W. G	71	10	0	,,	
3277	22-2-90		6′ × 3′ × 23 ,, ...	78	10	0	,,	
3476	16-5-90		6′ × 3′ 6" × ½"	62	0	0	,,	
3277	22-2-90		7′ × 4′ × ½"	66	0	0	,,	
			Tubing, solid drawn—					
3276	22-2-90		½" bore × 16 B. W. G., 16 fet long	0	1	1½	lb.	
4129	7-11-90		¼" external diameter by 17 S. W. G.	0	1	¾	,,	

83

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Tubing, solid drawn—*contd.*					
3966	16-10-90	Copper—*contd.*	$\frac{5}{16}$" inside and $\frac{1}{2}$" outside diameter, 10 feet long ...	0	0	11½	lb.	
3276	22-2-90		$\frac{1}{2}$" × 16 B.W. G., 16 feet long	0	1	1	"	
3350	17-3-90		$\frac{1}{2}$" × 7 S. W. G.	0	0	11	"	
4129	7-11-90		$\frac{1}{2}$" × 16 "	0	1	0½	"	
3276	22-2-90		$\frac{1}{2}$" × 14 B. W. G., 14 feet long	0	0	11	"	
3350	17-3-90		$\frac{1}{2}$" × 15 S. W. G.	0	0	11½	"	
4129	7-11-90		$\frac{1}{2}$" × 13 "				"	
"	"		$\frac{1}{2}$" diameter external by 16 S. W. G.	0	1	0½	"	
3966	16-10-90		$\frac{5}{16}$" inside and $\frac{7}{16}$" outside diameter, 10 feet long	0	0	11½	"	
3276	22-2-90		$\frac{5}{8}$" × 14 B. W. G., 14 feet lengths	0	0	10½	"	
"	"		$\frac{5}{8}$" × 14 B. W. G. "	0	0	10½	"	
4129	7-11-90		$\frac{5}{8}$" bore × 13 S. W. G.	0	0	11	"	
"	"		$\frac{5}{8}$" diameter external × 14 S. W. G.	0	0	11½	"	
3276	22-2-90		1" bore × 14 B. W. G., 14 feet long	0	0	10	"	
3350	17-3-90		1 $\frac{1}{16}$" bore × 9 S. W. G.	0	0	9½	"	
4129	7-11-90		1$\frac{1}{8}$" bore × No 11 S. W. G.	0	0	9½	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Tubing, solid drawn—*concld.*					
4129	7-11-90	Copper—*contd.*	1½" bore × No. 11 S. W. G.	0	0	9½	lb.	
"	"		1½" external diameter, 11 S. W. G.					
3276	22-2-90		1¾" × 12 B. W. G. in 14 feet lengths	0	0	9½	"	
4129	7-11-90		1$\frac{7}{8}$" bore × 11 S. W. G.	0	0	9½	"	
"	"		1$\frac{7}{8}$" bore × 11 "					
3276	22-2-90		2" bore × 10 B. W. G.	0	0	9½	"	
4129	7-11-90		2" bore × 11 S. W. G.	0	0	9½	"	
			2" external diameter × 11 S. W. G.					
3276	22-2-90		2½" × 10 B. W. G., in 12 feet lengths	0	0	9½	"	
4129	7-11-90		2½" bore by No. 11 S. W. G.	0	0	9½	"	
4134	10-11-90		Wire, round, hard, in straight lengths of 10 feet, No. 3 S. W. G. ...	0	0	9½	"	
"	"		" " " No. 12 S. W. G.	0	0	8½	"	
3350	17-3-90		" " " " 15 "	0	0	8	"	
4134	10-11-90		" " " " 15 × 16 S. W. G.	0	0	8½	"	
3277	22-3-90		" " " " 18 S. W. G.	0	0	8½	"	
3350	17-3-90		" " " " 20 "	0	0	8	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount: £	s.	d.	Unit.	Remarks.
3912	10-10-90	Copper—*contd.*	Wire, round, hard, No. 20 S. W. G.	0	0	9	lb.	
4134	10-11-90		„ „ „ „ 20 „ „	0	0	8¼	„	
3277	22-2-90		„ „ „ „ 21 „ „					
3350	17-3-90		„ „ „ „ 24 „ „	0	0	9	„	
4134	10-11-90		„ trimming, „ 22 „ „	0	0	9½	„	
3906	10-10-90	Gauge.	Steel wire, 19 S. W. G., mesh, 11 per lineal inch, width 3 feet for spark arresters.	0	1	7	L.ft.	
4132	10-11-90	Iron.	Angle 1½″ × 1½″ × ⅛″	7	17	6	Ton.	
			„ 1½″ × 1½″ × ⅛″					
			„ 1½″ × 1½″ × ¼″	7	7	6	„	
			„ 1½″ × 1½″ × ¼″					
3277	10-2-90		„ 1½″ × 1½″ × ¼″	10	2	6	„	
3195	25-1-10		„ 1½″ × 1½″ × ¼″, in lengths of 16 feet	10	15	0	„	
3078	5-7-90		„ 1¾″ × 1¾″ × ¼″	8	12	6	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount: £	s.	d.	Unit.	Remarks.
3837	11-9-90	Iron—*contd.*	Angle 1½″ × 1½″ × ¼″ in lengths of 12 feet	7	12	6	Ton.	
3678	5-7-90		„ 2″ × 2″ × ¼″	8	12	6	„	
4132	10-11-90		„ 2″ × 2″ × ¼″	7	7	6	„	
3237	10-2-90		„ 2″ × 2″ × ¼″	10	2	6	„	
„	„		„ 2½″ × 2½″ × ⅜″					
			„ 2½″ × 2½″ × ¼″	7	7	6	„	
4132	10-11-90		„ 3″ × 2″ × ¼″	7	7	6	„	
			„ 3″ × 3″ × ¼″					
3237	10-2-90		„ 2″ × 2″ × 7/16″	10	2	6	„	
3507	24-5-90		„ 2″ × 2″ × ⅜″	9	7	6	„	
			„ 2″ × 2″ × ⅜″					
4132	10-11-90		„ 2½″ × 2½″ × ⅜″	7	7	6	„	
			„ 3″ × 3″ × ⅜″					
3237	10-2-90		„ 3″ × 3″ × 7/16″	10	2	6	„	
3274	22-2-90		„ 3″ × 3″ × 7/16″ in lengths of 15 feet	1	0	3	Cwt.	
3237	10-2-90		„ 2½″ × 2½″ × ½″	10	2	6	Ton.	
3219	1-2-90		„ 3″ × 3″ × ½″ in lengths of 20 feet	12	14	10	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3274	22-2-90	Iron—*contd.*	Angle 3″ × 3″ × ½″ in lengths of 15 feet	1	0	3	Cwt.	
3237	10-2-90		3″ × 3″ × ½″	10	2	6	Ton.	
3237	10-2-90		3½″ × 3½″ × ½″					
3274	22-2-90		3½″ × 3½″ × ½″ in lengths of 15 feet	1	0	3	Cwt.	
3237	10-2-90		6″ × 3½″ × ½″	10	12	6	Ton.	
			5″ × 5″ × $\frac{6}{16}$″					
			6″ × 6″ × $\frac{11}{16}$″					
			Angle, parallel, equal sides—	11	2	6	"	
			1¼″ × 1¼″ × ⅛″					
			2″ × 2″ × $\frac{4}{16}$″					
			2½″ × 2½″ × ¼″					
4197	19-12-90		2½″ × 2½″ × ⅜″					
			3″ × 3″ × ¼″					
			3½″ × 3½″ × ⅜″	7	3	9	"	
			4″ × 4″ × ¼″					
4197	19-12-90		2½″ × 2½″ × ½″					
			2½″ × 2½″ × ½″					

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Iron—*contd.*	Angle, parallel, equal sides—*concld.*					
			3″ × 3″ × ½″					
			3½″ × 3½″ × ½″	7	3	9	Ton.	
			4″ × 4″ × ½″					
4197	19-12-90		5″ × 5″ × ½″	7	13	9	"	
			3″ × 3″ × ⅝″	7	3	9	"	
			3½″ × 3½″ × ⅝″					
			5″ × 5″ × ⅝″	7	13	9	"	
			6″ × 6″ × ¾″	8	3	0	"	
			Angle, parallel, unequal sides—					
4197	19-12-90		4″ × 2½″ × ⅜″	7	3	9	"	
3165	9-1-90		Bar, convex, feather edge, 2″ × ⅝″ in lengths of 20 feet	11	5	0	"	
3232	10-2-90		Bar, fire—					
3339	13-3-90		3½″ × ⅝″ tapering to ¼″	9	5	0	"	
3678	5-7-90		Bar, flat—					
3722	18-7-90		3½″ × ½″	9	2	6	"	
			3″ × ½″	9	5	0	"	

CLASS OF STORES. G.—TOOLS AND STORES SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, flat—*contd*.					
3237	10-2-90	Iron—*contd*.	1¼″ × $\frac{7}{16}$″	10	7	6	Ton.	
3678	5-7-90		1¼″ × $\frac{1}{2}$″	8	12	6	,,	
3166	9-1-90		2″ × $\frac{7}{16}$″	10	10	0	,,	For washers.
4132	10-11-90		¾″ × ¼″	7	15	0	,,	
3237	10-2-90		1″ × ¼″	9	17	6	,,	
3837	11-9-90		1″ × ¼″	7	12	6	,,	
3195	25-1-90		2″ × ¼″	10	5	0	,,	
3237	10-2-90		2″ × ¼″	9	17	6	,,	
3678	5-7-90		2″ × ¼″	8	2	6	,,	
3837	11-9-90		2″ × ¼″	7	12	6	,,	
4132	10-11-90		2″ × ¼″	7	5	0	,,	
4197	19-12-90		2″ × ¼″	6	18	9	,,	
,,	,,		2¼″ × ¼″					
3507	24-5-90		2¼″ × ¼″	9	2	6	,,	
3237	10-2-90		1½″ × ¼″	9	17	6	,,	
3837	11-9-90		1½″ × ¼″	7	12	6	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, flat—*contd*.					
4132	10-11-90	Iron—*contd*.	1½″ × ¼″	7	5	0	Ton.	
4197	19-12-90		1½″ × ¼″	6	18	9	,,	
4132	10-11-90		1¾″ × ¼″	7	5	0	,,	
4197	19-12-90		1¾″ × $\frac{5}{16}$″	6	18	9	,,	
3237	10-2-90		2″ × $\frac{5}{16}$″	9	17	6	,,	
3507	24-5-90		1″ × ⅜″	9	2	6	,,	
3837	11-9-90		1″ × ⅜″	7	12	6	,,	
3507	24-5-90		1¼″ × ⅜″	9	2	6	,,	
,,	,,		1¼″ × ⅜″					
3837	11-9-90		1½″ × ⅜″	7	12	6	,,	
4197	19-12-90		1½″ × ⅜″	6	18	9	,,	
3837	11-9-90		2″ × ⅜″	7	12	6	,,	
4132	10-11-90		2″ × ⅜″	7	5	0	,,	
3237	10-2-90		3″ × ¼″	9	17	6	,,	
3722	18-7-90		3″ × ¼″	8	5	0	,,	
4197	19-12-90		3″ × ¼″	6	18	9	,,	

CLASS OF STORES. G.—TOOLS AND STORES SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, flat—*contd.*					
3507	24-5-90	Iron—*contd.*	3½″ × ⅜″	9	2	6	Ton.	
3722	18-7-90		4″ × ⅜″	8	5	0	„	
4197	19-12-90		4″ × ½″	9	18	9	„	
3837	11-9-90		1½″ × ½″	7	12	6	„	
			2″ × ½″					
4197	19-12-90		2½″ × ½″	9	18	9	„	
3195	25-1-90		2½″ × ½″	10	5	0	„	
3507	24-5-90		2½″ × ½″	9	2	6	„	
3837	11-9-90		2½″ × ½″	7	12	6	„	
4132	10-11-90		2½″ × ½″	7	5	0	„	
3678	5-7-90		4″ × ½″	8	2	6	„	
4197	19-12-90		4″ × ½″	9	18	9	„	
3678	5-7-90		5″ × ½″	8	2	6	„	
4197	19-12-90		8″ × ½″	7	8	9	„	
3837	11-9-90		1″ × ⅝″	7	12	6	„	
3507	24-5-90		1¼″ × ⅝″	9	2	6	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, flat—*contd.*					
3837	11-9-90	Iron—*contd.*	1¼″ × ⅝″	7	12	6	Ton.	
4197	19-12-90		1¼″ × ½″	6	18	9	„	
3837	11-9-90		1¼″ × ½″	7	12	6	„	
4132	10-11-90		1¼″ × ½″	7	5	0	„	
4197	19-12-90		1¼″ × ½″	6	18	9	„	
3237	10-2-90		2″ × ½″	9	17	6	„	
3837	11-9-90		2″ × ½″	7	12	6	„	
4132	10-11-90		2″ × ½″	7	5	0	„	
4197	19-12-90		2″ × ½″	6	18	9	„	
3237	10-2-90		2¼″ × ½″	9	17	6	„	
4132	10-11-90		2¼″ × ½″	7	5	0	„	
4197	19-12-90		2¼″ × ½″	6	18	9	„	
3195	25-1-90		2½″ × ½″	10	5	0	„	
3237	10-2-90		2½″ × ½″	9	17	6	„	
3290	27-2-90		2½″ × ½″	13	12	6	„	Swedish; for repairs to boilers.
3837	11-9-90		2½″ × ½″	7	12	6	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, flat—*contd.*					
4132	10-11-90	Iron—*contd.*	2½″ × ½″	7	5	0	Ton.	
4197	19-12-90		2¾″ × ½″	6	18	9	,,	
,,	,,		2¾″ × ⅝″					
3567	24-5-90		3″ × ½″	9	2	6	,,	
3327	30-5-90		3″ × ½″	18	5	0	,,	For spring-buckles for carriages and wagons.
4132	10-11-90		3″ × ½″	7	5	0	,,	
4197	19-12-90		3″ × ½″	6	18	9	,,	
,,	,,		3¼″ × ½″					
3237	10-2-90		3¼″ × ½″	9	17	6	,,	
3567	24-5-90		3½″ × ½″	9	2	6	,,	
3837	11-9-90		3½″ × ⅝″	7	12	6	,,	
3237	10-2-90		4″ × ⅝″	9	17	6	,,	
3837	11-9-90		4″ × ⅝″	7	12	6	,,	
4132	10-11-90		4″ × ½″	7	5	0	,,	
4197	19-12-90		4″ × ½″	6	18	9	,,	
,,	,,		4½″ × ½″					

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, flat—*contd.*					
4132	10-11-90	Iron—*contd.*	5″ × ½″	7	5	0	Ton.	
4197	19-12-90		6″ × ½″	6	18	9	,,	
4132	10-11-90		8″ × ½″	8	5	0	,,	
4197	19-12-90		8″ × ½″	7	8	9	,,	
4132	10-11-90		9″ × ½″	8	5	0	,,	
4197	19-12-90		7¾″ × 5/16″	7	8	9	,,	
4132	10-11-90		1½″ × ⅝″	7	5	0	,,	
3290	27-2-90		1½″ × ⅝″	13	12	6	,,	Swedish; for repairs to boilers.
3237	10-2-90		2″ × ⅝″	9	17	6	,,	
3678	5-7-90		2″ × ⅝″	8	2	6	,,	
4132	10-11-90		2″ × ½″	7	5	0	,,	
4197	19-12-90		2″ × ⅝″	6	18	9	,,	
3722	18-7-90		2¼″ × ⅝″	8	5	0	,,	
4132	10-11-90		2¼″ × ⅝″	7	5	0	,,	
4197	19-12-90		2¼″ × ⅝″	6	18	9	,,	
3237	10-2-90		2½″ × ⅝″	9	17	6	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Iron—*contd*.	Bar, flat—*contd*.					
3290	27-2-90		2¼" × ½"	13	12	6	Ton.	Swedish; for repairs to boilers.
3678	5-7-90		2½" × ½"	8	2	6	"	
3837	11-9-90		2½" × ½"	7	12	6	"	
3856	26-9-90		2¾" × ½"	7	10	0	"	
4197	19-12-90		2¾" × ½"	6	18	9	"	
3837	11-9-90		3" × ½"	7	12	6	"	
4132	10-11-90		3" × ½"	7	5	0	"	
4197	19-12-90		3¼" × ½" ... ... 4" × ½" ... ... 5" × ½"	6	18	9	"	
3237	11-9-90		6" × ½"	9	17	6	"	
4197	19-12-90		6" × ½"	6	18	9	"	
"	"		7½" × ½"	7	8	9	"	
3237	10-2-90		8" × ½"	10	7	6	"	
4197	19-12-90		8" × ½"	7	8	9	"	
3837	11-9-90		1" × ½"	7	12	6	"	
3166	9-1-90		1¼" × ½"	10	0	0	"	

96

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Iron—*contd*.	Bar, flat—*contd*.					
3837	11-9-90		1½" × ½"	7	12	6	Ton.	
3678	5-7-90		2" × ½"	8	2	6	"	
3837	11-9-90		2" × ½"	7	12	6	"	
3856	26-9-90		2" × ½"	7	10	0	"	
3195	25-1-90		2½" × ½"	10	5	0	"	
3237	10-2-90		2¼" × ½"	9	17	6	"	
3678	5-7-90		2½" × ½"	8	2	6	"	
4132	10-11-90		2½" × ½"	7	5	0	"	
4197	19-12-90		2½" × ½"	6	18	9	"	
4132	10-11-90		2¾" × ½"	7	5	0	"	
3237	10-2-90		3" × ½"	9	17	6	"	
3537	3-6-90		3" × ½"	8	7	6	"	
4132	10-11-90		3" × ½"	7	5	0	"	
4197	19-12-90		3" × ½"	6	18	9	"	
4132	10-11-90		3⅛" × ½"	7	5	0	"	
3507	24-5-90		4" × ½"	9	2	6	"	
4197	19-12-90		4" × ½"	6	18	9	"	

97

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, flat—*contd.*					
4096	6-11-90	Iron—*contd.*	4 4½" × ½"	18	5	0	Ton.	
4197	19-12-90		4½" × ⅜"	6	18	9	"	
4132	10-11-90		7" × ⅜"	7	15	0	"	
"	"		8" × ⅜"	8	5	0	"	
3237	10-2-90		2" × ½"	9	17	6	"	
4197	19-12-90		2" × ½"	6	18	9	"	
4132	10-11-90		4" × ½"	7	5	0	"	
4197	19-12-90		2" × 1"	6	18	9	"	
			2½" × 1"					
			2¼" × 1"					
3237	10-2-90		2¼" × 1"					
4096	6-11-90		2½" × 1"	9	17	6	"	
4197	19-12-90		2½" × 1¼"	18	5	0	"	
"	"		3" × 1¼"	6	18	9	"	
3237	10-2-90		3½" × 1¼"					
4132	10-11-90		3½" × 1¼"	9	17	6	"	
"	"		4½" × 1½"	7	5	0	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, flat—*contd.*					
4197	19-12-90	Iron—*contd.*	3" × 1½"	6	18	9	Ton.	
4132	10-11-90		3" × 2"	7	5	0	"	
			4" × 2"					
			3" × 1"					
3507	24-5-90		3½" × 1"	9	2	6	"	
4197	19-12-90		3½" × 1"	6	18	9	"	
3997	21-10-90		4" × 1"	7	0	0	"	
"	"		4½" × 1"					
4197	19-12-90		2½" × 1¼"	6	18	9	"	
			3" × 1¼"					
			3½" × 1¼"					
3507	24-5-90		5½" × 1¼"	9	2	6	"	
4197	19-12-90		1 5/16" × ⅜" for ½" nuts	6	18	8	"	
			1 3/16" × ⅜" " ⅝" "					
			1 1/16" × 1 1/16" " ¾" "					
			1 7/16" × 1 5/16" " ⅞" "					
			1⅝" × 1 3/16" " 1" "					
			1¾" × 1⅜" " 1⅛" "					

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, flat, Swedish—					
			2" × ½"					
			2½" × ½"					
4112	7-11-90		3" × ½"					
			3½" × ½"	12	10	0	Ton.	For making fish-plates and cramps locking points.
			3" × ¼"					
			3" × ½"					
			Bar, half round—					
4197	19-12-90		2" × ½"					
"	"	Iron—*contd.*	2" × ¼"	6	18	9	"	
			Bar, round—					
4197	19-12-90		⅞"					
3195	25-1-90		1"	10	3	9	"	
3237	10-2-90		1"	12	0	0	"	
3678	5-7-90		1"	11	12	6	"	
4132	10-11-90		¾"	9	7	6	"	
4197	19-12-90		¾"	9	0	0	"	
3507	24-5-90		⅞"	8	12	9	"	
				10	7	6	"	

100

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, round—*contd.*					
3678	5-7-90		⅛"					
4197	19-12-90		⅛"	9	7	6	Ton.	
3237	10-2-90		⅝"	8	3	9	"	
3678	5-7-90		⅝"	10	12	6	"	
4095	6-11-90		⅝"	8	17	6	"	
4096	6-11-90		⅝"	22	5	0	"	Yorkshire.
4132	10-11-90	Iron—*contd.*	⅝"	22	5	0	"	
4197	19-12-90		⅝"	8	0	0	"	
3195	25-1-90		⅝"	7	13	9	"	
3237	10-2-90		½"	10	5	0	"	
3678	5-7-90		½"	9	17	6	"	
3837	11-9-90		½"	8	2	6	"	
4095	6-11-90		½"	7	12	6	"	
4132	10-11-90		½"	20	5	0	"	Yorkshire.
4197	19-12-90		½"	7	5	0	"	
3195	25-1-90		⅜"	6	18	9	"	
3237	10-2-90		⅜"	10	5	0	"	
				9	17	6	"	

101

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Iron—*contd.*	Bar, round—*contd.*					
3274	22-2-90		1″	0	18	3	Cwt.	
3537	3-6-90		1″	0	8	4½	,,	
3678	5-7-90		1″	8	2	6	Ton.	
3837	11-9-90		1″	7	12	6	,,	
4095	6-11-90		1″	18	5	0	,,	Yorkshire.
4197	19-12-90		1″	6	18	9	,,	
3507	24-5-90		1⅛″	9	2	6	,,	
3166	8-1-90		1¼″	10	0	0	,,	For bolts.
3195	25-1-90		1¼″	10	5	0	,,	,,
3237	10-2-90		1¼″	9	17	6	,,	
3274	22-2-90		1¼″	0	18	3	Cwt.	
3537	3-6-90		1¼″	0	8	4½	,,	
3678	5-7-90		1¼″	8	2	6	Ton.	
3837	11-9-90		1¼″	7	12	6	,,	
4095	6-11-90		1¼″	18	5	0	,,	Yorkshire.
4197	19-12-90		1¼″	6	18	9	,,	
3894	8-10-90		1¼″	18	5	0	,,	Lowmoor.

102

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Iron—*contd.*	Bar, round—*contd.*					
3195	25-1-90		1⅛″	10	5	0	Ton.	
3237	10-2-90		1⅛″	9	17	6	,,	
3274	22-2-90		1⅛″	0	18	3	Cwt.	
3537	3-6-90		1⅛″	0	8	4½	,,	
3678	5-7-90		1⅛″	8	2	6	Ton.	
3837	11-9-90		1⅛″	7	12	6	,,	
4095	6-11-90		1⅛″	18	5	0	,,	Yorkshire.
4197	19-12-90		1⅛″	6	18	9	,,	
3980	21-10-90		1⅛″	18	5	0	,,	Lowmoor.
3894	8-10-90		1⅛″	18	5	0	,,	,,
3507	24-5-90		1″	9	2	6	,,	
3195	25-1-90		1″	10	5	0	,,	
3237	10-2-90		1″	9	17	6	,,	
3274	22-2-90		1″	0	18	3	Cwt.	
3678	5-7-90		1″	8	2	6	Ton.	
3837	11-9-90		1″	7	12	6	,,	

103

CLASS OF STORES G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Iron—*contd.*	Bar, round—*contd.*					
4095	6-11-90		1"	18	5	0	Ton.	Yorkshire.
4132	10-11-90		1"	7	5	0	"	
4197	19-12-90		1"	6	18	9	"	
3894	8-10-90		1"	18	5	0	"	Lowmoor.
3237	10-2-90		1¼"	9	17	6		
3274	22-2-90		1¼"	0	18	3	Cwt.	
3678	5-7-90		1¼"	8	2	6	Ton.	
3837	11-9-90		1¼"	7	12	6	"	
4197	19-12-90		1¼"	6	18	9	"	
3237	10-2-90		1½"	9	17	6	"	
3274	22-2-90		1½"	0	18	3	Cwt.	
3837	11-9-90		1½"	7	12	6	Ton.	
4095	6-11-90		1¼"	18	5	0	"	Yorkshire.
4132	10-11-90		1¼"	7	5	0	"	
4197	19-12-90		1¼"	6	18	9	"	
3274	22-2-90		1¼"	0	18	3	Cwt.	

101

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Iron—*contd.*	Bar, round—*contd.*					
3507	24-5-90		1⅛"	9	2	6	Ton.	
3527	30-5-90		1⅛"	18	5	0	"	For smoke-box door handles and pieced up longitudinal stays.
3537	3-6-90		1⅛"	0	8	4½	Cwt.	
4197	19-12-90		1⅛"	6	18	9	Ton.	
3237	10-2-90		1⅛"	9	17	6	"	
3274	22-2-90		1⅛"	0	18	3	Cwt.	
3537	3-6-90		1⅛"	0	8	4½	"	
4095	6-11-90		1⅛"	18	5	0	Ton.	Yorkshire.
4197	19-12-90		1⅛"	6	18	9	"	
3274	22-2-90		1⅛"	0	18	3	Cwt.	
3237	10-2-90		1⅛"	9	17	6	Ton.	
3274	22-2-90		1¼"	0	18	3	Cwt.	
3507	24-5-90		1¼"	9	2	6	Ton.	
4095	6-11-90		1¼"	18	5	0	"	Yorkshire, for draw bars.
4197	19-12-90		1¼"	6	18	9	"	
3256	18-2-90		1¼"	18	5	7	"	Lowmoor.

103

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Bar, round—*concld.*					
3237	10-2-90	Iron—*contd.*	2"	9	17	6	Ton.	
3274	22-2-90		2"	0	15	3	Cwt.	
3507	24-5-90		2"	9	2	6	Ton.	
4197	19-12-90		2"	6	18	9	"	
4197	19-12-90		2¼"	6	18	9	"	
3274	22-2-90		2¼"	0	18	3	Cwt.	
4132	10-11-90		2¼"	7	5	0	Ton.	
4197	19-12-90		2¼"	6	18	9	"	
4197	19-12-90		2¼"	6	18	9	"	
3237	10-2-90		2¼"	9	17	6	"	
3507	24-5-90		2¼"	9	2	6	"	
4197	19-12-90		2¼"	6	18	9	"	
"	"		2"	6	18	9	"	
"	"		2"	6	18	9	"	
4132	10-11-90		3¼"	7	5	0	"	

106

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3894	8-10-90	Iron—*contd.*	Bar, round, Lawrence—					
"	"		⅜"					
3980	21-10-90		½"					
3894	8-10-90		⅝"	0	18	5	Cwt.	
3997	21-10-90		¾"					
			Bar, square—					
3507	24-5-90		⅜"	7	0	0	Ton.	
"	"		½"	9	2	6	"	
4197	19-12-90		½"	6	18	9	"	
3290	27-2-90		⅝"	13	12	6	"	Swedish; for repairs to boilers.
3837	11-9-90		¾"	7	12	6	"	
4132	10-11-90		⅞"	7	5	0	"	
3837	11-9-90		1"	7	12	6	"	
			1¼"					
3290	27-2-90		1½"	13	12	6	"	Swedish; for repairs to boilers.

107

129

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracetd for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Iron—*contd*.	Bar, square—*concld*.					
3678	5-7-90		3½"	8	2	6	Ton.	
3837	11-9-90		1½"	7	12	6	,,	
3290	27-2-90		1¼"	13	12	6	,,	Swedish; for repairs to boilers.
3507	24-5-90		1¼"	9	2	6	,,	
3290	27-2-90		2"	13	12	6	,,	Ditto ditto
3507	24-5-90		2¼"	9	2	6	,,	Ditto ditto
3290	27-2-90		2½"	13	12	6	,,	
4132	10-11-90		3"	7	5	0	,,	
3195	25-1-90		4" × 4"	10	15	0	,,	
4132	10-11-90		4"	7	5	0	,,	
			Bar, square, Lowmoor—					
3472	15-5-90		2½" ... ... / 3"	18	15	4	,,	For valve buckles.
			Channel—					
3235	10-2-90		27' 6" × 9" × 3" × ⅝"	11	15	0	,,	
,,	,,		9' 6" × 9" × 3" × ⅝"	10	15	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Channel—*concld*.					
3678	5-7-90		17' 7" × 7⅛" × 2½" × ⅜"	9	5	0	Ton.	
,,	,,		5' 8" × 7⅛" × 2½" × ⅜"	9	5	0	,,	
			Gauze, galvanized—					
			2 feet wide, 6 meshes per inch, 20 S. W. G.	0	0	5¼	L. ft.	
			2 feet wide, 8 meshes per inch, 20 S. W. G.	0	0	7	,,	
3270	21-2-90		Gauze, plain—					
			2 feet wide, 6 meshes per inch, 21 S. W. G.	0	0	3½	,,	
			2 ,, ,, 8 ,, ,, ,, 20 ,, ...	0	0	5¼	,,	
3237	10-2-90		Hoop ¼" × 16 S. W. G.	10	12	6	Ton.	
4132	10-11-90		Hoop 1" × 19 S. W. G.	7	5	0	,,	
3332	10-3-90		Pig, Gartsherrie, No. 1	4	4	6	,,	
3515	29-5-90		,, ,, ... /	3	12	6	,,	
3606	23-6-90		,, ,, ... /					
			Plate, chequered—					
			8' × 3' × ¼" ... ... /	10	15	0	,,	
3236	10-2-90		12' × 2' × ¼" ... ... /					
			10' × 4' × ¼"	11	5	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUBHEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Plate, plain—					
3964	16-10-90		10′ × 3′ × ¼″					
3192	24-1-90		12′ × 4′ × ¼″	9	0	0	Ton.	
3815	9-9-90		6′ × 2′-6″ × $\frac{1}{16}$″	11	15	0	,,	
3234	10-2-90		6′ × 3″ × $\frac{1}{16}$″	13	10	0	,,	
3426	2-5-90		7′ × 3′ × $\frac{1}{16}$″	10	10	0	,,	
3964	16-10-90		7′ × 3′ 6″ × $\frac{1}{16}$″	0	9	2	Cwt.	
,,	,,		8′ × 3′ 6″ × $\frac{1}{16}$″	8	15	0	Ton.	
3368	21-5-90		8′ × 4′ × $\frac{1}{16}$″	8	15	0	,,	
3234	10-2-90		8′ 6″ × 4′ × $\frac{1}{16}$″	0	10	7½	Cwt.	
3964	16-10-90		10′ × 3′ × $\frac{1}{16}$″	10	10	0	Ton.	For engine cabs.
3234	10-2-90		10′ × 3′ × $\frac{1}{16}$″	8	15	0	,,	
,,	,,		10′ × 4′ × $\frac{1}{16}$″	10	10	0	,,	
3964	16-10-90		10′ × 2′ × ⅛″					
3234	10-2-90		10′ × 3 × ⅛″	8	15	0	,,	
3234	10-2-90		10′ × 4′ × ⅛″					
,,	,,		12′ × 3′ × ⅛″	10	10	0	,,	

Iron—*contd.*

CLASS OF STORES. G.—TOOLS AND STORES SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Plate, plain—*contd.*					
3234	10-2-90		12′ × 4′ × ⅛″					
,,	,,		6′ × 3′ × ¼″	10	10	0	Ton.	
3815	9-9-90		7′ 6″ × 6′ × ¼″					
3964	16-10-90		8′ × 2′ × ¼″	15	0	0	,,	
3234	10-2-90		8′ × 3′ × ¼″	8	15	0	,,	
3274	22-2-90		8′ × 4′ × ¼″	10	10	0	,,	
			8′ × 4′ × ¼″	1	2	3	Cwt.	
3234	10-2-90		8′ × 4′ 6″ × ¼″					
			8′ 6″ × 4′ 6″ × ¼″	10	10	0	Ton.	
			8′ × 4′ × $\frac{5}{16}$″					
3274	22-2-90		6′ × 3′ × ⅜″					
,,	,,		6′ × 4′ × ⅜″	1	2	3	Cwt.	
3234	10-2-90		8′ × 3′ × ⅜″					
,,	,,		8′ × 4′ 0″ × ⅜″	10	10	0	Ton.	
3274	22-2-90		8′ 6″ × 4′ 6″ × ⅜″	1	6	3	Cwt.	
3234	10-2-90		10′ × 4′ × ⅜″	10	10	0	Ton.	

Iron—*contd.*

69

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3277	22-2-90	Iron—*contd.*	Plate, plain—*contd.*					
			6′ × 4′ × $\frac{1}{16}$″					
3256	18-2-90		6′ × 3′ × $\frac{4}{16}$″	1	4	3	Cwt.	
"	"		6′ × 3′ × $\frac{1}{4}$″					
3964	16-10-90		6′ × 3′ × $\frac{1}{2}$″	21	13	10	Ton.	Lowmoor.
3274	22-2-90		7′ 6″ × 3′ 7′ × $\frac{1}{4}$″	8	15	0	"	
3234	10-2-90		8′ × 4′ × $\frac{1}{4}$″	1	4	3	Cwt.	
3274	22-2-90		6′ × 4′ × $\frac{1}{2}$″	19	10	0	Ton.	
3234	10-2-90		8′ × 4′ × $\frac{1}{2}$″	1	6	3	Cwt.	
3274	22-2-90		6′ 6″ × 6′ × $\frac{1}{2}$″	19	10	0	Ton.	
3856	26-9-90		7′ × 4′ × $\frac{1}{2}$″	1	6	3	Cwt.	
3368	21-3-90		6′ × 2′ × 1″	8	15	0	Ton.	
			Plate—	0	10	7½	"	
			For fire-box back, for steamers, No. 2					
3641	2-7-90		" " side " 4					
			" " crown " 2	152	10	0	The whole.	
			Tube, for steamers " 2					

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
4194	18-12-90	Iron—*contd.*	Plate, Yorkshire—					
			8′ × 4′ × $\frac{5}{16}$″					
			10′ × 3′ × $\frac{1}{2}$″	1	4	3	Cwt.	
			8′ × 3′ 6½″ × $\frac{1}{16}$″					
			9′ 6″ × 3′ 6½″ × $\frac{7}{16}$″					
			8′ × 4′ × $\frac{7}{16}$″					
			15′ 0″ × 3′ 6½″ × ½″					
			8′ × 4′ 6″ × ½″					
			6′ 6″ × 6′ × ½″	1	6	3	"	
			6′ × 4′ × ½″					
			5′ × 5′ × ½″					
			5′ 6″ × 5′ 6″ × ½″					
			6′ 6″ × 6′ × ½″					
3215	31-1-90		Sheets, corrugated, galvanized, curved to 8′ 6″ radius, length 11′ 6″ on the curve	22	2	6	Ton.	
4098	6-11-90		Sheets, corrugated, galvanized, 7′ 6″ long to cover 2′ 9″	15	10	0	"	
3215	31-1-90		Sheets, corrugated, galvanized, curved to 8′ 6″ radius, length 11′ 0″ on the curves	21	2	6	"	
4098	6-11-90		Sheets, corrugated, galvanized, to cover 2 feet	15	0	0	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Iron—*contd.*	Sheets, plain, galvanized—					
3223	1-2-90		6′ × 3′ × 21 S. W. G.	16	17	6	Ton.	
4069	1-11-90		6′ 0″ × 2′ × $\frac{1}{16}$″					
			6′ 3″ × 2′ 10″ × $\frac{1}{12}$″					
			5′ 5½″ × 3′ 11½″ × $\frac{1}{16}$″					
			6′ 8″ × 3′ 5½″ × $\frac{1}{16}$″					
			6′ 0″ × 2′ 6″ × $\frac{1}{16}$″					
			6′ 0″ × 3′ 0″ × $\frac{1}{16}$″	8	17	6	,,	
			7′ 8″ × 3′ 4½″ × $\frac{1}{16}$″					
			7′ 4″ × 3′ 7″ × $\frac{1}{16}$″					
			7′ 5″ × 2′ 10″ × $\frac{1}{16}$″					
3204	10-2-90		8′ 0″ × 4′ × $\frac{1}{16}$″	12	0	0	,,	
			10′ 0″ × 4′ × $\frac{1}{16}$″					
			Sheets, plain—					
4069	1-11-90		3′ 10″ × 3′ 6″ × $\frac{1}{8}$″					
			4′ 5″ × 3′ 8½″ × $\frac{1}{8}$″	8	17	6	,,	
			4′ 7″ × 5′ 10½ × $\frac{1}{8}$″					

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Sheet plain—*contd.*					
4069	1-11-90		6′ × 2′ 0″ × $\frac{1}{8}$″	8	17	6	Ton.	
,,	,,		6′ × 3′ × $\frac{1}{8}$″					
3234	10-2-90		6′ × 3′ × $\frac{1}{8}$″	11	0	0	,,	
			6′ × 4′ × $\frac{1}{8}$″	11	0	0	,,	
4069	1-11-90		7′ × 2′ 6″ × $\frac{1}{8}$″	8	17	6	,,	
			8′ × 4′ × $\frac{1}{8}$″					
3234	10-2-90		12′ × 3′ × $\frac{1}{8}$″	11	10	0	,,	
			12′ × 4′ × $\frac{1}{8}$″	12	0	0	,,	
		Iron—*contd.*	8′ × 2′ 6½″ × $\frac{5}{16}$″					
			7′ × 3′ 0″ × $\frac{1}{4}$″					
			9′ × 2′ 6″ × $\frac{1}{4}$″					
			9′ × 4′ 0″ × $\frac{1}{4}$″					
4069	1-11-90		6′ × 2′ 6″ × $\frac{3}{16}$″	8	7	6	,,	
			8′ × 4′ × $\frac{5}{16}$″					
			5′ × 3′ 7″ × $\frac{1}{4}$″					
			14′ × 3′ 11″ × $\frac{1}{16}$″					

66

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Iron—*contd*.	Sheet, plain—*contd*.					
			6' 6" × 3' 4" × 2½ lb. per sq. feet ...					
			9' × 3' 4" × ditto. ...	14	0	0	Ton.	
			9' × 3' 4" × 4 lbs. per sq. feet ...					
			9' × 4' 6" × ditto ...	16	0	0	,,	
			6' × 3' × 10 S. W. G. ...	11	0	0	,,	
3234	10-2-90		8' × 4' × 10 ,, ...	11	10	0	,,	
			10' × 4' × 10 ,, ...					
			12' × 3' 4" × 12 ,, ...	14	10	0	,,	
			6' 6" × 3' 4" × 14 ,, ...	14	0	0	,,	
			6' × 3' × 16 ,, ...	11	0	0	,,	
			8' × 4' × 16 ,, ...	13	0	0	,,	
			9' × 4' × 16 ,, ...					
3514	29-5-90		Sheet, for panels, 9' × 2' 6" × 1/12" ...	17	5	0	,,	For panels.
3507	24-5-90		T. 2" × 2" × ¼" ...	9	12	6	,,	
4197	19-12-90		,, 2" × 2" × ¼" ...	7	8	9	,,	
3507	24-5-90		,, 2" × 2" × ¼" ...	9	12	6	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd*.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Iron—*contd*.	Wire, half round, bright—					
3271	21-2-90		⅛" ...	1	2	0	Cwt.	
3972	18-10-90		⅛" ...	1	8	0	,,	
3271	21-2-90		3/16" ...	1	2	0	,,	
3972	18-10-90		3/16" ...	1	8	0	,,	
3271	21-2-90		¼" ...	1	2	0	,,	
3972	18-10-90		¼" ...	1	8	0	,,	
3271	21-2-90		5/16" ...	1	2	0	,,	
3972	18-10-90		5/16" ...	1	8	0	,,	
			Wire, half round, bright—					
			No. 4 S. W. G. ...					
3475	16-5-90		No. 8 S. W. G. ...	1	0	0	,,	
			No. 16 S. W. G. ...	1	5	0	,,	
3271	21-2-90		Wire, round, ⅛" soft ...	1	2	0	,,	
		Lead	Pig—					
3245	14-2-90		Pig ...	12	14	9	Ton.	
3624	30-6-90		,, ...	14	0	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Lead—*contd.*	*Pig—contd.*					
4072	3-11-90		Pig	14	2	3	Ton.	
3246	14-2-90		Piping, 1" bore, 1" thick, in coils of 60 feet	0	15	9	Cwt.	
3461	12-3-90		Sheet, $\frac{1}{16}$" thick, 6 feet broad, in 3 rolls					
			„ $\frac{1}{8}$" „ 6 „ in 3 „	0	15	3	„	
			„ $\frac{1}{4}$" „ 6 „ in 1 „					
3246	14-2-90		„ 7' wide, 7 lb. per sq. foot in 4 equal rolls	0	15	6	„	
„	„		Wire, 11 S. W. G.	1	12	0	„	
„	„		„ 13 S. W. G.					
3384	26-8-90		Babbits	4	12	0	Cwt.	
3501	24-6-90		„	4	16	0	„	
3655	3-7-90		„					
3814	9-9-90		„	5	2	0	„	To be in ingots of about 14 lbs., and to consist of tin 83 parts, copper 8 parts, and antimony 9 parts
3916	19-10-90		„	5	4	0	„	
2901	9-10-90		Richard's plastic for locomotive big ends	7	15	0	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3267	20-2-90	Plumbago.	Powder, for Foundry, Indian State Railway Pattern No. 6774	25	0	0	Ton.	
4105	7-11-90		„ „ „ „ „					
4052	30-10-90	Solder.	Hard (or spelter) for brass and copper	3	17	6	Cwt.	
			Soft, tinman's in sticks 16" long, 3 to the lb.	3	13	6	„	
3241	14-2-90		„ „	3	18	0	„	To consist of tin 70 parts, and lead 30 parts.
3342	13-3-90		„ „	4	5	0	„	
3662	3-7-90							
		Steel.	Bar, Styrian, Böhler's—					
			Extra hard for ordinary tools					
			$\frac{1}{8}$" square					
			$\frac{3}{4}$" „					
4182	5-12-90		Tough and hard, for taps and dies, wood cutting tools, punches, &c. ...	3	6	0	Cwt.	
			1" round					
			$\frac{3}{4}$" „					
			$\frac{1}{2}$" „					

CLASS OF STORES. G.—TOOLS AND STORES SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Special, for tools, for turning very hard types—					
41	5-12-90	Steel—*contd.*	Flat 2¼" × 2"	4	6	0	Cwt.	
			" 2" × 1¼"					
			Bar, musket's tool, self-hardening—					
4181	5-12-90		Flat 1¼" × ¼"	7	0	0	"	
"	"		Square ¾"					
			Cast, flat—					
3519	30-5-90		3" × 1" for dies, for bolt-making machine	1	18	6	"	
"	"		¾" × 1¼" for shears, for spring-making machine					
			Cast, hexagon—					
3264	20-2-90		¾" for shearing machine	1	13	0	"	
3665	4-7-90		1"	1	15	0	"	
			Cast, octagon—					
3264	20-2-90		¾"					
"	"		1¼"	1	13	0	"	
"	"		1½"					
3665	4-7-90		¾" for smith's tools					
"	"		1"	1	15	0	"	
"	"		1¼"					
3727	19-7-90		1½"	1	12	6	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4 METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Cast, octagon—*concld.*					
4063	31-10-90		1" for making special tools	1	14	0	Cwt.	
3806	4-9-90		¾" for cold chisels	1	15	0	"	
			Cast, round—					
3599	21-6-90		$\frac{3}{16}$"					
"	"		¼" for spiral springs	0	0	6½	lb.	
"	"		$\frac{5}{16}$"					
3519	30-5-90	Steel—*contd.*	⅜" for turning tools	1	16	6	Cwt.	
3806	4-9-90		⅜" diameter for punches	1	15	0	"	
4063	31-10-90		½" for making tools	1	14	0	"	
"	"		⅝" turning tools					
3806	4-9-90		⅝" diameter					
"	"		⅜" " for punches	1	15	0	"	
4063	31-10-90		¾" for making tools					
"	"		1" for punches for bolt-making machine	1	14	0	"	
"	"		1¼" for punches for spring-making machine					
3264	20-2-90		1¼" for tools suitable for hard surfaces					
"	"		1¼" for tools suitable for ordinary metals	1	13	0	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Steel—*contd.*	Cast, round—*concld.*					
4063	31-10-91		2" } for dies, for bolt-making machines	2	0	0	Cwt.	
"	"		2¼" }					
3609	23-6-90		Forged to 2¼" diameter for making piston rods	1	13	6	"	
3727	19-7-90		1¼" for smith's tools	1	12	6	"	
			Plates—					
4032	5-11-90		6′ × 3′ × 5⅜″ × ⅜″	10	17	6	Ton.	
"	"		4′ 3″ × 7′ × ⅜″					
"	"		3′ 6″ × 7″ × ⅜″					
			Cast, sheet—					
4063	31-10-90		6′ × 3′ × ¼″ for making gauges	0	18	0	Cwt.	
3582	16-6-90		Cast, square, for turning, shaping and machine tools:—					
"	"		¾″	1	18	0	"	
"	"		1″					
4063	31-10-90		Cast, square—					
"	"		1½″ } for making tools	1	14	0	"	
"	"		1¾″ }					
"	"		1¾″ for smith's chisels	1	8	0	"	
"	"		2″ " " "					

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Steel—*contd.*	Cast, square—*concld.*					
4063	31-10-90		3½" for dies for bolt-making machine	2	0	0	Cwt.	
			Spring—					
3474	16-5-90		3½″ × ½″ flat, for making piston springs	18	5	0	Ton.	
3240	14-2-90		3½″ × $\frac{5}{16}$″	15	0	0	"	
3390	27-3-90		$\frac{5}{16}$″ round, in 10 feet bars	1	4	0	Cwt.	
3551	6-6-90		3½″ × $\frac{5}{16}$″ laminated for engine springs	10	0	0	Ton.	
3666	4-7-90		3½″ × $\frac{5}{16}$″ " " "	0	10	0	Cwt.	
3840	16-9-90		2″ × $\frac{5}{16}$″ " " "	11	5	0	Ton.	
3224	4-2-90		4″ × ⅜″ in lengths of 15 feet, for carriage and wagon springs ...	10	15	0	"	
3474	16-5-90		3″ × ⅜″ flat, for repairing bearing springs	10	0	0	"	
3551	6-6-90		3½ × ⅜″					
"	"		4½ × ⅜″	0	10	9	Cwt.	
3840	16-9-90		2½ × ⅜″	10	0	0	Ton.	
3666	4-7-90		3½ × ⅜″					
3268	20-2-90		Special, Mushet's, self-hardening, square:—					
			¾″, ⅞″, 1⅛″, 1¼″, 1⅜″, 1½″ and 2″	140	0	0	"	For turning tools.
4089	5-11-90		" " 1½″	0	1	3	lb.	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Steel—*contd.*	Spring—					
3224	4-2-90		3″ × ½″ } in lengths of 15 feet, for carriage and wagon springs ...	11	5	0	Ton.	
,,	,,		8½″ × ½″ }					
3551	6-6-90		4½″ × ½″ for engine springs, laminated	10	0	0	,,	
3666	4-7-90		3″ × ½″ }					
,,	,,		3½″ × ½″ } for laminated springs	10	0	0	,,	
4066	31-10-90		3½″ × ½″ }					
3840	16-9-90		3″ × ½″ for laminated springs	0	10	9	Cwt.	
3224	4-2-90		6″ × $\frac{6}{16}$″ in lengths of 15 feet, for engine springs	11	5	0	Ton.	
			3½″ × $\frac{7}{16}$″ }					
3224	4-2-90		4″ × $\frac{7}{16}$″ } In lengths of 15 feet, for carriage and wagon springs...	11	5	0	,,	
			4½″ × $\frac{7}{16}$″ }					
3240	14-2-90		3″ × $\frac{7}{16}$″	15	0	0	,,	
3474	16-5-90		3″ × $\frac{7}{16}$″ flat for repairing bearing springs	10	15	0	,,	
3551	6-6-90		3½″ × $\frac{7}{16}$″ for engine springs, laminated					
3666	4-7-90		3½″ × $\frac{7}{16}$″ for laminated springs	10	0	0	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Tool, round, 1″					
4102	7-11-90		,, 1¼″	2	12	0	Cwt.	For general use in erecting shops.
			,, 1½″					
3350	27-8-90		Spring, flat, ½″ × 25″ S. W. G., for making roof lamp springs, in bars of 10 feet	2	0	0	,,	
,,	,,		Spring, square, ½″, in bars of 10 feet length	1	4	0	,,	
			Wire, bright, for repairing watches—					
3380	26-3-90	Steel—*contd.*	No. 13 I. S. G.	0	3	0	lb.	
			,, 15 I. S. G.	0	3	6	,,	
			Wire, cast, best refined, No. 3 S. W. G.	1	9	0	Cwt.	
			,, ,, ,, 14 ,, ...	1	16	0	,,	
4125	11-11-90		,, ,, ,, 16 ,, ...	2	1	0	,,	For spring.
			,, ,, ,, 20 ,, ...	3	0	0	,,	
			Wire, half round (mild steel) No. 4 S. W. G.	1	1	0	,,	
			Wire, round, 6 B. W. G.					
3972	18-10-90		,, 8 ,, ...	0	0	5	lb.	
			,, 10 ,, ...					

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Steel—*contd.*	Wire, round, 12 B. W. G.	0	0	6	lb.	
			,, 14 ,, ...	0	0	7	,,	
3972	18-10-90		,, 16 ,, ...	0	0	8	,,	
			,, 18 ,, ...	0	0	9	,,	
			,, 20 ,, ...	0	0	10	,,	
4135	11-11-90		Wire, round (mild steel) No 4 S. W. G.	0	10	0	Cwt.	
3475	16-5-90		,, ,, ,, 6 ,, ...	2	0	0	,,	
,,	,,		,, ,, ,, 8 ,, ...					
			,, ,, ,, 10 ,, ...	0	10	6	,,	
4135	11-11-90		,, ,, ,, 12 ,, ...	0	11	6	,,	
			,, ,, ,, 14 ,, ...	0	12	6	,,	
			,, ,, ,, 15 ,, ...	0	13	0	,,	
3475	16-5-90		,, ,, ,, 16 ,, ...	2	18	0	,,	
			,, ,, ,, 20 ,, ...	0	16	0	,,	
4135	11-11-90		,, ,, ,, 22 ,, ...	0	17	6	,,	
			Wire, round, galvanized, No. 3 S. W. G.	0	14	0	,,	
			,, ,, ,, 6 ,, ...					

126

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(4) METALS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3229	7-2-90	Tin.	In ingots of about 14 lbs. each	97	17	6	Ton.	
3288	27-2-90		,, ,, ...	4	15	0	Cwt.	
3669	4-7-90		,, ,, ...	4	17	6	,,	
3846	19-9-90		,, ,, ...	5	1	0	,,	
3263	20-2-90		Plates, best charcoal finish, 20″ × 14″ DXX, 112 in each box	1	11	0	Box.	
3299	28-2-90		,, ,, ,, IXX, 20″ × 14″	1	6	9	Per 100 sheets.	
3671	4-7-90		,, ,, ,, IXX, 20″ × 14″ in two boxes of 100 each ...	1	8	0	112 ,,	
4128	7-11-90		,, ,, ,, 15″ × 11″ SDXX	1	18	0	Box.	In boxes of 200.
,,	,,		,, ,, ,, ,, ,, ...	1	7	0	,,	,, ,, 50.
			Sheets, best charcoal—					
3469	15-5-90		Quality DXX, 17″ × 12½″	1	5	0	,,	,, ,, 100.
3556	9-6-90		,, DXX, 15″ × 11″	1	9	0	100 sheets.	
3731	19-7-90		,, IXX, 20″ × 14″	1	6	0	,,	
,,	,,		,, IC, 20″ × 14″	0	19	0	,,	

127

CLASS OF STORES. G.—TOOLS AND STORES, b.—(4) METALS—*concld.*

Contracted for in 1890.

Contract number and date.	Articles.	Details.	Rate—Free on Board. Amount.	Rate—Free on Board. Unit.	Remarks.
			£		
	Zinc.				
2281	24-2-90	Sheet, plain—			
		8′ × 4′ × 10 S. W. G. ...	30	Ton.	
		6′ × 4′ × 17 ,, ...	30	,,	
		7′ × 3′ × 20 ,, ...	28	,,	
		8′ × 5′ × 16 ,, ...	50	,,	
		7′ × 3′ × 15 ,, ...	30	,,	
4099	6-11-90	7′ × 3′ × 16 ,, ...	30	,,	
		7′ × 3′ × 18 ,, ...	30	,,	
		7′ × 3′ × 20 ,, ...	30	,,	
3303	28-2-90	Slabs of about 28 lbs. each ...	1	Cwt.	
3674	4-7-90				
3504	4-6-90	In one slab	1	,,	
3932	10-10-90	In slabs of about 28 lbs. each	1	Ton.	
4064	31-10-90	Slabs or tiles about 28 lbs. each	25	,,	
3479	18-3-90	Tiles of about 28 lbs. each ...	1	Cwt.	

73

CLASS G.

TOOLS AND STORES.

b.—Stores.

5.—Painters' Stores.

FOR 1890.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD b.—(5) PAINTERS' STORES.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
4109	7-11-90	Boiler Fluid	Scientific, in sound iron bound cask	0	2	0	Gallon.	
3433	8-5-90	Driers.	Patent, ground in oil	0	11	0	Cwt.	
3842	16-9-90		" " "	1	0	0	"	
3184	24-1-90	Lead.	Red, dry	0	18	6	Cwt.	
3433	8-5-90		" "	0	16	6	"	
3559	9-6-90		" "	0	11	1½	"	
3646	2-7-90		" "	0	16	6	"	
3830	11-9-90		" "	0	19	0	"	
3914	10-10-90		" "	0	19	9	"	
4062	31-10-90		" "	0	16	10	"	
3433	8-5-90		White, dry	1	0	0	"	
3534	3-6-90		" "	1	0	0	"	
3548	6-6-90		" "	0	19	6	"	
3914	10-10-90		" "	1	1	0	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(5) PAINTERS' STORES—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3433	8-5-90	Lead—*contd.*	White, ground in oil	1	1	0	Cwt.	
3534	3-6-90		„ „ „	1	1	6	„	
3658	3-7-90		„ „ „	1	1	4½	„	
3830	11-9-90		„ „ „	1	3	3	„	
4185	9-12-90		„ „ „	1	1	9	„	
3658	3-7-90		„ „ „	1	2	4½	„	
3914	10-10-90		„ „ „	1	1	0	„	
3292	27-2-90	Oil.	Linseed, boiled	0	1	10½	Gallon.	
4119	7-11-90		„ „ pale steam	0	1	11	„	
3292	27-2-90		„ raw	0	1	10	„	
3427	2-5-90	Paint.	Black, drop, ivory, dry	1	17	4	Cwt.	
3506	24-5-90		„ „ „ „	0	13	0	„	
3910	10-10-90		„ „ „ „	1	2	0	„	
3427	2-5-90		„ ground in oil	0	11	6	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(5) PAINTERS' STORES—*cont*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3910	10-10-90	Paint—*contd.*	Black ground in oil	0	11	6	Cwt.	
„	„		Blue „ „	0	16	0	„	
3883	3-10-90		Bronze, powder, in 1 oz. packets	0	4	6	lbs.	
3652	3-7-90		„ „ „ „	0	5	6	„	
3427	2-5-90		Brown, sienna, raw, dry	0	4	0	„	
			„ ground in oil	0	12	6	Cwt.	
			„ Chocolate, ground in oil	0	14	0	„	
3562	10-6-90		„ „ mixed, ready for use	0	3	0	Gallon.	
3835	11-9-90		„ „ oxide, ground in oil	0	12	3	Cwt.	
3910	10-10-90		Burnt, sienna, dry	2	0	0	„	
4185	9-12-90		Copper, red, dry	0	12	3	„	
3650	3-7-90		Gold, judsons, with preparation, &c.	0	3	6	Phial.	Less 33⅓ per cent.
3427	2-5-90		Green, ground in oil	2	16	0	Cwt.	
4185	9-12-90		Green, dry	0	18	4	„	
„	„		„ (quakers) in oil	0	17	9	„	
3427	2-5-90		Rose, pink	2	16	0	„	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(5) PAINTERS' STORES—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3311	13-3-90	Paint—contd.	Vermillion, dry, in 1 lb. packets	10	2	0	Cwt.	
3427	2-5-90		" " "	16	6	8	"	
3835	11-9-90		" " imitation, English	4	4	0	"	
4185	9-12-90		" " "	3	2	0	"	Less 10 per cent.
3834	11-9-90		White, silicate, ground in oil	1	4	0	"	
3311	13-3-90		" zinc "	1	6	3	"	
3503	24-5-90		" " "	1	5	9	"	
4185	9-12-90		" " "	1	1	9	"	
3427	2-5-90		Yellow, chrome, dry	2	16	0	"	
3427	2-5-90		" " ground in oil	2	15	0	"	
3835	11-9-90		" " "	0	14	5	"	
4185	14-11-90		" " medium, in oil, Bergers	11	4	0	"	
3427	2-5-90		" Ochre, dry	0	12	6	"	
3416	8-5-90	...	Plaster of Paris	5	2	8	Ton.	
3446	8-5-90	Pumice stone.	In pieces of, from 3 to 5 oz. each	1	8	0	Cwt.	
3680	7-7-90		" " "	1	4	0	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(5) PAINTERS' STORES—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3443	8-5-90	Turpentine.	American, best commercial quality, specific gravity from ·868 to ·872 at a temperature of 60° Fahrenheit	0	2	2	Gallon.	
3675	4-7-90		" " " " " " " "	0	2	4	"	
3805	4-9-90		" " " " " " " "	0	2	4	"	
3918	15-10-90		" " " " " " " "	0	2	3½	"	
3832	11-9-90	Varnish.	Black, Japan	0	5	0	Gallon.	
3443	8-5-90		" "	0	5	0	"	
4163	19-11-90		" "	0	5	0	"	
"	"		" lacquer	0	4	0	"	
3558	9-6-90		Body, carriage best	0	7	9	"	
4163	19-11-90		" finest, durable, hard	0	5	6	"	
"	"		" " " "	0	5	0	"	
3363	21-3-90		" " " for carriages	0	6	11	"	
3728	19-7-90		" " " " "	0	5	6	"	
4163	19-11-90		" hard for carriages	0	5	6	"	
"	"		" " " "	0	5	0	"	
"	"		" " " "	0	5	6	"	

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3363	21-3-90	Varnish—*concld.*	Body, finest, hard, carriage	0	4	10	Gallon.	
3728	19-7-90		" " " "	0	5	0	"	
3363	21-3-90		Copal, finest, finishing, for engines	0	6	2	"	
3114	8-5-90		" best body, carriage	0	8	0	"	
3728	19-7-90		" finest, finishing, for engines	0	5	3	"	
3832	11-9-90		" best, hard, drying	0	4	3	"	
4163	19-11-90		" finest, hard, for engine iron work	0	4	3	"	
"	"		" " " "	0	4	6	"	
3414	8-5-90		" best, pale, hard, drying	0	5	0	"	
3832	11-9-90		Gold size, bronze, quick drying	0	4	0	"	
4163	19-11-90		" " Japan, pale, for wood work	0	4	0	"	
3413	8-5-90		" " Japanese	0	4	0	"	
3363	21-3-90		" " finest, dark	0	4	2	"	
"	"		Under coating, finest, for outsides and insides of carriages	0	5	11	"	
3728	19-7-90		" " " " "	0	5	0	"	
3363	21-3-90		" " for engines	0	5	2	"	

77

CLASS G.

TOOLS AND STORES.

b.—Stores.

6.—Timber.

FOR 1890.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(6) TIMBER.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s	d.	Unit.	Remarks.
			Pine, as below, all finished dimensions—					
			Size, square. Length, feet. Number. Total length, feet.					
4130	7-11-90	Timber.	14″ 50 80 4,000					
			14″ 45 200 9,000	5	4	6	Load.	
			14″ 40 350 14,000					
			12″ 40 200 8,000					
			12″ 35 160 5,600					
			12″ 30 80 2,400	4	2	6	"	
			12″ 25 380 9,500					
			12″ 20 80 1,600					
4137	7-11-90		Planking, pine, 15 to 25 feet, long 10 to 14 inches, and averaging 12 inches wide and two inches thick with hooped ends	3	10	0	"	

78

27

CLASS G.

TOOLS AND STORES.

b.—Stores.

8.—Furniture for Stations, Offices, and Refreshment Rooms.

FOR 1890.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(8) FURNITURE FOR STATIONS, OFFICES AND REFRESHMENT ROOMS.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Cook room requisites –					
3918	10-10-90	Choppers ...	Meat, 3 lbs.	0	5	6	Each.	
3918	10-10-90	Gridirons ...		0	1	10	Each.	
3325	7-3-90	,, ...		0	2	0	,,	
3325	7-3-90	Kettles	Iron, enamelled, one gallon	0	5	0	Each.	
3918	10-10-90		Wrought iron, tinned, one gallon	0	6	6	,,	
3918	10-10-90	Knives ...	Cooks	0	1	6	Each.	
3325	7-3-90	Mugs.	Pewter, one pint	0	3	0	Each.	
4166	21-11-90		,, ,, ...	0	2	3	,,	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(8) FURNITURE FOR STATIONS, OFFICES AND REFRESHMENT ROOMS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
			Cook room requisites—*contd.*					
			Iron enamelled—					
			3 gallons	0	8	0	Each.	
			2 „	0	6	9	„	
3325	7-3-90	Sauce pans.	1 gallon	0	4	0	„	
			½ „	0	2	9	„	
			1 quart	0	1	8	„	
3325	7-3-90	Tin openers ...		0	0	9	Each.	
3918	10-10-90	„ ...		0	3	0	„	
			Crockery, dressing room—					
3936	13-10-90	Toilet sets ...	Complete, comprising, 1 basin washhand, 1 ewer, 1 soap dish with cover and drainer, 1 chamber and 1 brush tray with cover	0	13	4½	Set.	
3716	17-7-90	Basins ...	Washing, iron, enamelled, 24"	0	7	6	Each.	
3716	17-7-90	Jugs ...	Water, iron, enamelled, 2 gallons capacity	0	9	0	Each.	

137

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(8) FURNITURE FOR STATIONS, OFFICES AND REFRESHMENT ROOMS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3716	17-7-90	Pots ...	Chamber, iron, enamelled	0	3	0	Each.	
			Crockery, Table—					
3936	13-10-90	Basins ...	Slop	0	1	7	Each.	
			Earthenware, oval, meat—					
			16"	0	3	6	Each.	
			14"	0	2	6	„	
			12"	0	1	8	„	
			10"	0	1	3	„	
3936	3-10-90	Dishes.	Earthenware, oval, pie—					
			12"	0	2	6	„	
			10"	0	1	7	„	
			8"	0	1	2	„	
			Earthenware, round, vegetable, with covers	0	3	6	„	

138

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(8) FURNITURE FOR STATIONS, OFFICES AND REFRESHMENT ROOMS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
				£	*s.*	*d.*		
3936	13-9-90	Plates.	Cheese	0	0	4	Each.	
			Dessert	0	0	4½	,,	
			Dinner	0	0	5	,,	
			Hot water	0	2	2	,,	
3716	17-7-90		,, iron, enamelled, 10″, fitted with metal pans, with brass screw and collar	0	1	11	,,	
3936	13-10-90		Soup	0	0	5	,,	
3725	19-7-90	Tea pots.	Britania metal, hardest, quality, quart size	0	5	9	Each.	
3234	12-3-90		(Rockingham), best quality, flat, 3 pints	0	2	4	,,	
3936	13-10-90		,, ,, ,, ,, ...	0	2	0	,,	
3356	20-3-90	Filters.	Four gallons, with latest improvement, with spare charges	1	6	6	Each.	
3686	7-7-90		,, ,, ,, ,, ,, ,, ...	1	6	4	,,	
3920	10-10-90		,, ,, ,, ,, ,, ,, ...	1	6	4	,,	
3356	20-3-90		Two ,, ,, ,, ,, ,, ...	0	19	0	,,	
			Spare parts of—					
3864	29-9-90		Cock plugs, best, fine, 2″ long (measured on the straight) tapering from 1¼″ to 1″ diameter	0	3	0	Doz.	

140

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(8) FURNITURE FOR STATIONS, OFFICES AND REFRESHMENT ROOMS—*concld.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
				£	*s.*	*d.*		
4071	7-11-90	Filters—*concld.*	Granulas, silicated, carbon for—					
			2 gallon filters	0	1	6	Charge.	
			2½ ,, ,, ...	0	1	9	,,	
			3 ,, ,, ...	0	2	0	,,	
			4 ,, ,, ...	0	2	6	,,	
			5 ,, ,, ...	0	3	6	,,	
3746	23-7-90		Sockets, India-rubber, for taps for 2, 2½, 3, 4 and 5 gallon filters ...	0	2	0	Doz.	
,,	,,		Taps for 2, 2½, 3, 4 and 5 gallon filters	0	2	6	Each.	
3105	8-4-90	Press, printing ...	Facsimilie, typograph, of the most approved pattern for copying Indents ...	5	7	0	Each.	
3449	9-5-90							
3337	13-3-90	Safes.	Cash, iron, 3′ 0″ × 2′ 6″ × 2′ 0″	14	8	6	Each.	
3947	15-10-90		,, ,, 2′ 0″ × 1′ 6″ × 1′ 6″	9	2	6	,,	
3906	21-10-90		,, ,, 3′ 0″ × 2′ 0″ × 2′ 0″	15	10	0	,,	
		Tumblers.	*Glassware, Table*—					
3305	28-2-90		Glass, pint	0	9	6	Doz.	
3716	17-7-90		Iron, enamelled, 1 pint	0	1	0	Each.	
,,	,,		,, ,, ½ ,, ...	0	0	9	,,	

140

83

CLASS G.

TOOLS AND STORES.

b.—Stores.

9.—Cloth, Clothing and Equipment.

FOR 1890.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(9) CLOTH, CLOTHING AND EQUIPMENT.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3481	16-5-90	Badges.	White metal, Helmet	0	0	1¼	Each.	
"	"		Ditto Collar	0	0	⅝	"	
3509	24-5-90	Buckles.	Brass, with catch	0	0	3½	Each.	
			" snake hook, with ordinary loops and catches	0	0	4	"	
			" side for waist belts	0	0	½	"	
3656	3-7-90	Bunting.	Green	0	0	4¼	Yard.	
3871	2-10-90		"	0	0	4	"	
3956	16-10-90		"	0	0	3¾	"	2″ × 19″ with one open border.
3656	3-7-90		Red	0	0	4	"	1½″ wide to receive handle.
3871	2-10-90		"	0	0	4	"	
3956	16-10-90		"	0	0	3¾	"	
3656	3-7-90		White	0	0	3⅝	"	
3871	2-10-90		"	0	0	3⅝	"	
3956	16-10-90		"	0	0	3¾	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(9) CLOTH, CLOTHING AND EQUIPMENT—*cont'd*.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3522	30-5-90	Buttons.	White, metal, large	0	3	6	Gross.	
"	"		" " small	0	2	6	"	
4147	11-11-90		Uniform, silverplated, Oudh and Rohilkhand Railway	0	3	10	"	
			" " "	0	3	6	"	
			" " " for patch pockets, and shoulder straps	0	2	4	"	
			Monegrams " for caps and Helmets, each with 3 bolts ...	0	0	11	Each.	
			" " for guards' watch belts, each with 2 bolts ...	0	1	0	"	
3928	16-10-90	Cloth.	Puggaree, marked "Burma State Railway," 28½" wide	0	0	6¾	Yard.	
3425	2-5-90		Rep, brown, 52" wide	0	2	11½	"	
"	"		Braiding or binding, for rep	0	1	5½	"	
3743	26-7-90		Brattice, 5 feet wide	0	0	8½	"	
3330	8-3-90	Watches.	Guards', in B. B. Nickel cases, keyless, with expansion balance, to be marked B. S. R. on the back of the case, to have stout plate glasses ...	3	10	0	Each.	
3944	15-10-90		Guards', keyless, with compensation balance, in Nickel case	3	10	0	"	

142

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(9) CLOTH, CLOTHING AND EQUIPMENT—*concld*.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3392	28-3-90	Watches, guards': spare parts of—	Buttons, winding	0	18	0	Doz.	
			" with pips	0	18	0	"	
			Pinions, winding	0	12	0	"	
			" "	0	18	6	"	
			Wheels, barrel, winding	0	3	6	"	
			" winding centre part	0	12	0	"	
			" hand setting	0	3	6	"	
			" ratchet	0	3	6	"	
3751	30-7-90	Whistles.	With chains and sockets and stars for guards' belts	0	3	6	Set.	
"	"		Without chains, for menials, with steel split ring	0	0	8	Each.	
4115	7-11-90		With ring, but without chain and socket, for guards	0	18	0	Doz.	

143

CLASS G.

TOOLS AND STORES.

b.—Stores.

10.—Miscellaneous.

FOR 1890.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(10) MISCELLANEOUS.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3700	10-7-90	Acid.	Carbolic, No. 5	0	1	5	Gallon.	
4006	23-10-90		" "	0	1	5	"	
3344	13-3-90		Hydrochloric, commercial, in stone ware screw stoppered bottles, with I. R. washers.	0	0	1	lb.	Bottles 2*s.* 4*d.* each.
3909	10-10-90		Hydrochloric, commercial, S. G. 1·17	0	0	1½	"	
3399	1-11-90	Asbestos.	Composition, non-conducting, for covering steam pipes	13	0	0	Ton.	In casks of about 3 cwt. each, net.
4172	26-11-90		Fibre, for steam packing	0	3	0	lb.	
3831	11-9-90		Millboard, 2′ 6″ × 2′ 6″ × ⅛″ thick	0	1	6	Sheet.	
3511	28-11-90		Packing, for engine glands, ¼″, ½″ and ⅝″	0	1	3½	lb.	
3345	14-3-90		Sheet, 40″ × 40″ × 1/16″	0	0	4	"	
3345	14-3-90		" 40″ × 40″ × ⅛″	0	0	4	"	
3721	18-7-90		" 40″ × 40″ × ¼″	0	0	5	"	
3374	22-3-90	Bricks.	Bath, 6½″ × 3¼″ × 2¼″	0	5	0	%	
3651	3-7-90		" 6½″ × 3¼″ × 2¼″	0	8	0	Doz.	Unbroken.
3703	10-7-90		"	0	10	0	%	" Ditto.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(10) MISCELLANEOUS—*contd*.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3347	14-3-90	Bricks—*contd*.	Fire, 9″ × 4½″ × 2½″	5	0	0	‰	
3550	6-6-90		,, ...	5	17	6	,,	
,,	,,		,, ...	5	12	0	,,	
3688	7-7-90		,, 9″ × 4½″ × 2½″	6	0	0	,,	
3745	29-7-90		,, 9″ × 4½″ × 2½″	4	10	0	,,	
3767	14-8-90		,, Circular, for top covers of John Fletcher's patent furnace, for Morgan's crucibles.	0	3	6	Each.	Casks for packing 0 19-6.
3296	28-2-90	Canvas	Duck, 54″ wide, weight 11½″ per yard	0	0	10	Yard.	
3181	23-1-90		Common, No. 6, 24″ wide	1	4	0	Bolt.	For repairs to tarpaulins.
3858	6-10-90	Cement.	Portland, in cask, each containing 400 lbs. net	0	7	0	Cask.	NOTE.—To arrive at the cost of Portland cement, delivered at the Indian Ports, 66 per cent. should be added to the *Free on Board* cost.
3155	2-1-90		,, ,, ,, ,, ...	0	7	3	,,	
			Relative prices of various modes of packing Portland Cement during museum.	£	s.	d.		
			(1) Fir casks containing ... 400 lbs. each at ...	0	6	6	each.	
			(2) Petroleum casks containing ... 730 ,, ,, ,, ...	0	13	6	,,	
			(3) Tin lined Guelph casks containing 400 ,, ,, ,, ...	0	6	1	,,	
			It has been ascertained by trial that the petroleum casks are impervious to wet when a hose is turned on them, and the cost of packing the cement in this manner is about 10 per cent. more than packing in ordinary fir casks.					
			The expense of packing cement in tin-lined casks is nearly double that of packing in fir casks.					
			The methods of making cement casks water-proof, such as lining with water-proof paper, &c., have been found unsatisfactory.					
			Tarred canvas wrappers for outside protection have been found to be practically of no avail. Moreover such wrapping is dangerous owing to its high inflammability, and besides being expensive, the freight charges thereon are particularly heavy.					
			NOTE.—"Dammered" casks, i.e., casks covered with jute and afterwards tarred or pitched, are not procurable in England.					

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(10) MISCELLANEOUS—*contd*.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3172	16-1-90	Chalk.	White, in lumps, dry	1	10	0	Ton.	
3321	7-3-90		,, ,, ,, and free from flint	0	18	0	,,	
3673	4-7-90		,, ,, ,, ,, ,, ...	2	10	0	,,	
3258	18-2-90	Citrate of iron and ammonia.	For ferrotyping, in glass stoppered bottles, to contain 1 lb. each ...	0	1	9	lb.	
3703	10-7-90		,, ,, ,, ,, ,, ,, ,, ...	0	2	6	,,	
3909	10-10-90		,, ,, ,, ,, ,, ,, ,, ...	0	1	3½	,,	
3533	3-6-90	Clay ...	Fire, Stourbridge	1	16	2	Ton.	
3185	24-1-90	Disinfecting Powder.	To contain not less than 15 % of tar acid, and 10 % of combined sulphurous acid.	0	12	6	Cwt.	
3365	21-3-90		,, ,, ,, ,, ,, ,, ,,	0	11	0	,,	
3496	23-5-90		,, ,, ,, ,, ,, ,, ,,	0	11	0	,,	
3925	10-10-90		,, ,, ,, ,, ,, ,, ,,	0	11	0	,,	
4106	7-11-90	Disinfecting Fluid	Phenyle, soluble	0	4	0	Gallon.	
3193	24-1-90	Dressing ...	For paulins, to consist of following proportions:—Steam-boiled linseed oil, 1 gallon; yellow ochre, fine, 8 oz.; soap yellow, 4 oz.; sugar of lead, 2 oz.	0	2	5	Gallon.	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(10) MISCELLANEOUS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3198	25-1-90	Emery.	Cloth, No. 1	1	0	0	Ream.	
3367	21-3-90		" "	0	18	0	"	
3502	21-5-90		" "	0	17	0	"	
3697	10-7-90		" "	0	16	8	"	
4015	30-10-90		" "	0	16	0	"	
3198	25-1-90		" No. 2	1	0	0	"	
3367	21-3-90		" "	0	18	0	"	
3502	21-5-90		" "	0	17	0	"	
3697	10-7-90		" "	0	16	8	"	
4015	30-10-90		" "	0	17	0	"	
3697	10-7-90		" No. 2½	0	16	8	"	
"	"		" " 3					
"	"		" F. F.	0	16	8	"	
3367	21-3-90		Powder, No. 1					
3887	4-10-90		" " 1	0	16	0	Cwt.	
"	"		" " 2	0	18	8	"	
3367	21-3-90		" " 2	0	18	8	"	
				0	8	0	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(10) MISCELLANEOUS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3697	10-7-90	Emery—*contd.*	Powder, No. 24, coarse	0	18	6	Cwt.	
			" " 40, fine					
			" " 54 "	0	18	6	"	
			" " 100 "					
4154	14-11-90	Felt	Tarred, sacking, 2′ 8″ wide, in rolls of 75 feet long	0	0	4	Yard.	
3269	28-2-90	Flags.	Bunting, green	1	5	3	⅝	
			" scarlet	1	5	8	"	
			" white	0	14	6	"	Head end of flags to be turned in 1½″ and double sewn. See also G. b. 9.
3447	9-5-90	Glass Paper.	Paper, No. 1					
3502	24-5-90		" " 1	0	10	0	Ream.	
3697	10-7-90		" " 1	0	10	0	"	
4045	30-10-90		" " 1	0	10	0	"	
3697	10-7-90		" " 1½	0	8	0	"	
3447	9-5-90		" " 2	0	10	0	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(10) MISCELLANEOUS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3502	24-5-90	Glass Paper—*contd.*	Paper, No. 2	0	10	0	Ream.	
3697	10-7-90		" " 2	0	10	0	"	
"	"		" " 2½	0	9	0	"	
4045	30-12-90		" " 2½	0	10	0	"	
3697	10-7-90		" " 3	0	10	0	"	
"	"		" " 0	0	10	0	"	
		Glass plate.	White, British polished—					
3395	31-3-90		18½" × 18½" × ⅛"	0	4	6	Each.	
3784	24-7-90		19" × 13" × ⅛"	0	2	4½	"	
"	"		19" × 17" × ⅛"	0	3	9½	"	
"	"		20" × 19" × ⅛"	0	4	6½	"	
3395	31-3-90		21" × 18½" × ⅛"	0	4	11½	"	
3784	24-7-90		22" × 15" × ⅛"	0	3	7½	"	
"	"		22" × 16½" × ⅛"	0	4	4½	"	
"	"		22" × 18" × ⅛"	0	4	7½	"	
"	"		24" × 20" × ⅛"	0	5	9½	"	

149

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(10) MISCELLANEOUS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
		Glass sheet.	White, best glazing quality—					
3368	12-6-90		12¼" × 7"	0	0	2½	Pane	
			14" × 12"	0	0	3¼	"	
			16" × 8¼"	0	0	2	"	
3395	31-3-90		20" × 16"	0	1	1¼	"	
			24" × 18"	0	1	10½	"	
			40" × 30"	0	9	8½	"	
3319	6-3-90	Lead.	Black, pencil (Oakey's) in 8 oz. packets	2	6	0	Cwt.	
3387	4-10-90		" " " "	2	6	8	"	
3899	9-10-90	Maps ...	North Western Railway	3	2	6	%	
3440	8-5-90	Needles.	Sail, straight triangular, 3"	0	3	0	%	
"	"		" " " 4"	0	4	3	"	

150

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(10) MISCELLANEOUS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3191	24-1-90	Oil.	Neatsfoot, refined, for lubricating, &c.	0	3	5	Gallon.	
3714	16-7-90		Watch (Ezra Kelley's) in trade bottles, about ½ oz. each	0	10	0	Doz. bottles.	
3704	10-7-90		Olive, salad	0	5	10	Gallon.	
3454	13-5-90	Packing.	Asbestos, plaited, ¼", ⅜", ½", ¾", 1", 1½"	0	1	2	Lb.	
3952	16-10-90		Gland, ¼" diameter	0	1	0	"	
3952	15-10-90	Paulins.	Wagon, 24" × 9"	1	17	0	Each.	
3690	8-7-90		" 20" × 16"	3	14	0	"	
3878	22-8-90	Phenyle	Soluble, Little's, in 5 gallon drums	0	2	0	Gallon.	
4031a	25-10-90	Powder.	Black lead (Oakey's) in 8 oz. packets	0	1	10½	Lb.	
4097	5-11-90		Gold bronze, deep, in 1 oz. packets	0	4	0	"	

151

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(10) MISCELLANEOUS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3708	10-7-90	Potash.	Cyanide of, best, in bunged jars	11	4	0	Cwt.	Jars 0-2-0 each.
"	"		Prussiate of, red, " "	14	0	0	"	
3909	10-10-90		" " " "	10	5	4	"	Jars 0-1-0.
3385	26-3-90		" yellow " "	5	2	8	"	Jars 0-1-6 each.
3647	3-7-90		" " " in tin lined guelph cask	5	7	4	"	
3703	10-7-90		" " " " "	5	10	0	"	Cask 0-4-6 each.
3909	10-10-90		" " " in bunged jars	5	2	8	"	Jars 0-1-4 each.
4113	7-11-90		" " " "	4	14	6	"	
4046	30-10-90	Quicksilver	In stone bottle	0	3	0	Lb.	
3340	15-3-90	Signals, Fog.	In tin cases of 1 doz. each	5	5	0	⅝ doz.	
3387	27-3-90		" " " "	5	5	0	"	
3526	30-5-90		" " " "	5	5	0	"	
3926	10-10-90		" " " "	5	4	2	"	
3343	13-3-90	Soap.	Bar, yellow	1	0	6	Cwt.	
3648	3-7-90		" "	1	0	0	"	
3922	10-10-90		" "	1	1	0	"	

152

10

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(10) MISCELLANEOUS—*contd*.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3343	13-2-90	Soap—*contd*.	Soft	0	18	6	Cwt.	
3648	3-7-90		„ in iron drums	0	18	9	„	
3022	10-10-90		„	0	19	0	„	
3386	26-3-90	Soda	Caustic, dry	0	11	6	Cwt.	
3566	21-3-90	Sponges.	For washing carriages, 3 oz. each	1	9	9	Doz.	
3726	19-7-90		In pieces of 1 and 2 oz. each	1	9	11	Lb.	
3929	10-10-90		For washing carriages, 3 oz. each	0	16	0	„	
„	„		Cup for filters, 1 oz. each	1	10	0	„	
3312	1-3-90	Table cover ...	11′ 4″ × 7′ 2″, suitable for a committee table, measuring 8′ 4″ long, 5′ 2″ wide.	2	12	6	Each.	
3917	10-10-90	Tar, coal	Refined	0	0	7½	Gallon.	
3519	10-10-90	Tape.	Measuring, metallic, Chesterman's, 100 feet	0	7	4	Each.	
„	„		„ „ „ 50 „	0	4	6	„	

153

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(10) MISCELLANEOUS—*contd*.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3309	28-2-90	Thread.	Cotton, sewing, black, No. 16, on reels of 400 yards	1	10	0	Gross.	Less 10 % on total and 1 % on balance.
3877	3-10-90		„ „ „ „ „ „	1	6	0	„	
3309	28-2-90		„ „ white „ „ „	1	10	0	„	
3687	7-7-90		„ „ „ „	0	1	10	Doz.	
3298	28-2-90		Flax, sewing, hemp, in 2 oz. balls and 3 lb. papers	0	1	1½	Lb.	
3441	8-5-90		Linen, whited brown, 3 cords, No. 41, on 2 oz. reels and in 3 lb. boxes ...	0	3	0	„	
		Ticket.	*Card, Railway*—					
4178	4-12-90		Blue, third class, single	3	1	0	Lac.	
„	„		Crimson, intermediate, return					
3557	9-6-90		Green, second class	3	0	0	„	
„	„		„ „ „ return, with red diagonal line					
4178	4-12-90		„ „ „ „	3	1	0	„	
3733	23-7-90		„ „ „ with 2 red bands on one side	6	12	0	„	
„	„		„ „ „ plain					

154

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(10) MISCELLANEOUS—*contd.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3733	23-7-90	Tickets—contd.	White, plain, with 2 red panels on one side	6	12	0	Inc.	
"	"		" "					
3557	9-8-90		Yellow, third class, single	6	12	0	"	
4156	13-11-90		" " "	3	0	0	"	
4178	4-12-90		" " "	3	0	0	"	
			" " "	3	1	0	"	
3422	1-5-90	Twine.	English, sail-makers, 3 ply, breaking strain 35 lbs.	0	0	10½	Lb.	
3350	21-8-90		" " 3 " " 35 "					
"	"		" " 5 " " 60 "	0	0	10½	"	
3670	4-7-90		" " 5 " " 60 "	0	0	11½	"	
3446	8-5-90	Whiting.	Paris, in strong iron bound cask	0	3	0	Cwt.	
3705	10-7-90		" " " "	2	10	0	Ton.	
3362	21-3-90	Wool.	Berlin, for syphons	0	2	5½	Lb.	
"	"		Worsted	0	1	7½	"	

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b.*—(10) MISCELLANEOUS—*concld.*

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3706	10-7-90	Wool—concld.	Worsted, superior, for trimming Locomotive engines	0	1	11½	Lb.	
3985	21-10-90		" for syphons	0	1	6	"	
4078	4-11-90		" for trimmings	0	2	9	"	
			Italian hemp, dressed—					
3230	7-2-90	Yarn.	5 thread, hand spun					
"	"		7 " "	2	16	0	Cwt.	
3739	26-7-90		10 " "					

92

94

CLASS G.

TOOLS AND STORES.

b.—Stores.

11.—Stationery.

FOR 1890.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(11) STATIONERY.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board.				Remarks.
				Amount.			Unit.	
				£	*s.*	*d.*		
3379	26-3-90	Paper.	Sectional, divided into 16ths of an inch in rolls 30 inches wide, 33 feet long	0	12	6	Roll.	
3500	12-5-90		Patent prepared, for Pellet prints (in rolls 64 feet long, 32 inches wide) ...	1	1	0	"	

96

CLASS G.

TOOLS AND STORES.

b.—Stores.

13.—Printing Press and Materials.

FOR 1890.

CLASS OF STORES. G.—TOOLS AND STORES, SUB-HEAD *b*.—(13) PRINTING PRESS AND MATERIALS.

Contracted for in 1890.

Contract number and date.		Articles.	Details.	Rate—Free on Board. Amount. £	s.	d.	Unit.	Remarks.
3579	14-6-90	Machine, wire stitching and binding.	Extra strong for steam and foot power, specially constructed for stitching through the side of all sizes of time tables, &c., up to a thickness of 1¼ inch, making its own staples and carrying wire from coarsest numbers 18 to 23	42	15	0	Each.	
"	"		Steel wire, tinned, for use with above machine on spools* of about 15 lbs. each—					* Iron spools 0-2-0 each.
			No. 18	0	0	5½	lbs.	
			" 19	0	0	6½	"	
			" 20	0	0	7½	"	
			" 21	0	0	8½	"	
			" 23	0	0	9½	"	

C 7

5702

S.A.W.

60 spare Copies of the missing Cir. No. 1 from the Asst. Clerk of Rye with 59 Copies of 1/2 rate list have been found among the bundles in the Record Room. A search has been made for the signed copy of the same but to no purpose. It is not known how these Copies were mixed up with the others.

A copy of the Cir: may now be treated as original and registered.

29/6

D.W.

Disposal on the spare copy of Circular No: 1 of 1892 submitted. The signed copy of the circular cannot be traced.

1.7.93

R.K.

Register the spare copy and send to the current branch for issue.

1.7.93

[*For General Distribution.*]

Circular No. 1.

FROM

THE DIRECTOR GENERAL OF RAILWAYS,

To

THE MANAGER, NORTH-WESTERN RAILWAY.
THE MANAGER, OUDH AND ROHILKHAND RAILWAY.
THE ENGINEER-IN-CHIEF, MUSHKAF BOLAN RAILWAY.
THE ENGINEER-IN-CHIEF, EAST COAST RAILWAY.
THE ENGINEER-IN-CHIEF, KISTNA BRIDGE.
THE ENGINEER-IN-CHIEF, BENGAL ASSAM RAILWAY, NORTHERN SECTION.
THE ENGINEER-IN-CHIEF, FRONTIER RAILWAY SURVEY.
THE ENGINEER-IN-CHIEF, KASHMIR RAILWAY SURVEY.
THE ENGINEER-IN-CHIEF, GOONA-BINA RAILWAY SURVEY.
THE ENGINEER-IN-CHIEF, UJAIN-BHOPAL RAILWAY SURVEY.
THE PORT STOREKEEPER, STATE RAILWAY DEPARTMENT, CALCUTTA.

Rate List for Class G State Railway Stores, "Tools and Stores," for 1890.

Calcutta, the 25th February 1892.

SIR,

I have the honour to forward, for information and guidance, a printed statement showing the actual *free on board* English rates for G Class State Railway Stores, "Tools and Stores," contracted for by the India Office during 1890.

2. An allowance of 10 per cent. on the original cost of "Tools and Stores," except Portland cement, should be made for entire sea-freight to the several Indian ports, and four-fifths thereof should be entered in indents as payable in England. The allowance that should be made for sea-freight for Portland cement is noted in the column of "Remarks," page 145 of the Rate List forwarded herewith.

3. In order to arrive at the total cost of materials landed at port, an insurance charge of one per cent. on the *free on board* cost, plus the entire sea-freight, should be added in addition to the other incidental charges, exchange being calculated at the official rate for the year.

I have the honour to be,

SIR,

Your most obedient Servant,

R. A. SARGEAUNT, Lieut.-Col., R. E.,

Offg. Director General of Railways.

Document accompanying.

Rate List, Class G, "Tools and Stores," for 1890.

397

100

The Secretaries to the Governments of Bombay, Madras, Bengal, the North-Western Provinces and Oudh, and the Punjab, Public Works Department.
The Secretaries to the Chief Commissioners of the Central Provinces, Burma, and Assam, Public Works Department.
The Secretaries to the Residents at Hyderabad and Mysore, Public Works Department.
The Secretaries to the Agents to the Governor-General for Rajputana and Central India, and Baluchistan, Public Works Department.
The Superintendent of Port Blair and Chief Commissioner, Andaman and Nicobar Islands.
The Director General of Telegraphs.
The Director General of Military Works.
The Accountant General, Public Works Department.
The Comptroller General.
The Accountant General, Bengal.
The Consulting Engineer for Railways, Madras.
The Consulting Engineers to the Government of India for Railways, Calcutta, Lucknow, and Central Division.
The Agent and General Manager, Assam Railways and Trading Company, Limited.

Copy forwarded to the Local Governments, Administrations, and Officers noted in the margin, for information.

R. A. SARGEAUNT, Lieut.-Col., R. E.,
Offg. Director General of Railway.

P. W. CURRENT No. 6005

FROM

THE DIRECTOR GENERAL
OF RAILWAYS.

No 1772 Way 8th July

Communicated

Officers of the Public Works Department for info

Circular No. 1.

Dated Calcutta, the 25th February 1892.

Received 5.95-C

Regtd: 5-7-93.

Entd (585-C)

DESPATCHED
12 July 93

To Supdt Engineers
C. E. to Govt
Supdt of Works P. P.
C. E. for Irrigation
Engr. of P. W. D.

RATE LIST FOR CLASS G STATE RAILWAY STORES.

"Tools and Stores" for 1890.

C. Press, Simla.—No. 1248 P. W. D.—21-3-92.—955.

[*For General Distribution.*]

101

Circular No. 1.

FROM

THE DIRECTOR GENERAL OF RAILWAYS,

TO

THE MANAGER, NORTH-WESTERN RAILWAY.
THE MANAGER, OUDH AND ROHILKHAND RAILWAY.
THE ENGINEER-IN-CHIEF, MUSHKAF BOLAN RAILWAY.
THE ENGINEER-IN-CHIEF, EAST COAST RAILWAY.
THE ENGINEER-IN-CHIEF, KISTNA BRIDGE.
THE ENGINEER-IN-CHIEF, BENGAL ASSAM RAILWAY, NORTHERN SECTION.
THE ENGINEER-IN-CHIEF, FRONTIER RAILWAY SURVEY.
THE ENGINEER-IN-CHIEF, KASHMIR RAILWAY SURVEY.
THE ENGINEER-IN-CHIEF, GOONA-BINA RAILWAY SURVEY.
THE ENGINEER-IN-CHIEF, UJAIN-BHOPAL RAILWAY SURVEY.
THE PORT STOREKEEPER, STATE RAILWAY DEPARTMENT, CALCUTTA.

Rate List for Class G State Railway Stores, "Tools and Stores," for 1890.

Calcutta, the 25th February 1892.

SIR,

I have the honour to forward, for information and guidance, a printed statement showing the actual *free on board* English rates for G Class State Railway Stores, "Tools and Stores," contracted for by the India Office during 1890.

2. An allowance of 10 per cent. on the original cost of "Tools and Stores," except Portland cement, should be made for entire sea-freight to the several Indian ports, and four-fifths thereof should be entered in indents as payable in England. The allowance that should be made for sea-freight for Portland cement is noted in the column of "Remarks," page 145 of the Rate List forwarded herewith.

3. In order to arrive at the total cost of materials landed at port, an insurance charge of one per cent. on the *free on board* cost, plus the entire sea-freight, should be added in addition to the other incidental charges, exchange being calculated at the official rate for the year.

I have the honour to be,-

SIR,

Your most obedient Servant,

R. A. SARGEAUNT, Lieut.-Col., R. E.,
Offg. Director General of Railways.

Document accompanying.

Rate List, Class G, "Tools and Stores," for 1890.

The Secretaries to the Governments of Bombay, Madras, Bengal, the North-Western Provinces and Oudh, and the Punjab, Public Works Department.
The Secretaries to the Chief Commissioners of the Central Provinces, Burma, and Assam, Public Works Department.
The Secretaries to the Residents at Hyderabad and Mysore, Public Works Department.
The Secretaries to the Agents to the Governor-General for Rajputana and Central India, and Beluchistan, Public Works Department.
The Superintendent of Port Blair and Chief Commissioner, Andaman and Nicobar Islands.
The Director General of Telegraphs.
The Director General of Military Works.
The Accountant General, Public Works Department.
The Comptroller General.
The Accountant General, Bengal.
The Consulting Engineer for Railways, Madras.
The Consulting Engineers to the Government of India for Railways, Calcutta, Lucknow, and Central Division.
The Agent and General Manager, Assam Railways and Trading Company, Limited.

Copy forwarded to the Local Governments, Administrations, and Officers noted in the margin, for information.

R. A. SARGEAUNT, Lieut.-Col., R. E.,
Offg. Director General of Railway.

102

FROM

THE DIRECTOR GENERAL
OF RAILWAYS.

102

No 1772 W & S. July 1893
Communicated to the officers
of the Public Works Department
for information.
(Sd) J. H.
W.

Circular No. 1.

Dated Calcutta, the 25th February 1892.

Received

S. Eo
C. A. to Govt
C. E. for I.
S. G. W. Pl
Exec. P. W. D.

RATE LIST FOR CLASS G STATE RAILWAY STORES.

"Tools and Stores" for 1890.

G. C. Press, Simla.—No. 1248 P. W. D.—21-3-92.—955.

[*For General Distribution.*]

103

Circular No. 1.

FROM

THE DIRECTOR GENERAL OF RAILWAYS,

To

THE MANAGER, NORTH-WESTERN RAILWAY.
THE MANAGER, OUDH AND ROHILKHAND RAILWAY.
THE ENGINEER-IN-CHIEF, MUSHKAF BOLAN RAILWAY.
THE ENGINEER-IN-CHIEF, EAST COAST RAILWAY.
THE ENGINEER-IN-CHIEF, KISTNA BRIDGE.
THE ENGINEER-IN-CHIEF, BENGAL ASSAM RAILWAY, NORTHERN SECTION.
THE ENGINEER-IN-CHIEF, FRONTIER RAILWAY SURVEY.
THE ENGINEER-IN-CHIEF, KASHMIR RAILWAY SURVEY.
THE ENGINEER-IN-CHIEF, GOONA-BINA RAILWAY SURVEY.
THE ENGINEER-IN-CHIEF, UJAIN-BHOPAL RAILWAY SURVEY.
THE PORT STOREKEEPER, STATE RAILWAY DEPARTMENT, CALCUTTA.

Rate List for Class G State Railway Stores, "Tools and Stores," for 1890.

Calcutta, the 25th February 1892.

SIR,

I have the honour to forward, for information and guidance, a printed statement showing the actual *free on board* English rates for G Class State Railway Stores, "Tools and Stores," contracted for by the India Office during 1890.

2. An allowance of 10 per cent. on the original cost of "Tools and Stores," except Portland cement, should be made for entire sea-freight to the several Indian ports, and four-fifths thereof should be entered in indents as payable in England. The allowance that should be made for sea-freight for Portland cement is noted in the column of "Remarks," page 145 of the Rate List forwarded herewith.

3. In order to arrive at the total cost of materials landed at port, an insurance charge of one per cent. on the *free on board* cost, plus the entire sea-freight, should be added in addition to the other incidental charges, exchange being calculated at the official rate for the year.

I have the honour to be,

SIR,

Your most obedient Servant,

R. A. SARGEAUNT, Lieut.-Col., R. E.,

Offg. Director General of Railways.

Document accompanying.

Rate List, Class G, "Tools and Stores," for 1890.

The Secretaries to the Governments of Bombay, Madras, Bengal, the North-Western Provinces and Oudh, and the Punjab, Public Works Department.
The Secretaries to the Chief Commissioners of the Central Provinces, Burma, and Assam, Public Works Department.
The Secretaries to the Residents at Hyderabad and Mysore, Public Works Department.
The Secretaries to the Agents to the Governor-General for Rajputana and Central India, and Beluchistan, Public Works Department.
The Superintendent of Port Blair and Chief Commissioner, Andaman and Nicobar Islands.
The Director General of Telegraphs.
The Director General of Military Works.
The Accountant General, Public Works Department.
The Comptroller General.
The Accountant General, Bengal.
The Consulting Engineer for Railways, Madras.
The Consulting Engineers to the Government of India for Railways, Calcutta, Lucknow, and Central Division.
The Agent and General Manager, Assam Railways and Trading Company, Limited.

Copy forwarded to the Local Governments, Administrations, and Officers noted in the margin, for information.

R. A. SARGEAUNT, Lieut.-Col., R. E.,
Offg. Director General of Railway.

R C 1 1 6

FROM

THE DIRECTOR GENERAL
OF RAILWAYS.

No 1772 W of 8th July 1893

Communicated to the officers of the Public Works Department for information.

(Sd) J. H.
W

Circular No. 1.

Dated Calcutta, the 25th February 1892.

Received

RATE LIST FOR CLASS G STATE RAILWAY STORES.

"Tools and Stores" for 1890.

No.

S. & O
C.A. to Govt
C.E. for I.
S.G.W. P.P.

G. C. Press, Simla.—No. 1248 P. W. D.—21-3-92.—955.