

CN^o 4035

Govt. of Madras.
PUBLIC WORKS.

24/6/94

G.O. 7th June 1894 No 1411/W

Stock limit.

≡

Increasing the —
of the Kistna Western
Division from Rs 8000
to Rs 12000.

80

17

22/6.

7/6

W. B. L.



Increase of Seals
limit - Kertua
Western Division

East end p. W. B. L.

F

W. B. L.
4.6.54

W. B. L.

no 686 J 14. 10. 86
" 236 C 19. 1. 94
" 596 C 10. 2. 94

From

The Suptg. Engineer
Second Circle

To The Chief Engineer
P.W. Department

Recd: 31. 5. 94

Dated 29th May 1894

No 395 NS

Stock limit of Krishna
Western Division —

Requesting to raise the —
from 8000 to 12000

to admit the value of
certain earthenware pipes
being charged to Stock.

MS 99

15/6

No. 1411 W. d/ 7th June 1894.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Read the following

From the Suptg Engr II Circle H.E. No. 2397 H.S. d/ 16-1-94

From the Exr. P.W. accts H.E. No. 341 D d/ 1-2-94

From the Suptg Engr II Circle H.E. No. 395 H.S. d/ 29-5-94.

In the circumstances
stated the stock limit of
the Krishna Western Di-
vision will be increased
from Rs 8,000 to Rs 12,000.

L
4.6

To

The Suptg Engr II Circle
" Chief Engr for Irriga
" Exr. P.W. accts

Cur

Government of Madras.

1894

P. W. DEPARTMENT.

CURRENT No. 792

DISPOSAL.

No. dated

From

The Examiner of P.W. works.

ENCLOS.

No. 3412

Dated 1.2.94

Received 2.2.94

SUBJECT.

Reserve Stock of Kistna

Western Division: Remarking

on letter from the Suptg. Engineer

II Circle recommending

the increase of ———.

Superintending Engineer's Office,

No. 395HJ

Camp Alluv
II CIRCLE,

Dated 23rd May 1894.

29

From,

Major W. L. C. Baddely Esquire,

Superintending Engineer,

II Circle.

To,

The Chief Engineer,
P. W. Department,
Madras.

Sir,

In reference to your Memo, No. 596 C d, 10th February 1894, I have the honor to bring to your notice that the En Engineer, Krishna Western Div., reports that he purchased the pipes under the impression that the necessity for piping the channels in the Delta was a recognized one which could not be questioned. 2. Out of the increase of Rs 7,000 applied for by the En Engineer over the original limit of stock of Rs 8,000 sanctioned by Government, nearly Rs 3,000 worth of pipes have since been charged to specific works.

3. I therefore, request that you will be so good as to obtain the sanction of Government for raising the stock limit of the Krishna Western Div. from Rs 8,000 to Rs 12,000 to admit of the value of certain pipes being charged to stock. I have the honor to be, Sir, Your most obedient servant,

W. L. C. Baddely

792

From

The Supltg Engineer
2^d Circle

To

The Chief Engineer
Public Works Dept

Recd. 2.2.94
Dated 16 January 94

No 2397 MS

Reserve Stock of Kitchen
ware Division -
Recommended the minimum
of - from Rs 8000 to 15000
for reasons given -

No 236 Cal 19 Jan 1894

To
C

In favour of
remains.

1894

No 341 Dd 1.2.94

To W.

As some of the materials are re-
quired for specific works, their value
should be charged direct to those works
and not to stock, Govt. of India Code
chapter XIII, para 29, and as the Execu-
tive Engineer's application to raise
the reserve limit evidently includes
such materials, he may be asked to re-
vise his application accordingly.

2. In regard to the Earthenware
pipes they probably can be obtained as
required for each season, and thus ob-
viate a large stock being purchased at
once.

H. J.
C.

1894

applied for by the Secretary
Engineer, Alaska Western Div.

Camp Sugarbush
Go Jamboussan

Whitcomb

Supg. Engineer
Qu. Civil.

6.

15-1-94.

GENERAL.
ACCOUNT.

Govt. of {1894} Madras.
PUBLIC WORKS.

Dated June, 7th.

Recd.

Encl.

G.O., 7th June 1894, No. 1411 W.

JUNE,

Stock Limit

Increasing the — of the Kistna Western
division from Rs. 8,000 to Rs. 12,000.

EXAMINED
22 JAN 1894
ACCOUNTS

From A. S. G. Malet Esq. Executive
Engineer Kistna Western Dy to the
Supg. Engineer 2nd Circle, d/
22nd December/93, No. 5735. *Pres*

I have the honor to state that
as several works under Provincial
Civil Buildings are now in
progress in the Gunter Sub Dy
and it is further proposed to
replace the palmyra spouts and
pendal sluices in this Division
by earthenware pipes, the reserve
stock of Rs. 8,000 sanctioned
for this division in G.O. No. 686 d/
14th October 1886 is considered
inadequate, and I therefore,
request that it may be increased
to Rs. 15,000.

The balance of stock at end
of November last is Rs. 14,167
and it is likely to be increased
in December/93 to Rs. 20,000
which will be gradually reduced
to Rs. 15,000/- in course of time.

Rs. 23,975
16.1.94 Forwarded to the
Chief Engineer P.W. Department
for favor of obtaining the
sanction of Government for the
increase of stock limit now
applied

2. Out of the increase of Rs. 7,000 applied for by the Executive Engineer over the original limit of stock of Rs. 8,000 sanctioned by Government, nearly Rs. 3,000 worth of pipes have since been charged to specific works.

3. I therefore request that you will be so good as to obtain the sanction of Government for raising the stock limit of the Kistna Western division from Rupees 8,000 to Rs. 12,000 to admit of the value of certain pipes being charged to stock.

ORDER—dated 7th June 1894, No. 1411 W., Public Works.

In the circumstances stated, the stock limit of the Kistna Western division will be increased from Rs. 8,000 to Rs. 12,000.

(True Extract.)

Under Secy. to Govt., P.W.D.

To the Superintending Engineer, II Circle.
 „ Chief Engineer for Irrigation.
 „ Examiner, Public Works Accounts.

7TH JUNE 1894, No. 1411 W., PUBLIC WORKS.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General.
Account.

READ—the following papers :—

From A. A. G. MALET, Esq., Executive Engineer, Kistna Western Division,
to the Superintending Engineer, II Circle, dated 22nd December 1893,
No. 573 S.

I have the honour to state that as several works under "Provincial Civil Buildings" are now in progress in the Guntur sub-division and it is further proposed to replace the palmyra spouts and pendal sluices in this division by earthenware pipes, the reserve stock of Rs. 8,000 sanctioned for this division in G.O., No. 686 I., dated 14th October 1886, is considered inadequate, and I therefore request that it may be increased to Rs. 15,000.

2. The balance of stock at end of November last is Rs. 14,167 and it is likely to be increased in December 1893 to Rs. 20,000, which will be gradually reduced to Rs. 15,000 in course of time.

No. 2397 K.S.

Forwarded to the Chief Engineer, Public Works Department, for favour of obtaining the sanction of Government for the increase of stock limit now applied for by the Executive Engineer, Kistna Western Division.

DUGARAZPATNAM,
16th January 1894.

(Signed) J. W. MARTIN,
Suptg. Engineer, II Circle.

Office-note from the Examiner, Public Works Accounts, dated 1st February 1894,
No. 341 D.

As some of the materials are required for specific works, their value should be charged direct to those works and not to stock—Government of India Code, chapter XIII, paragraph 29—and as the Executive Engineer's application to raise the reserve limit evidently includes such materials, he may be asked to revise his application accordingly.

2. In regard to the earthenware pipes, they probably can be obtained as required for each season and thus obviate a large stock being purchased at once.

From Major W. L. C. BADDELEY, R.E., Superintending Engineer, II Circle,
to the Chief Engineer, Public Works Department, dated Allur, 29th May
1894, No. 395 K.S.

In reference to your memo. No. 596 C., dated 10th February 1894, I have the honour to bring to your notice that the Executive Engineer, Kistna Western Division, reports that he purchased the pipes under the impression that the necessity for piping the channels in the delta was a recognized one which could not be questioned.