

No. 21852 of 12. 8. 89
" 26954 of 14. 10. 90
" 22974 of 26. 8. 91
" 85708 of 18. 9. 93

From

Mr. Deputy Engineer
20 April

Mr. Chief Engineer
Public Works Dept.

Dated 22-6-94
Recd: 25-6-94
No 6554

Instruction to the Division
Stock limit of - Requests
Sanction to raise the
to Rs 40000

No. 1639 W. d. 2 July 1894

In the Circum =
In the Circum =
Stances stated, the
limit of reserve
Stock under "Timber"
in the Kistna Division
will be
increased to Rs.
40000.

S
2/6

27.6.94

S. E. II circle
S. E. II circle
Ch. E. for
Ch. P. W. acts.
24/7

List of Civil Buildings for which Estimates have been sanctioned ~~or~~ are still to be sanctioned in the Pishua District.

No	Names of works	Amount of Estimate	Remarks
<u>Works which are in progress.</u>			
1	Tahasildar's Office Nandigama		
2	do Masulipatam		
3	do Narasaraopett		
4	District Munsiff's Court at - do -		
5	Deputy Collector's Office at - do -		
6	Taluk Cutchery at Garavala		
7	Sub Registrars Office at Sattenapalli		
<u>Works for which Estimates have been submitted but sanction not received</u>			
8	Taluk Cutchery at Gannavaram		
9	do Guduvada		
10	District Munsiff's Court at - do -		
11	Head Asst. Collector's Residence.		
<u>Works for which Estimates are still awaited and some of them have been received and are under check in this office.</u>			
12	Taluk Cutchery at Tunkonda		
13	do Bapatla		
14	do Guntur		
15	Stationary Sub-Magistrate's Office at Bezawada.		
16	Deputy Tahasildar's Office at Ponnur		
17	do Anavigadda		

W. M. S. S.

21/9/93.

1639u

No. 857 D dy 15 - 9

List showing the
Civil Buildings for
which Estimates
have been sanctioned
or are still to be
sanctioned.

ms 7610/93

From C. H. Smith Esquire, Executive
Engineer, Kista Eastern Division,
to the Superintending Engineer,
2nd Circle dated 21st July 1893,
No 2634.

In Lr. O. No 2297 U. dated
26.8.1891 a limit of Rs 20,000
was sanctioned for reserve
stock of timber for this Division.
Owing to the above limit being
insufficient, good seasoned
teak wood cannot be used
for roofing work of several
buildings sanctioned in the
Delta as the timber has to be
used up almost as fast as it
is received.

2. In order to meet demands
for teak wood materials for
the building works in this Delta
already sanctioned and to be
sanctioned, I request that you
will be good enough to obtain
sanction of Government for
increasing the limit to Rs 40,000,

3. Every care will be taken that no loss in timber will happen by careful utilization of the same at the rates arrived at, so as to meet all charges on account, and by economical use, of the seasoned teak wood.

No. 1366 Ks
2-8-93

Forwarded to the Chief Engineer, P.W.D. with a recommendation that the limit for reserve stock of timber be raised from Rs 20,000 to Rs 40,000, as teak wood is required for the Civil Buildings, as per enclosed list, for which estimates have been sanctioned and are still to be sanctioned.

Forwarded
Statement

J. W. Martin
Superintending Engineer,
B. H. Circle,
2-9-93

No. 2185 W of 12-8-89
 " 2695 W - 14-10-90
 " 2297 W - 26-8-91 orig.

From

Mr. Supt. Engineer
 2d Class

To

Mr. Chief Engineer
 Public Works Dept

Recd. 5.9.93
 Dated 2-8-93

Run down

No 1366 Ks

Reserve stock of Timber
 in Kistna Division. Order
 Requests sanction to alter
 increase of - from Rs 20000
 to Rs 40000.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

From the S.E. II Circle (H.E. No. 1366 K.S. of 2 Sept. 1893)
 Read the following

The grounds for
 increasing the stock are
 not conclusive -
 why can't seasoned
 timber be bought -

How long is it
 proposed to keep
 timber. Seasoning
 in the Govt.
 workshops. The
 timber is more likely
 to deteriorate than
 to improve lying out
 exposed to the weather
 in the workshop
 yard.

///

9.7

S. E. II circle
 Ch. Engr. for Linga
 Enamuri P.W.D.

The limit of
 reserve stock under
 "timber" in the Kistna
 Eastern division will
 be increased to Rs 40,000
 until the end of the
 current official year.

2. The sanction
 accorded in G.O. No.
 2297 W of 26. August 1893
 expired at the end of
 the year 1891-92 and
 renewed authority should
 be applied for to maintain
 a reserve stock up to
 the limit considered
 necessary in the case of
 the other articles men-
 tioned in the G.O.

W.S.
 9.9.93

Cr

2ND JULY 1894, No. 1639 W., PUBLIC WORKS.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General.
Account.

READ—the following paper :—

From the Executive Engineer, Kistna Northern Division, to the Superintending Engineer, II Circle, dated Bezwada, 14th June 1894, No. 62 S.E.

With reference to your No. 1484 K.S., dated 19th September 1893, I have the honour to state that it is, I believe, impossible to buy wood in the log sufficiently seasoned for joiner's work, as to the best of my knowledge it is not the practice of export merchants to keep wood lying about for so long.

The present stock is insufficient for six months' supply. In five months, February to June 1893, the issue was Rs. 24,000 nearly, the stock limit being only Rs. 20,000. There can be no doubt that exposing timber to the heat of the sun does deteriorate it, and it would be advisable to cover in part of the stacking ground so that a certain quantity of selected timbers could be laid aside for the finer works, i.e., doors and windows, staff boat fittings, &c.

There is a very large expenditure on this kind of work, and it is quite impossible with the present stock limit to do anything in the way of selecting the best logs and laying them aside for a time after being sawn through as they should be.

It is therefore suggested that a corrugated iron shed 50' x 50' should be built for stacking a certain quantity of wood for joiner's work.

Whether this is approved of or otherwise, it is very necessary that the stock limit should be raised as suggested by the Executive Engineer, Kistna Eastern Division.

No. 655 K.S.

Forwarded to the Chief Engineer, Public Works Department, with reference to his memorandum No. 857 D., dated 15th September 1893.

2. The undersigned is certain that *seasoned* timber cannot be bought as required, and it is therefore necessary to raise the stock limit if there is to be economy in working. A corrugated iron shed is an expensive arrangement for protecting timber either in log or in scantlings, but if the necessary permission be granted for the increase of stock (to Rs. 40,000), arrangements will be made for seasoning wood without going to much expense.

(Signed) W. L. C. BADDELEY, Major, R.E.,
Superintending Engineer, II Circle.

22nd June 1894.

ORDER—dated 2nd July 1894, No. 1639 W., Public Works.

In the circumstances stated, the limit of reserve stock under "Timber" in the Kistna Northern division will be increased to Rs. 40,000.

(True Extract.)

Under Secy. to Govt., P.W.D.

To the Superintending Engineer, II Circle.
" Chief Engineer for Irrigation.
" Examiner, Public Works Accounts.

Exd. C. A. Munisawmy.
Spare Copies

GENERAL.
ACCOUNT.

Govt. of {1894} Madras.

PUBLIC WORKS.

Dated July, 2nd.

Recd.

Encs.

G.O., 2nd July 1894, No. 1639 W.

JULY.

Reserve Stock

The limit of — under "Timber" in the
Kistna Northern division, increased to Rs.
40,000.

Letter from the Executive Engineer,
Kistna Northern Division, to the Supg.
Engineer, 2nd Circle, d/Bezawada,
14th June 1894. N^o 62 S.E.

With reference to your N^o 1484 K.S.
d/ 19th September 1893, I have the honor
to state that it is, I believe, impossible
to buy wood in the log sufficiently
seasoned for joiners work as to the
best of my knowledge it is not the
practice of export merchants to
keep wood lying about for so long.

The present stock is insufficient
for six months supply. In five months
February to June 1893, the issue was
Rs 24,000 nearly, the stock limit
being only Rs 20,000. There can be
no doubt that exposing timber
to the heat of the Sun does deteriorate
it, and it would be advisable
to cover in part of the stacking ground,
so that a certain quantity of selected
timbers could be laid aside for
the finer works, i.e. doors and
windows, staffboat fittings &c.

There is a very large expenditure
on this kind of work, and it is
impossible with the present
stock limit to do anything in the
way of selecting the best logs,
laying them aside for a
few days after being sawn through
as

To th

spare Copies

as they should be.

It is, therefore, suggested that a corrugated iron shed 50' x 50' should be built for stacking a certain quantity of wood for joiner's work.

Whether this is approved of or otherwise, it is very necessary that the stock limit should be raised as suggested by the Chief Engineer, District Eastern D.

No. 65574
22694 Forwarded to the
Chief Engineer, P.W. Department,
with reference to his Memo. No. 857 D.
dtd 15th September/93.

2. The undersigned is certain that seasoned timber cannot be brought as required, and it is therefore necessary to raise the stock limit, if there is to be economy in working. A corrugated iron shed is an expensive arrangement for protecting timber either in log or in sawblings, but if the necessary permission be granted for the increase of stock, arrangements will be made for seasoning wood without going to much expense.

expense.

20
Mr. Baddley Major R.E.

Supr Engineer, T. India

21

21-694.

D.W

The Memo is in accordance with W's note, but should it not be "Bezawada" instead of "Dowlaisweram"; please?

Rwz
13/8/93

It should be ^{1/2}th
Bezawada

ORW
14.9.93

yes
JH
14.9

N^o. 857 D of 15-9-93

P.W.D.

Memo.

From the Suptg. Engr., II Circle, N^o. 1366 K.S. dated
2nd Sept. 1893.

The grounds for increasing the stock of timber are not conclusive. The Suptg. Engr. is requested to report why seasoned timber cannot be ^{as required} bought. He should also state how long it is proposed to keep timber seasoning in the ^{Bezawada} ~~Dowlaisweram~~ workshops. The timber is more likely to deteriorate than to improve lying out exposed to the weather in the workshop yard.

JH
14.9

To

The Suptg. Engr., II Circle.

ORW
14.9.93
15/9

Rwz

no 4739

Govt. of Madras.
PUBLIC WORKS.

700

4/7/94

Date

Recd.

Each

G.O. 2 July 1894 No. 16394

Reserve stock

=

the limit of - under
"in the Kistna
Northern Division, increased
Rs. 40000 -

80
4

no. 4739

4/7