

20TH JULY 1894, No. 1819 W., PUBLIC WORKS.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

Buildings and Roads.
Civil Works.

READ—the following paper:—

G.O., dated 7th July 1894, No. 274, Marine.

Read—the following letter from the Presidency Port Officer, dated 29th June 1894, No. 1237/248 G.

With reference to paragraph 2 of G.O., No. 117, Marine, dated 5th April 1894, I have the honour to report that such repairs as are referred to therein (and these generally do not exceed Rs. 500 in cost) can, as a rule, except at the Seven Pagodas, Pulicat and Armeghon, be carried out departmentally by the officers in charge of the several lighthouses. At the three lighthouses named it will be difficult to obtain labour and materials. Painting the lantern inside and all interior work for which materials are supplied by this office can be carried out at these lighthouses also by the Superintendent in charge, but other work must be left to the Public Works Department.

2. It would be as well, however, that the Presidency Port Officer should still be allowed the privilege of asking the Public Works Department for estimates when such a course is considered advisable. This, however, will not occur often.

Order—dated 7th July 1894, No. 274, Marine.

Approved.

(True Extract.)

(Signed) J. F. PRICE.
Chief Secretary.

ENCLOSURE.

G.O., dated 5th April 1894, No. 117, Marine.

Read—the following letter from the Presidency Port Officer, dated 9th March 1894, No. 1138/75 G.

The Port officer, Cocanada, having reported that certain repairs to the Lighthouse at Hope Island can be carried out by him departmentally at a cost of Rs. 550 which is less than the amount estimated for the work by the Public Works Department, I have the honour to request that the sanction of Government may be obtained to the expenditure and that the Accountant-General may be authorised to place Rs. 550 at the disposal of the Port officer from Port funds.

From the same officer, dated 17th March 1894, No. 1138/84 G.

With reference to Marine Department memorandum No. 529, dated 15th March 1894, I have the honour to forward herewith the estimate prepared by the Public Works Department for repairs to the Lighthouse at Hope Island.

Order—dated 5th April 1894, No. 117, Marine.

The proposed expenditure of Rs. 550 is sanctioned. The Financial Department will be requested to place the amount at the disposal of the Port officer from Port funds.

2. It appears to the Government that the time and trouble taken by the Public Works Department in examining the buildings and preparing the estimate and report has been somewhat wasted as it has now been decided to carry out the work departmentally. When the required repairs consist of plastering, painting and caulking, &c., only, it should be possible to relieve the Public Works Department of unnecessary trouble in the matter. The Presidency Port Officer will report on the point.

(True Extract.)

(Signed) J. F. PRICE,
Chief Secretary.

ORDER—dated 20th July 1894, No. 1819 W., Public Works.

Communicated to Superintending Engineers concerned for information.

(True Extract.)

Under Secy. to Govt., P.W.D.

To all Superintending Engineers, except III Circle.

BUILDINGS AND ROADS.
CIVIL WORKS.

Govt. of {1894} Madras.
PUBLIC WORKS.

Dated July, 20th.

Recd.

Encl.

G.O., 20th July 1894, No. 1819 W.

JULY.

Repairs to Lighthouses

Proceedings, Marine Department, approving the Presidency Port Officer's proposal in regard to the execution of certain —, communicated to Superintending Engineers concerned.

G. 58



PROCEEDINGS OF THE MADRAS GOVERNMENT.

READ the following paper :—

From the Presidency Port Officer, of 29 June 1894, No. 1237/4.

With reference to para. 2 of No. Marine No. 117 of 5 April 1894, I have the honor to report that such repairs as are referred to therein (and these generally do not exceed Rs (500) To be incurred in costly car, as a rule, except at the seven Pagodas, Pulicat and Arneghon, be carried out departmentally by the officers in charge of the several lighthouses. At the three lighthouses named, it will be difficult to obtain labor and materials. Hence the lantern inside and all interior work for which materials are supplied by this office can be carried out at these lighthouses also by the Superintendent in charge, but other work must be left to the Public Works Department.

It would be as well however.

however, that the Presidency Port officer should still be allowed the privilege of asking the Public Works Department for estimates when such a course is considered advisable. This, however, will not occur ~~often~~ ^{often}.

Order of July 1894. No. 274-

Approved-

1 Durob-trait

A. B. G. Shetty

Capt. R.

for Chief Secretary-

To
The Accountant General
Public Works Department

with copy of No. 117
1894.

Sole

G.
53

Marine Department.



PROCEEDINGS OF THE MADRAS GOVERNMENT.

Read the following paper:—

From the Presidency Port officer, of 9 March 1894. No. 1138/4.

The Port officer, Cochin, having reported that certain repairs to the lighthouse at the Hope Island can be carried out by him departmentally at a cost of Rs (500) five hundred and fifty, which is less than the amount estimated for the work by the Public Works Department, I have the honor to request that the sanction of Government may be obtained to the expenditure and that the Accountant General may be authorized to place Rs (500) five hundred and fifty at the disposal of the Port officer from Port funds.

From the same officer of 17 March 1894. No. 1138/4.

With reference to Marine Department Memorandum No. 529 of 15 March 1894.

Not read

1894, I have the honor to forward
herewith the estimate prepared by the
Public Works Department for repairs
to the lighthouse at Hope Island.

Order 5th April 1894, No. 114.

The proposed expenditure
of Rs 550 is sanctioned. The Financial
Department will be requested to
place the amount at the disposal of
the Port officer from Port Funds.

2. It appears to the Government
that the time and trouble taken by
the P. W. Department in examining the
buildings and preparing the estimate
and report has been somewhat wasted
as it has now been decided to carry
out the work departmentally. When
the required repairs consist of plaster
ing, painting and caulking &c. only
it should be possible to relieve the
P. W. Department of unnecessary trouble
in the matter. The Presidency Port officer
will report the points of repair.

(Signed)

J. S. Pringle,
Chief Secretary.

1894, I have the honor to forward
herewith the estimate prepared by the
Public Works Department for repairs
to the lighthouse at Hope Island.

Order 5th April 1894, No. 114.

The proposed expenditure
of Rs 550 is sanctioned. The Financial
Department will be requested to
place the amount at the disposal of
the Port officer from Port Funds.

2. It appears to the Government
that the time and trouble taken by
the P. W. Department in examining the
buildings and preparing the estimate
and report has been somewhat wasted
as it has now been decided to carry
out the work departmentally. When
the required repairs consist of plaster
ing, painting and caulking &c. only
it should be possible to relieve the
P. W. Department of unnecessary trouble
in the matter. The Presidency Port officer
will report the points of repair.

(Signed)

J. S. Pringle,
Chief Secretary.

[6] P. W. DEPARTMENT No. 5243
Govt. of [18] Madras.

1387
Circular
No. 1819 W. d. 20 July 1894
A 30

To
The Public Works Department
Encls 1
Recd: 14-7-94

Proceedings, dated 7th July 1894,
No. 274.

Subject.

Approving the Presidency Port
officer's proposals in regard to the agency
for the execution of repairs consisting of
plastering, painting, caulking &c.

Communicated
to Superintending Engineer
to supply materials
Concerned for this
formation.
information
S. 107

Copy
18/7

RECEIVED
1-11-94

I to
PA

To
all Suptg. Engrs.
except III.
except III.

O.S. 205 11/17
R 20/7

C. No. 5243.

Govt. of Madras.

PUBLIC WORKS.

G.O. No. 1819 of July 1894.

Repairs to Lighthouses.

≡

Proceeding Marine Dept.
approving the Presidency
Port officers proposal
in regard to the agency
for the execution of
work - Comd^g to Sup^y
Engineers concerned.

180

6