

P. W. CURRENT No. 5797

1981 B.

No. 1981 W. d. 11th August 1894.

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Read the following

Letter from the Director General
of Stores ——— (H.E. No. 56857 d/13.7.94)

Communicated
to the officers concerned
with reference to G.O.
No. 13485 dated 21st
May 1894.

2. Para 3 of the letter
from the Director
General of Stores will be
considered in the
Marine Dept.

DESPATCHED
11 AUG. 94

S. E. L. L. L.
V. L. L.
Marine Dept.

Ch. M. W.
2/8/94

S. 18.

Encl 2
Regs 4. 8. 54
Recd Oct 2. VIII. 94

OS 10/8

S. 6857.

52403
S. 7447.
TRINITY HOUSE, MADRAS, E. I. C.

13th July 1894.

DUPLICATE

Sir,

With reference to your letter No. 1249 W. dated 21st May 1894, transmitting an indent for a circular iron service room for the Lighthouse at Calingapatam, I have the honour to forward for your information, a copy of a letter on the subject from the Secretary to the Trinity House dated 11th July 1894, with enclosed report from the Engineer of the Corporation.

The detail drawings of the lantern and dioptric apparatus for the Calingapatam Lighthouse, referred to in the Engineer's report, were forwarded to the Port Conservator at Calingapatam, by book post on the 9th March 1894, for the guidance of the local officers in the erection of the work. The apparatus itself was shipped by the S.S. "Mombassa" on the 23rd March 1894.

In view of Mr. Matthew's Report, no action will be taken for the provision of a service room, pending a further expression of your wishes in the matter.

I have the honour to be, Sir,

Your obedient Servant,

J. PARKER

Director General of Stores.

The Secretary to Government,

Public Works Department,

Madras.

3044.

S.7447.

TRINITY HOUSE, LONDON, E. C.

11th July 1894.

Sir,

I am directed by the Board to acknowledge the receipt of your letter, S.6857, dated 2nd Instant, on the subject of a demand for a circular iron service room for the Calingapatam Light, and in reply I am to transmit to you herewith, copy of the Engineer's report thereon, from which it will be seen that Mr. Matthews considers further action in the matter to be unnecessary in view of the circumstances described by him.

I am, &c.,

(Sd) Chas. A. Kent.

Enclosures
returned
herewith.

The Director General of Stores,
India Office,
Whitehall, S. W.

Dupli

OW 5797/24

1981W-6880-24754

With reference to your letter No. 1889 W. dated 1st May 1894, transmitting an indent for a circular iron service room for the Calingapatam Light, I have the honor to forward for your information, a copy of a letter on the subject from the Secretary to the Trinity House dated 11th July 1894, and enclosed report from the Engineer of the Corporation.

The details of the indent and drawings appearing for the Calingapatam Light, referred to in the Engineer's report, were forwarded to the General Superintendent of Calingapatam, by book post on the 2nd March 1894, for the guidance of the local officers in the execution of the work. The apparatus itself was ordered by the S.S. "Ambrose" on the 2nd March 1894.

In view of Mr. Matthews's report, no action will be taken for the provision of a service room, pending a further expression of your views in the matter.

I have the honor to be, Sir,
Your obedient servant,

J. PARKER

Duplicate

*Orig. sent by post
on 2/8/94*

It is requested that in any further communication on this subject the under-mentioned letter and number may be quoted, and the reply addressed to

The Director General of Stores,
India Office,
Whitehall,
London, S.W.

S.6857.

India Office,

Whitehall, S.W.

13th July 1894.

Sir,

1. With reference to your letter No.1249 W. dated 21st May 1894, transmitting an indent for a circular iron service room for the Lighthouse at Calingapatam, I have the honour to forward for your information, a copy of a letter on the subject from the Secretary to the Trinity House dated 11th July 1894, with enclosed report from the Engineer of the Corporation.

2. The detail drawings of the lantern and dioptric apparatus for the Calingapatam Lighthouse, referred to in the Engineer's report, were forwarded to the Port Conservator at Calingapatam, by book post on the 9th March 1894, for the guidance of the local officers in the erection of the work. The apparatus itself was shipped by the S.S."Mombassa" on the 23rd March 1894.

3. In view of Mr. Matthew's Report, no action will be taken for the provision of a service room, pending a further expression of your wishes in the matter.

I have the honour to be, Sir,

Your obedient Servant,

J. Tucker

Director General of Stores.

The Secretary to Government,
Public Works Department,
Madras.

3044.

S.7447.

TRINITY HOUSE, LONDON, E. C.

11th July 1894.

Enclosures
returned
herewith.

Sir,

I am directed by the Board to acknowledge the receipt of your letter, S.6957, dated 2nd Instant, on the subject of a demand for a circular iron service room for the Calingapatam Light, and in reply I am to transmit to you herewith, copy of the Engineer's report thereon, from which it will be seen that Mr. Matthews considers further action in the matter to be unnecessary in view of the circumstances described by him.

I am, &c.,

(Sd) Chas. A. Kent.

The Director General of Stores,

India Office,

Whitehall, S. W.