

No: 2352 W. d, 18 September 1894.

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.


READ the following

Letter from the S.E. VI. Circle (H.E. No. 7883. C. d/10/8/94)
Endorsement in Public dep.
on letter from the Supt.
Archaeological Survey, Madras,
No. 178 d/1/9/94 ——— (" " 1828 d/11/8/94)

The demolition
of the gopura in question
will, as suggested,
be left to the temple
authorities.

CHD
19/9/94

S.E. VI. Circle
Public dep.



no. 2352 w. d. 18 Sept 1897

INDEXED.
25/9
J.C.C.
2079

no. 2352 w. d. 18 Sept. 1892

INDEXED
25/9

J.C.C.
20/9

no. 2352 w. d. 18 Sept. 1892

No: 2352 W. d. 18th September 1894.

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.


READ the following

Letter from the S.E. W. C. Aule (H.E. No. 788 J. C. d. 10/8/94)
Endorsement in Public dept
on letter from the Supt.
Archaeological Survey, Madras,
No. 178 d. 1/9/94 ——— (" " 1828 d. 11/8/94)

The demolition
of the gopura in question
will, as suggested,
be left to the temple
authorities.

CHS
19/9/94

S.E. W. C. Aule
Public dept.



Archaeological Survey, Madras.


P. W. CURRENT No. 6942

From

The Superintendent,
Archaeological Survey,
Madras.

To

The Chief Secretary
to Government of Madras.



Dated 1st }
Despd. 1st } September 1894.

Recd. 3/9 }
Rep. 4/9 } Encls 2

Received at Dept. 12/9/94
Repts: 14 Enclosure. Pub. C. W.
2372/94 returned.

No. 178.

Subject.

Reports on the proposed
demolition of the gopura
of Brahadiwaraswami
temple at Bangai Konda
- Chalapuram.

CHS 3/11/94
Transferred

Pulse. No 401 d. 7-6-94 m.
508/20-1-94
835 d. 12-10-93

M. H. 8/9/94 No. 1828

Transferred to the
Public Works Dept, and
the referred papers
returned - with the
remark that Mr
Rea's opinion is
concurred in.

Kedn. Chiee
Chief Secretary

3.513
9/9

Got approved 3
11th Sept 1894

2490
Archaeological Survey, Madras.

Bangalore.

1st September 1894.

No. 178.

From

A. REA, ESQUIRE,

SUPERINTENDENT,

ARCHAEOLOGICAL SURVEY,

MADRAS,

To

The Chief Secretary
to Government of Madras.

Sir,

Adverting to reference dated 23rd August 1894 No. 1686 Public, I have the honour to report that the demolition of the gopura should be left to the temple authorities. It is probable that the building will be allowed to be gradually brought down by plants and rain; but even if so, I do not think there will be any danger if the temple people put up a fence around it. I do not think that public money should be spent on the work.

I have the honour to be

Sir,

Your most obedient servant,

A. Rea

Superintendent.

P. W. D. CURRENT No. 6077

P. W. D. 6th CIRCLE.

Pub. G.O. No. 401 D-6-94

50 D-20-1-94
835 D-12-10-93

FROM

THE SUPERINTENDING ENGINEER,

GOVERNMENT OF MADRAS, 6th CIRCLE.

TO

THE CHIEF ENGINEER,

P. W. D.

No. 700 TC

Dated 10th

Received 13th

10th August 1894

Reg. in Pub. 21/8

Enclosures. /

Brahadiswarasami
Temple: —

Recommend that the proposal for demolishing the — annually little by little may be left to the temple authorities, otherwise an allotment of Rs 1500 will be necessary.

No. 2464 W of 25-9-93

2638 W of 16-10-93

118 W of 15-1-94

1366 W of 2-6-94.

CURRENT No. 2372

Ootacamund, Public Dept.

20th August 1894.

No. 807 D.

Referred, with
advocence to para
4 of G.O. dated 2nd June
1894 No. 1366 W to the
Public Dept. for
consideration.

John May

Colonel

Secretary to Com. P. W. D.

Referred to the Superin-
tendent, Archaeological
Survey, for report with
advocence to G.O. of
7th June '94, No. 401, & pre-
vious correspondence.

Ootacamund }
23rd Aug. 1894 }
Chief Secretary

3013

O. L. S. 2824/8

No. 2464 W of 25-9-93
2638 W of 16-10-93
118 W of 15-1-94
1366 W of 2-6-94.

CURRENT NO 2372

Ootacamund, Public Dept

20th August 1894.

No. 807 S.

Referred, with
advocence to para
4 of G.O. dated 2nd June
1894 No. 1366 W to the
Public Dept for
consideration.

Yours truly
Colonel R.E.
Secretary to Govt. P.W.D.

C.M.B.
18/8/94

Referred to the Superin-
tendent, Archaeological
Survey, for report with
advocence to G.O. of
7. June '94, No. 401, & pre-
vious correspondence.

Ootacamund } District Engineer
23rd Aug. 1894 } Chief Secretary

3513
O.L.S. 282 24/8

ent.

States that
lated state of
ource of danger
the proposal may
the temple authorities
; otherwise
nder Provincial,
will be necessary
tion may be
ent.

the honor to be,
Sir,
st. obedient servant.

Yours truly
Major R.E.
Superintending Engineer
Circle

by little as funds become available.

2. The estimates and plan that accom-
-panied your letter are returned.

3. I have seen the place. The entrance and
the ground around is covered with prickly pear
and I do not think that the dilapidated state
(said to have been caused by lightning) of the Go-
-puram is such as to cause danger to the public,
as no one goes near it. I am requesting the Dy-
Collector to see that a fence is put round it by the
Temple people.

I have the honor to be,
Sir

Your most obedient servant.

(Signed) A. Krishnasami Aiyar
For Dy Collector

(True copy).

1894
Public
No. 2372

Yours truly

10-8-94

Major R.E.
Superintending Engineer Circle

Handwritten signature

O.L.S. 350 21/8

1894

From.

J. Andrew Esquire
Ag. Collector. —
Trichinopoly.

To.

The Superintending Engineer
T. Circle

Dated 7 } August 1894.
Despt. }
Recd. }

Disposal No. $\frac{2249}{\text{Index}}$ of 94.

Enclosures 2 { 1 Estimate
 { 1 Plan.

Sir.

In reply to your No. 4 T.C.
dated 4th January 94 and
No. 2 T.C. dated 2nd April
94, I have the honor to in-
form you that the Temple
authorities state that
they cannot afford to deposit
the amount as there are
not funds at present at
the disposal of the Temple,
and that they will demo-
lish it annually little
by little.