ncreased accommodation
t Madanapalle, will
e deferred till
ders are passed on
roposals of ~~the Collector~~ Mr. Thorburn,
ow before Government,
or reconstituting the
uddapah and adjoining
istricts.

2. This sanction carries
ith it the abolition,
as a separate charge,
of the Madanapalle
Subdivision. Further
rders will be passed as
to the disposal of the
Subdivisional establishment.

3. No action will now
be taken on G.O. No
1188 W dated 12 May 1894.

S.a.4 C-1
T
B E.7f.

DESPATCH
13 NOV. 94

S.E. III Circle
E. P.W.A.
C. E. for I.
Revenue dept

CWS
6/11/94

7.11

No: 2831 W. d/ 7th November 1894.

General Establishment

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

READ the following

Letter from the S. E. III Circle (H.E. No. 1428 d/ 9. 9. '94)
Office note to the C. E. for I. (" " 3116 C d/ 13. 10. '94)
— do — from the — do — (" " 275 d/ 17. 10. '94)

50

His Excellency the Governor in Council — sanctions as a temporary measure the removal, from Cuddapah to Madanapalle, of the head quarters of the Executive Engineer — Cuddapah Division, provided no expense is incurred beyond that incidental to the move. The question of further outlay in connection with

(40—1,000—13-9-94.)

---

consulted, and who is more intimately acquainted with the District than I am, concurs in this view.

3. I do not attach any importance to the objection of the Executive Engineers' Head Quarters being at a different station from that of other District officers; as pointed out in para: 11 of the Supty Engineer's letter; this is the case in many Divisions and no inconvenience arises therefrom

24.10

W

CW 7831
25/10/94

FOR ORDERS.

Transfer of the Head Quarters of the Cuddapah Dn. to Madanapalle

objection to his moving at once, provided that no expense beyond those immediately incidental to the move are incurred now — any question of further outlay being held over till the whole question has been thoroughly examined.

W

C No. 7986

PUBLIC WORKS DEPT. ~~ORDERS,~~

~~Dated~~ 2831 W

Note — W promised to telegraph to Lt. Col. Rawson when these arrangements are approved of.

C. Ind. 6869
7986

P. W. DEPARTMENT.

No. 2831 W. d/ 7th November 1894

READ the following :—

Letter from the Supdg. Engr. III Circle No. 1428 d/ 9. 9. '94
Office note to the C. E. for Irrign. No. 3116 C d/ 13. 10. '94
—— do —— from the —— do —— " 275 d/ 17. 10. '94

FOR ORDERS.

I consider that the alternative proposal made in para 6 of the Supdg. Engineers' letter, namely to transfer the Head Quarters of the Division to Madanapalle, is preferable to the original arrangement of transferring it to Kistnapuram, the objections to which were not sufficiently considered when G.O. No. 1188 W of 12' May 1894 was passed.

2. The Chief Engineer for Irrigation whom I have

I should think the sooner every body clears out from Cuddapah the better - and there is no doubt that Madanapalle is a very good station. There do not appear to be any objections to the Head Quarters of the Ex. Engineer being away from those of the other district officers - but before the "limited period" during wh. this establishment can exist at Madanapalle without requiring an extension of the present buildings, is reached - it would be well to examine the proposals submitted by Mr. Thorburn & now before Govt. - as to the reconstruction of the Cuddapa and adjoining districts. It is just possible that some scheme may be devised, wh. would show that the Ex. Engineer of the present Cuddapa district might be better located than at Madanapalle. But I see no

43—500-6-3-94.

H. S.

Head Quarters of the Cuddapah division

2831 W

prnd

W/ on returns

G

Ind

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

READ the following

Print without encls

Letter from the Supdt. Engineer III Circle No. 1428 dd 9th September 1894.

The proposals in para 12 of the Superintending Engineer's letter are approved and sanctioned.

CH 180 17/9 94

To
The Supdt. Engineer III Circle.
" Chief Engineer for Irrign.
" Examiner P.W. Accounts.
" Revenue Department.

(40—2,000-22-3-94)

P. W. CURRENT No. 7986

194

to Madanapalle. I do not know however how this action will be viewed by the Rev. & Judl. Depts: the Chief District Officials of these Depts. still being obliged to live & conduct their work in Cuddapah.

17/10

Enclo 1 files returned.

Recd: 20. 10. 94

E1
17/10

D. E. 9

16.10.94

No. 3116 C.

Government of Madras.

PUBLIC WORKS DEPARTMENT.

Madras, 13 October 1894

OFFICE NOTE.

From W — R 194 16.10.94

To E. I.

You are I think better acquainted with the Cuddapah District than I am. Please let me have your opinion as to the Superintending Engineer's proposal to move the Headquarters to Madanapalle.

W

with file - to be returned. No 275 d/ 17.10.94

W

As far as Irrigation interests are concerned, I have no objection to the removal of the head quarters of the Cuddapah Dn.

(48—1,000—11-8-93.)

P. W. CURRENT No. 6869

From Lieutt Col C. Rawson RE

The Superintending Engineer,

IIIrd Circle,

Bellary.

194/1

To

The Chief Engineer,

P. W. D.

Madras

Bellary Dated 9th / 11th } September 1894.

Received 12th

Enclosures. 1

No. 1428

Subject.

Transfer of Cuddapah Division Office to Madanapalli. Proposing the —

No. 1188 Wd/ 12-5-94

" 841 Wd/ 29-3-94

447 Wd/ 19-2-94

3116 C. d/ 13. 10. 94

O.L.S. 362

R 20/9

No. 3116 C.

Government of Madras.

PUBLIC WORKS DEPARTMENT.

Madras, 13 October 1894

OFFICE NOTE.

From W. R194 16.10.94

To E. I.

You are I think better acquainted with the Cuddapah District than I am. Please let me have your opinion as to the Superintending Engineer's proposal to move the Head quarters to Madanapalle.

W.

with file - to be returned. No 275 d/17.10.94

W

As far as Irrigation interests are concerned, I have no objection to the removal of the head quarters of the Cuddapah Dn.

(48-1,000-11-8-93.)

No. 1428

Superintending Engineer's Office,
3RD CIRCLE.
Camp Sagiler Anicut ~~Bellary~~ 9th September 1894.
Bellary 17th Do

From Lieut. Colonel C. C. Rawson R.E.
SUPERINTENDING ENGINEER,
IIIRD CIRCLE,

To
THE Chief Engineer,
P. W. Department,
Madras.

Enclosures. 1
1 S

Sir,

With reference to G. O. No. 1188 W dated 12th May 1894, I have the honor to offer the following remarks.

2. The G. O. under reference sanctions a proposal made by the Supty: Engineer III Circle in his letter No. 8 C dated 27th April 1894, that the Exe: Engineer of the Cuddapah Division should live and hold his Office in the Canal Rest House at Kristnapuram.

3. The objections to this proposal are:—

(a) The rest house in question has not enough accommodation for a Residence for the Exe: Engineer, his office and a canal rest house as suggested in the Supty: Engineer's letter, without taking into consideration the fact that the building does not belong to the Cuddapah Division at all, but is used as an office by the Sub Dn. Officer in charge of lower portion of the Cuddapah - Kurnool Canal and when this Officer is a European or a Eurasian would have to be used by him as a residence.

(b) If the Division Office is to be moved to Kristnapuram from Cuddapah the members of the Office Establishment

would

would still continue to live in Cuddapah, as there is no house accommodation for them in Kristnapuram, and would therefore suffer as much from fever as they did before.

4. The next proposal by the Supty: Engineer is to build quarters and an Office on the old Cantonment site. The objections to this proposal are:-

(a) Expense - a new Division Office would be required, a residence for the Exe: Engineer with outhouses; & quarters for all the Office establishment - as, if these latter are to be allowed to continue to reside in Cuddapah, there is manifestly no advantage in moving the Office out of it.

(b) It seems to be very doubtful whether the old Cantonment site is really a healthy one - please read para 2 of G. O. No. 145 × Revenue dated 30th January 1884 in which it is stated that the old Cantonment site is under irrigation.

×P.W.D. No. 447W
19-2-84

5. It seems to be absolutely necessary that the existing arrangement must be altered as soon as possible. The present Exe: Engineer Mr. Murray cannot stay in Cuddapah for more than one day without getting fever and has been permitted by the late Supty: Engineer to remain at Madanapalli. The Office establishment is completely demoralized by sickness and work is much in arrears. I enclose a statement showing the periods that each member of the Cuddapah Division Office has been incapacitated by sickness since March 1893.

6. In lieu of the suggestions made by the late

Supty:

Supty: Engineer in his letter No. 8C dated 27th April 1894 and approved of by Government in G. O. No. 1188W dated 12th May 1894 I would propose that the Head quarters of the Cuddapah Division be moved to Madanapalli. This can be carried out at once as the Office Estabt. can find accommodation for a limited period in the Madanapalli Sub Divn. Office building, which however will require to be enlarged eventually.

7. If this proposal be sanctioned the only expense which will be entailed at once will be the carriage of the establishment and records from Cuddapah to Madanapalli.

8. The expense which must be met eventually will be the enlargement of the Sub-division Office at Madanapalli to accommodate the Division Office. This however will be nothing as compared to the expense necessary if the buildings required on the old cantonment site are built.

9. If the Division Office is moved to Madanapalli, the Sub Divisional Officer there may be moved, and the Sub Division done away with; as being the Head Quarter Sub Division, it could easily be looked after by the Executive Engineer. This would show a saving of Rs. 84 a month.

10. Madanapalli is within 7 miles of the S. I. Railway and it is perfectly easy for the Exe: Engineer to get to any part of his Division from it.

There

There is a Post Office, a Telegraph Office, a Treasury and it is the Head Quarters of the Sub Collector of Cuddapah.

11. There does not appear to be any good reason why the Exe: Engineer should have his Office at the Head Quarters of the Collector of the District. It is not so in many Districts and I have never found that there was any inconvenience in consequence.

12. I request that the proposals sanctioned in G. O. No. 1188W dated 12th May 1894 be cancelled & that if my suggestions are approved orders may issue for the Head Quarters of the Cuddapah Division to be transferred to Madanapalli; for the preparation of estimates for converting the Sub Division Office there into a Division Office, and for ~~doing~~ doing away with the Madanapalli Sub Division.

I have the honor to be

Sir

Your most obedient servant

C A Lawson Lieut Coll R.E.

9.9.94

Ag: Supty: Engineer, III Circle.

P. W. CURRENT No. 6869

No. 1188 W d/ 12-5-94
" 841 W d/ 29-3-94
447 W d/ 19-2-94
311 b.c. d/ 13. 10. 94

From Lieutt Col C. C. Rawson R.E.
The Superintending Engineer,
IIIrd Circle,
Bellary.

CHIEF ENGINEER
No. 194
1
94

To
The Chief Engineer,
P. W. D.
Madras

Bellary Dated 9th 11 } September 1894.
Received 12th

Enclosures. 1

No. 1428

Subject.

Transfer of Cuddapah Division Office to Madanapalli – Proposing the –

O.L.S. 362

P. W. CURRENT No. 6869

No. 1188 W d/ 12-5-94
" 841 W d/ 29-3-94
447 W d/ 19-2-94
311 b.c. d/ 13-10-94

From Lieut. Col. C. Rawlson R.E.
The Superintending Engineer,
IIIrd Circle,
Bellary.

CHIEF ENGINEER
No. 194/1
11 SEP 94

To

The Chief Engineer,
P. W. D.
Madras

Dated 9th
Bellary 11
Received 12th } September 1894.

Enclosures. 1

No. 1428

Subject.

Transfer of Cuddapah Division Office to Madanapalli. Proposing the —

O. L. S. 362 R 20/9

List of Clerks &c. who have been suffering from Cuddapah malaria from March 1893.

Account Section.

1.	Kuppusawmi Naidoo.	Accountant.	He was on furlough as he was suffering from fever & diabetes and died from the same complaint on 25-1-94.
2.	C. R. Kristna Row	Accountant.	Suffered from fever and took 2 months leave from 16-2-93. Transferred to West Coast Division.
3.	Bala Kristna Row.	Accountant.	Suffered from fever and took one month's leave from 16-9-93. Transferred to Madras.
4.	Mr. Platel.	Accountant.	Suffered three times from fever. 1st 6-7-93 to 7-8-93 2nd 23-8-93 to 8-10-93 3rd 8-1-94. Left the Division without handing over charge as he was so bad with fever. Transferred to Examiner's Office.
5.	J. Venkatappiah.	Accountant.	Joined the Division on 8-1-94. Suffered from fever from 20-1-94 to end of May 1894. Still continuing medicine under instructions from the Medical Officer.
6.	V. Gurunatha Row.	Agt. — do —	Suffered from fever twice in the year. 1st fever from 25-7-93 to 25-9-93 2nd fever from 19-6-94 to 4-9-94. Still continuing medicine under instructions from the medical Officer.

Accounts section (continued)

7.	Narasiah. Temporary Clerk –	Suffered five times from fever, but attending the Office, as no substitute was available to grant the leave applied for.

Correspondence Section.

8.	P. Lutchaman Row. Hd. Clerk –	Was suffering constantly from fever. Applied for a transfer to South. As no one consented to have mutual exchange, he was transferred to Kurnool in June 1894.
9.	C. Varadaraja Moodr. — do —	Joined the Division only in June 1894. Suffered once from fever in July 1894.
10.	Narayana Iyer, Despatching Clerk –	Suffered twice from fever April 1893 – 2 months July 1894 8 days but he was attending the Office as no substitute was available, to take sick leave.
11.	V. Guruviah Chetti, Camp Clerk –	Had fever for a few days in 1893 & in July 1894.
12.	T. R. Durmalinga Moodr. Tempy. Clerk –	Joined the Division only in June 1894. Is suffering from fever from 12th July 1894.

Drawing Section.

13.	Baboo Naidoo. Hd. Draftsman.	Was suffering from fever and died on the 16th of August 1893.
14.	Swarnam Pillai, — do —	Joined the Division in August 1893. Suffered from fever from October 1893 to February 1894. Still continuing medicine. Considering the heaviness of work in D branch he was not allowed to take the leave.

Drawing Section. (continued).

15.	Mannar Raju, Asst. Draftsman.	Suffered 5 times in the year 1st time – April 1893 2d — do — June 1893 3d — do — August 1893 4th — do — December 1893 5th — do — May 1894.
16.	Temporary Draftsman –	Joined the Division in April 1894. Suffered from fever in August 1894.

Bellary
11th September
1894

[illegible] 3rd Circle

GENERAL.
ESTABLISHMENT.

Govt. of {1894} Madras.

PUBLIC WORKS.

Dated November, 7th.

Recd. *Encl.*

G.O., 7th Nov. 1894, No. 2831 W.

NOVEMBER.

Head-quarters of the Executive Engineer, Cuddapah Division

The removal, as a temporary measure, of the — from Cuddapah to Madanapalle, sanctioned with remarks.

7TH NOVEMBER 1894, No. 2831 W., PUBLIC WORKS.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General.
Establishment.

READ—the following papers:—

From Lieut.-Colonel C. C. RAWSON, R.E., Superintending Engineer, III Circle, to the Chief Engineer, Public Works Department, dated Sagiléru, 9th September 1894, No. 1428.

With reference to G.O., No. 1188 W., dated 12th May 1894, I have the honour to offer the following remarks.

2. The Government order under reference sanctions a proposal made by the Superintending Engineer, III Circle, in his letter No. 8 C., dated 27th April 1894, that the Executive Engineer of the Cuddapah division should live and hold his office in the canal rest-house at Kristnapuram.

3. The objections to this proposal are—

(*a*) The rest-house in question has not enough accommodation for a residence for the Executive Engineer, his office and a canal rest-house as suggested in the Superintending Engineer's letter, without taking into consideration the fact that the building does not belong to the Cuddapah division at all, but is used as an office by the Sub-Divisional officer in charge of lower portion of the Cuddapah-Kurnool canal and when this officer is a European or a Eurasian would have to be used by him as a residence.

(*b*) If the division office is to be moved to Kristnapuram from Cuddapah the members of the office establishment would still continue to live in Cuddapah, as there is no house accommodation for them in Kristnapuram and would therefore suffer as much from fever as they did before.

4. The next proposal by the Superintending Engineer is to build quarters and an office on the old cantonment site. The objections to this proposal are—

(*a*) Expense—a new division office would be required, a residence for the Executive Engineer with out-houses, and quarters for all the office establishment, as, if these latter are to be allowed to continue to reside in Cuddapah, there is manifestly no advantage in moving the office out of it.

(*b*) It seems to be very doubtful whether the old cantonment site is really a healthy one—please read paragraph 2 of G.O.,* No. 145, Revenue, dated 30th January 1884, in which it is stated that the old cantonment site is under irrigation.

5. It seems to be absolutely necessary that the existing arrangement must be altered as soon as possible. The present Executive Engineer Mr. Murray cannot stay in Cuddapah for more than one day without getting fever and has been permitted by the late Superintending Engineer to remain at Madanapalle. The office establishment is completely demoralized by sickness and work is much in arrears. I enclose a statement showing the periods that each member of the Cuddapah division office has been incapacitated by sickness since March 1893.

6. In lieu of the suggestions made by the late Superintending Engineer in his letter No. 8 C., dated 27th April 1894, and approved of by Government in G.O., No. 1188 W., dated 12th May 1894, I would propose that the head-quarters of the

---

* Public Works Department No. 447 W., dated 19th February 1884.

Cuddapah division be moved to Madanapalle. This can be carried out at once as the office establishment can find accommodation for a limited period in the Madanapalle sub-division office building, which however will require to be enlarged eventually.

7. If this proposal be sanctioned the only expense which will be entailed at once will be the carriage of the establishment and records from Cuddapah to Madanapalle.

8. The expense which must be met eventually will be the enlargement of the sub-division office at Madanapalle to accommodate the division office. This, however, will be nothing as compared to the expense necessary if the buildings required on the old cantonment site are built.

9. If the division office is moved to Madanapalle, the sub-divisional officer there may be moved and the sub-division done away with, as being the head-quarter sub-division it could easily be looked after by the Executive Engineer. This would show a saving of Rs. 84 a month.

10. Madanapalle is within 7 miles of the South Indian Railway and it is perfectly easy for the Executive Engineer to get to any part of his division from it. There is a post office, a telegraph office, a treasury and it is the head-quarters of the Sub-Collector of Cuddapah.

11. There does not appear to be any good reason why the Executive Engineer should have his office at the head-quarters of the Collector of the district. It is not so in many districts and I have never found that there was any inconvenience in consequence.

12. I request that the proposals sanctioned in G.O., No. 1188 W., dated 12th May 1894, be cancelled, and that, if my suggestions are approved, orders may issue for the head-quarters of the Cuddapah division to be transferred to Madanapalle, for the preparation of estimates for converting the sub-division office there into a division office, and for doing away with the Madanapalle sub-division.

Office-note to the Chief Engineer for Irrigation, dated 13th October 1894, No. 3116 C.
" from the " " " 17th " " " 275.

Order—dated 7th November 1894, No. 2831 W., Public Works.

His Excellency the Governor in Council sanctions, as a temporary measure, the removal, from Cuddapah to Madanapalle, of the head-quarters of the Executive Engineer, Cuddapah division, provided no expense is incurred beyond that incidental to the move. The question of further outlay in connection with increased accommodation at Madanapalle will be deferred till orders are passed on proposals of Mr. Thorburn, now before Government, for reconstituting the Cuddapah and adjoining districts.

2. This sanction carries with it the abolition, as a separate charge, of the Madanapalle sub-division. Further orders will be passed as to the disposal of the sub-divisional establishment.

3. No action will now be taken on G.O., No. 1188 W., dated 12th May 1894.

(True Extract.)

Flg 'A'

This sub-div was revived G.O. 1807 W 98 [illegible]

Flag D

Under Secy. to Govt., P.W.D.

To the Superintending Engineer, III Circle.
" Examiner, Public Works Accounts.
" Chief Engineer for Irrigation.
" Revenue Department.

Exd. C. A. Munisawmy.
Spare Copies

CNo. 6869

Govt. of (1894) Madras.
PUBLIC WORKS.

11-12-13 ✓
14. 8-15 ✓

Urgent

Dated

Recd. .Encl.

G.O., 7/11 1894 No. 283/W

Head quarters of the
Executive Engineer
Cuddapah Dn.

The removal, as a temporary measure, of the —, from Cuddapah to Madanapalle, sanctioned with remarks.

110/6

T.C.C.
7/11