

No. 1686. 2.

Office of Superintendent of Works,

No 1, Periyar Division.

Periyar

dated 15 November 1894.

From

S. D. Pears Esquire,

SUPERINTENDENT OF WORKS, NO. I, PERIYAR DIVISION.

To,

*The Chief Engineer
Public Works Department
Madras.*

PERIYAR.

ENCLOSURE.

Sir,

In reply to your Reminder
No. 6571 dated 10th November/94,
I have the honor to inform you
that the water has been sent
to the Government analyst,
Madras, for examination
but that his reply has not
yet been received.

I have the honor to be,
Sir,
Your most obedient servant,

S. D. Pears

*Supt. of Works
No. I Periyar Div.*

[Signature]

[Signature]

vide 3448C/94

From,

THE SUPERINTENDENT OF WORKS.

No. 1, Periyar Division.

To

The Chief Engineer
Public Works Depart.

No. 1687.2.

ENCLOSURE.

Dated 15th } November 1894
Enclosure

Water: — Reporting
about the despatch of
— to Govt. Analyst
for examination

CLM
5/94

BW

From,

THE SUPERINTENDENT OF WORKS.

No. 1, Periyar Division.

To

The Chief Engineer
Public Works Dept.

No. 1687.2.

ENCLOSURE.

Dated 15th } November 1894

Enclosure

Water:— Reporting
about the despatch of
— to Govt. Analyst
for examination

CLM
1994
K

From,

THE SUPERINTENDENT OF WORKS.

No. 1, Periyar Division.

To

The Chief Engineer
P. W. D.

No. 176.C.B.

ENCLOSURE. 1.

Dated 1st Decr 1894.

Enclosure

Decr: 5.12-54

Analyses of water

Forward letter from
Chemical
the Engineer, P. W. D.
accounts, giving the

S. of W. P. D.

DESPATCHED

10 DEC. 94

Note -

I will note on this
for the information of the
Joint Indian when
submitting the next
monthly report -

R.K.
The Joint Indian
with the Report
R.K.
2.12/1894
S. of W. P. D.

W. G. G.

R.K.
Planned
W. G. G.

5.6.94... 2858 9.1.94... 4880
11.5.94... 1388 26.3.94... 1346
16.4.94... 118 21.3.94... 1315
6.4.94... 938 29.3.94... 844
30.3.94... 884 17.4.94... 1010
28.2.94... 188 10.4.94... 1585
3.3.94... 886

8838

9270

No. 3169 W. d. 10 Decr 1894

B

W
8 Dec

Recorded, pending
receipt of the further
analysis proposed.

S
6.12

89
P. W. D. 6th CIRCLE.

FROM
THE SUPERINTENDING ENGINEER,
6TH CIRCLE.

TO
THE *Chief Engineer*
PWD

No. *12657c*

Dated *22* }
Received *23* } *Nov 7* 1894

Enclosures. *2*

*Exchange compensation
allowances: —*

*Returns duly com-
pleted the list of interro-
gations by Hon. Sec. State & State
Committee of Kelly & sub. bonds
& Blake in connection
with the claims of —*

await other replies.

*CHM
2/9/94 Dm*

(a) The origin of my domicile is Europe

(b) I have not acquired a fresh domicile.

(c) The domicile of my wife is Europe.

(D). As an Honorary Commissioned officer of Her Majesty's Army I am bound to go to Europe or any other country when ordered, and consequently it cannot be decided that I am domiciled in India.

3. Questions 10 & 11 of the list have no bearing on the question in my case; for altho I have not ^{gone} ~~gone~~ "Home" I intend to do so as soon as I am entitled to Furlough or leave.

4. In conclusion I beg to observe that it would be satisfactory to have my claim settled at an early date, and when adjusting this claim that correspondence previously submitted, as per margin, be considered at the same time.

No 599 dated 22nd January 1894 addressed to His Ex^{cy} Engineer Buckingham Palace
" 718 — " — 9th March 1894 — do —
" 154 — " — 19th — do —

(58)

The Executive Engineer
Buckingham Canal

The Superintending
Engineer D.C.

Dated 22nd } November 1894.
Recd 24th

Recd: 30. 11. 94

No 2057.

Enclosure one

Captain J. Lalor Assistant Engineer

Forwarding list of
interrogations regarding
claim to exchange Com-
pensation allowances of -

Amount of this reply

CAN
2099
11

The Encl. is
307 BC
28. 11. 94

P. W. D. No. 9164

P. W. D. 6th CIRCLE.

FROM

THE SUPERINTENDING ENGINEER,

6TH CIRCLE.

TO

THE CHIEF ENGINEER,

P. W. D.

No. 73074

Dated 30

Received

November 1. 12. 94 1894

Enclosures.

Exchange compensation
allowances: —

Returns duly com-
pleted, the list of interroga-
toris by sub-conductor H.
Cloney in connection with

Complied

Cross
to P. W.

From
The Supg. Engineer
4th Circle

Dated 2nd }
Despd 4th } December 1894

Recd: 5.12.94

No 501
W

Encls: 1

Sub Conductor L. Hearn

Returns the list of inter-
rogations duly completed by

Complete
6 54 52

2-11-94 № 2798W

31-7-94 № ~~18~~ 1893-9

12-7-94 № 2420.C

20-6-94 № 2260.C

11-6-94 № 1449W

9-4-94 № 957-58W

14-3-94 № 727W

9-3-94 № 661-62W

2-3-94 № 947.C

23-2-94 № 825.C

26-1-94 № 364.C

17-1-94 № 135W

8-1-94 № 30.C

20-12-93 № 4398.C

20-12-93 № 4397.C

№ 3168W d. 10. Decem

No. 541.

Bellary District Jail
9th April 1893

From

Surgeon Major William O'Hara
Superintendent of Jail, Bellary

To

The Executive Engineer in charge of
Civil works, Bellary

Sir,

Reference. This office No. 418 d/10-3-93.

I have the honor to request that you will
be so good as to expedite the despatch of
plans and estimates for supplying the jail
with water pumped from the jail well.

I have &c &c &c

Sd. W. O'Hara

- Supt -

7th May 1893.

No. 747.

From

Surgeon Major W. O'Hara
Superintendent of Jail, Bellary.

To

The Executive Engineer, Bellary.

Sir,

With reference to your personal inspection
this morning I beg that you will be so good
as to favor me with your views regarding the
reconstruction of the jail kitchen; also that
you will be so good as to cause the necessary
plans and estimates for a kitchen on the stan-
dard place and for the supply of drinking water
to the jail (pump or pipes &c) to be executed at
an early date.

I have &c &c
Sd. W. O'Hara

- Supt -

24. 6. 93.

No. 987.

From

Surgeon Major W. O'Hara
Supt of Jail, Bellary

To

The Executive Engineer, Bellary.

Reference. This office docket no 747 d/7th May 1893
Has the honor to request that the estimates and
plans called for in the above may be fur-
nished

be so good as to Expedite the despatch of plans
and estimates for the Jail Kitchen and water
supply.

I have &c &c
S^d. William O'Hara
Supt of Jail.

No 2216.

19th Nov = 1893.

From

Surgeon Major W. O'Hara
Supt of Jail Bellary

To The Executive Engineer, Bellary D^o.

Reference
This Office no. $\frac{418}{10.3.93}$, $\frac{571}{9.4.93}$, $\frac{747}{7.5.93}$, $\frac{987}{24.6.93}$, $\frac{1278}{29.7.93}$ + $\frac{2052}{30.10.93}$

Sir, I have the honor to invite your attention
to the above references and to request that
the despatch of plans and estimates for
the Jail Kitchen and water-supply may be
Expedited.

I have &c &c.
S^d. W. O'Hara
- Supt.

(True Copies)

10. Bellary D^o Jail 2
23rd May 94 3

Dec 26 5
4771/54
2597
9219

4
Ind 6
5629

1894
J. J. J.
A. No 2793

W. O'Hara
Superintendent of Jail

be
an
sup

Public Works Department
Camp Bellamy

C. W. Wood Engineer
Bellamy

The Superintendent of Jail
Bellamy

The
Sir
to
th
th
2

With reference to your letter of 10th inst.
of 1893, advising the fact of your
the plan for the kitchen has been
the Superintendent Engineer and that
in supply but also in other
obtain the same.

In answer to your letter of 10th inst.
of 1893, I am sorry to hear
that the plan for the kitchen
has not been completed.

10. Be
0.565
477/54
2521
9219

0.565
477/54
2521
9219

1893
Judicial
2
No. 2293

4
Judicial
2
5629

Ex
all

plek
sah
comm
88
with

-rog

926

[illegible]

the supply of the fish from a ship which
went the evening following
I was from C.O. No. 877 first taken
the day the water was
drawn well.

8 7
 4 4
 477/94
 5219

8x
all
plek
gath
comm
8818
with

11. Dublin 11th Sept 1894

11. May 1894

Superintendent of Jail
Dublin

The Executive Committee
Dublin

Reference

Letter to the effect of the 11th Sept 1894
with reference to the above, please the
to request that you will be so good as to
make for the consideration of the Executive
Committee. But as the subject of the
already offered on the basis to be
of a fund, please the Executive
that you will kindly divide the cost of a fund
two parts - one for the erection of a fund
reserving remainder at the well and the
this portion of the cost of the fund
to the fund.
in pressure that the cost of the fund
be less than the cost of the fund.

38
477/94
757
5219

1394
2nd 6
No. 3
5629

1394
2nd 4
No. 4
5629

8x
all
pleh
sah
comm
8816
with

Judicial Department with reference
to G.O. dated 19th June 1894 N-1489,
Judicial.

(True Extract)

W. H. P. H.
Under Secretary to Govt.
D. W. D.

Ans. 3

6774/5

2077


8219

Ans. 5

9269/94

To
The Judicial Department
with 5 Enclosures returned.

Ans.
no



Pr 5.3
5219/94

215/54

to counter initial the
draft as it stands.

John Quincy Adams
Col. Sec.
Secretary to Govt
D.W.D.

C.M.M.
28/11/94
I have no objection. It is
unusual time in which
Dept. the order issues. The
order in 9.0 Am 854. dated
28th Oct 1894 do not
preclude the issue of it
in the first Dept. The opportunity
for offering remarks on the
draft order was afforded.

AS
28/11/94.

Transferred accg. to P.O.D.
30/11

Pls S.1
9209/94

no 5. 2

24. 9/11

to counter-intial the
draft as it stands.

John P. [unclear]
folded
Secretary to Govt
P.W.D.

C.M.M.
28/11/94
I have no objection. It is
unusual time in which
Dept. the order issues. The
order in P.O. No. 854. dated
28th Oct 1894 do not
preclude the issue of it
in the first Dept. The opportunity
for offering remarks on the
Dept. order was afforded.

28/11/94.

Transferred acqly. to P.W.D.
30/11

Pls S. 1

9209/94

W. [unclear] in prep
Estimates

22

(20-10-94)

213/11 215/11
15/11

to counter initial
draft as it stands

John P. [unclear]
[unclear]
Secretary to [unclear]

I have no objection. [unclear]
[unclear] [unclear] [unclear]
[unclear] the order issued.
[unclear] in G.O. No. 854. [unclear]
[unclear] 28th Oct 1894 do not
preclude the issue of [unclear]
in the first Dept. The [unclear]
for offering remarks on the
draft order was afforded.

C. [unclear]
28/11/94

Transferred accg. to P.O.D.
30/11

Dec 5.1

9209/94

Adt. No. 2407 dt 3-12-194


Transferred to the Public
Works Department with
[unclear] [unclear] notes in
original

(H. [unclear])
[unclear] [unclear] [unclear]
Lionel Davidson
for Chief Sec.

30-11-94

The P.O.D. with P.W. office note
No 3817 C dt 28 Nov in
orig. [unclear] 10
Done: 12-12-94

28-11-94 No 3817.C
31-10-94 No 2762 W
17-10-94 No 2611 W
4-7-94 No 1663 W
7-10-92 No 2806 W
16-8-92 No 2253 W



218/11 215/11
15/11

to counter initial

draft as it

John P. King

Secretary

I have no objection

CHM 94
Sept. 11
taken in 9.0
28th Oct.
preclude the
in the first
for opening
draft order was

Transferred accept

Oct 5.1
9209/94

17018
this estimate was finally submitted by the Suptg. Engineer with his letter dated 12 October 1894, or more than two years after the original call. In para 2 of his letter No. 84C of 6 October 1894, the Suptg. Engineer explains the delay to have been due to the preparation of plans for a pump and pipes on varying designs suggested by the Superintendent of the Jail causing long correspondence." So far as the Government can judge from the papers before it, this explanation is extremely unsatisfactory. The "long correspondence" mentioned by the Suptg. Engineer apparently consisted almost entirely of letters and reminders from the Superintendent of the Jail, and the "varying designs" of one suggestion

to Comber
draft a
stand 29th July 1893. On the
22nd August 1893 Mr Wood
intimated that the esti-
mate was under prepara-
tion, and on the 15th
August, 30th October, and
19th November 1893, the
Jail Superintendent sent
further reminders, of which
Mr Wood appears to have
taken no notice. On the
24th January 1894 Mr
Wood left Bellary, and
his successor, Mr Medlicott,
apparently did nothing
in this matter until
sometime in May 1894
when the conversation
above referred to took
place.

3. Mr Peters, the officer
primarily responsible, has
retired from the service,
but Mr Wood and Mr
Medlicott will now be
called upon to at once
submit such explanation
as they can offer for their
share

C.M.M.
2/11/94

Pls S. 1
9229/24

Ep. 2/11/94

~~H. 4~~

Delar in preparation
of an estimate connected
with the water supply
of the Millery pool.

Recd and p. 6

H. 4

Cu
S.A.W.
2.

No. 31674 d. 10 December 1896

INDEXED
a. 2. 2. 2.
S.A.W.
11/2